



erwin DI Business User Portal

Metadata Guide

Release v10.2

Legal Notices

This Documentation, which includes embedded help systems and electronically distributed materials (hereinafter referred to as the “Documentation”), is for your informational purposes only and is subject to change or withdrawal by erwin Inc. at any time. This Documentation is proprietary information of erwin Inc. and may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of erwin Inc.

If you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make available a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all erwin Inc. copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make available copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to erwin Inc. that all copies and partial copies of the Documentation have been returned to erwin Inc. or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, ERWIN INC. PROVIDES THIS DOCUMENTATION “AS IS” WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL ERWIN INC. BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF ERWIN INC. IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is erwin Inc.

Provided with "Restricted Rights." Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19 (c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © 2020 erwin Inc. All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

Contact erwin

Understanding your Support

Review [support maintenance programs and offerings](#).

Registering for Support

Access the [erwin support](#) site and click Sign in to register for product support.

Accessing Technical Support

For your convenience, erwin provides easy access to "One Stop" support for [erwin DI Business User Portal \(BUP\)](#), and includes the following:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- erwin Support policies and guidelines
- Other helpful resources appropriate for your product

For information about other erwin products, visit <http://erwin.com/>.

Provide Feedback

If you have comments or questions, or feedback about erwin product documentation, you can send a message to distechpubs@erwin.com.

erwin Data Modeler News and Events

Visit www.erwin.com to get up-to-date news, announcements, and events. View video demos and read up on customer success stories and articles by industry experts.

Contents

Legal Notices	2
Contents	5
Metadata	7
Systems	9
System Details	11
Associations	11
Environments	12
Environments	13
Environment Details	15
Associations	16
Tables	17
Tables	18
Table Details	20
Associations	21
Columns	22
Columns	23
Column Details	25
Associations	25
Valid Values	26
Valid Values	27
Lineage	28
Impact Analysis	32


Systems	32
Environments	33
Tables	34
Direct Impact	35
Indirect Impact	36
Other Impacts	36
Columns	37
Direct Impact	38
Indirect Impact	39
Other Impacts	39
Mappings	40
Mind Maps	41
Reviewing and Rating Assets	45
Managing Access	47
Assigning Roles	48
Assigning Users	49

Metadata


erwin Data Intelligence Suite (DI Suite) stores the scanned or imported metadata in a hierarchy, System > Environment > Table > Column. Thus, systems, environments, tables, and columns constitute your technical assets. You can view the metadata stored in erwin DI Suite in a similar hierarchy in erwin DI Business User Portal (BUP).

To access metadata, on the menu, expand the **Metadata** node and click <Technical_Asset>.

By default, the <Technical_Asset> card view appears.



To access the <Technical_Asset> in grid view, click .



Refer to the following table for descriptions of options under the **1-Actions** section.

Options	Description
	Use this option to mark a technical asset favorite. This helps in searching an asset

Options	Description
	using the global search.
	Use this option to view lineage of a technical asset.
	Use this option to view impact analysis of a technical asset.
	Use this option to view environments under a system. This option is available only for Systems.
	Use this option to view mind map of a technical asset.
	Use this option to manage access to a technical asset or add it to My To Do List .
	Use this option to view number of other technical assets contained in a technical asset. This option available only in the card view for Systems, Environments, and Tables.
	Use this option to view tables under an environment. This option is available only for Environments.
	Use this option to view mappings of a technical asset. This option is available only for Columns and Tables.
	Use this option to view columns under a table. This option is available only for Tables.
	Use this option to view valid values of a column. This option is available only for Columns.

Refer to the following table for descriptions of options under the **2-Filter** and Export section.

Options	Description
	Use this option to search the required assets.
Sort by	Use this option to sort assets in alphabetical or reverse alphabetical order. This option is available only in the card view.
	Use this option to download a list of assets in the XLSX format.
	Use this option to filter assets based on the available options.
	Use this option to print a list of assets.
	Use this option to select columns that you want to show in a grid. By default, all the columns are selected.

You can [rate and review an asset](#), and also analyze metadata details by further drilling down the following technical assets:

- [Systems](#)
- [Environments](#)
- [Tables](#)
- [Columns](#)


Systems

erwin DI Business User Portal (BUP) gives you access to view lineage, impact analysis, environments, mind map and associations of a system. You can view a list of all the systems and navigate through the list using advance filtering mechanisms to find the required system. You can also analyze technical details and extended properties of a system.

To view the Systems list in grid view, follow these steps:


1. On the menu, expand the **Metadata** node.

The Metadata node unfolds to display Systems, Environments, Tables, and Columns.




2. Click **Systems**.

By default, the Systems card view appears.



3. Click .

The Systems page appears. It displays a list of systems.



You can use the filter and export options to work on the Systems list. For more information on the filter and export options, refer to the [Metadata](#) topic.

You can drill down further and view a system's:

- [Lineage](#)
- [Impact analysis](#)
- [Environments](#)
- [Mind maps](#)

System Details

System details include data steward, business purpose, primary move type, server platform, server OS version of a system, and so on.

To view system details, in the **Systems** grid, click <System_Name>.

The <System_Name> page appears.

The Details tab displays the Technical Details, Data Governance, and Audit Details sections. You can scroll down the page to view the Extended Properties section.

The screenshot displays the 'Data Mart' system details page. The page is divided into three main sections: Technical Details, Classification Details, and Data Governance.

Technical Details:

System Name	Primary Move Type (Source/Target)
Data Mart	Target
Business Purpose	
This is a target system to store summarized data collected for market analysis.	
Server Platform	Server OS Version
Windows	Windows Server 2012
DBMS Platform	DBMS Version
File Management Type	File Location
MS Excel	C:\Users\Talon Smith\erwin\Mike - Target System

Classification Details:

- Sensitive Data Indicator (SDI):
- Sensitive Data Classification: PII
- Sensitive Data Description: Personally Identifiable Information

Data Governance:

- Data Steward: sbenedict

Associations

A system may be associated with the technical and business assets. The technical assets refer to systems, environments, tables, and columns. The business assets refer to business terms, business policies, business rules, and custom assets.

To view associations of systems, on the <System_Name> page, click **Associations**.

The list of associated assets appears. You can click the <Asset_Name> appearing as hyper-link to view its details.

Actions	Name	Type	Catalog Hierarchy	Relationship
	10 K and 10 Q	Business Term	Banking and Finance/Banking/American Banker/Legal/Governmental Laws and Regulations	is associated with
	10-K	Business Term	Banking and Finance/Banking/Investopedia/Legal/Bonds and Agreements	is associated with
	Holding	Table		is related with

Rows per page: 10 | 1-3 of 3

You can use the filter and export options to work on the list. For more information on the filter and export options, refer to the [Metadata](#) topic.

To view association details, under the **Actions** column, click for the required asset.

The Association pane appears. It displays association details of the system with the asset.


Actions	Name	Type	Catalog Hierarchy	Relationship
	Customer Zip Code cannot be ...	Business Rule	Customer Rules	is related with
	Employee Appraisal Report	Environment		is Related with

Environments

You can view list of environments in a system and access environment details that includes environment type, DBMS name, IP Address, and port. You can drill down further to view lineage, impact analysis, tables, and mind map of an environment.

To view environments in systems, in the **Systems** grid, click for the required system.

By default, the Environments card view appears. You can click  to view the Environments in grid view.




Environments

erwin DI Business User Portal (BUP) gives you access to view lineage, impact analysis, tables, mind map and associations of an environment. You can view a list of all the environments and navigate through the list using advance filtering mechanisms to find the required environment. You can also analyze technical details, miscellaneous details and extended properties of an environment.

To access Environments in grid view, follow these steps:


1. On the menu, expand the **Metadata** node.

The Metadata node unfolds to display Systems, Environments, Tables, and Columns.



2. Click **Environments**.

By default, the Environments card view appears.



3. Click .

The Environments page appears. It displays a list of systems. You can click <Environment_Name> and <System_Name> to view their details.

Actions	Environment	Rating	System	Environment Type	DBMS Name
♥ ↕ 📄 🧠 ⋮	45678	4 ★★★★★ (1 reviews)	EDW - Enterprise Dat...		
♥ ↕ 📄 🧠 ⋮	COE	4 ★★★★★ (1 reviews)	Customer Order Entry	test	MS Excel File
♥ ↕ 📄 🧠 ⋮	DM Landing	★★★★★ (no reviews)	EDW - Enterprise Dat...	test	ERWin XML File

You can use the filter and export options to work on the list. For more information on the filters and export options, refer to the [Metadata](#) topic.

You can further drill down to view an environment's:

- [Lineage](#)
- [Impact Analysis](#)
- [Tables](#)
- [Mind map](#)


Environment Details

The environment details include environment type, database type, server platform, server OS version, and so on.

To view environment details, in the **Environments** grid, click <Environment_Name>.

The <Environment_Name> page appears.

The Details tab displays the Technical Details, Data Governance, and Audit Details sections. You can scroll down the page to view Miscellaneous Details and Extended Properties sections.




Associations

An environment may be associated with the technical and business assets. The technical assets refer to systems, environments, tables, and columns. The business assets refer to business terms, business policies, business rules, and custom assets.

To view associations of environments, on the <Environment_Name> page, click **Associations**.


The list of associated assets appears. You can click the <Asset_Name> appearing as hyperlink to view its details.



You can use the filter and export options to work on the grid. For more information on the filter and export options, refer to the [Metadata](#) topic.

To view association details, under the **Actions** column, click  for the required asset.

The Association pane appears. It displays association details of the environment with the asset.




Tables

You can view list of tables in an environment. It displays information that includes logical name, expanded logical name, table type, and workflow status. You can drill down further to view mappings, lineage, impact analysis, columns, and mind map of a table.

To view tables in environments, in the **Environments** grid, click  for the required environment.

By default, the Tables card view appears. You can click  to view the Tables in grid view.




Tables

erwin DI Business User Portal (BUP) gives you access to view mappings, lineage, impact analysis, columns, mind map and associations of a table. You can view a list of all the tables and navigate through the list using advance filtering mechanisms to find the required table. You can also analyze technical, business and extended properties of a table.

To access the Tables list in grid view, follow these steps:


1. On the menu, expand the **Metadata** node.

The Metadata node unfolds to display Systems, Environments, Tables, and Columns.



2. Click **Tables**.

By default, the Tables card view appears.



3. Click .

The Tables page appears. It displays a list of tables. You can click <Table_Name>, <System_Name>, and <Environment_Name> to view their details.

Actions	Table	Rating	Logical Table	Table Expanded Logical ...	System
	Claim	4 ★★★★★ (1 reviews)	Claim		EDW - E
	Claims Analysis	4 ★★★★★ (1 reviews)	Claims Analysis		EDW - E
	Date	★★★★★ (no reviews)	Date		EDW - E

You can use the filter and export options to work on the list. For more information on the filters and export options, refer to the [Metadata](#) topic.

You can further drill down to view a table's:

- [Mappings](#)
- [Lineage](#)
- [Impact Analysis](#)
- [Columns](#)
- [Mind map](#)

Table Details

Table details include environment name, system name, table definition, logical table name, expanded logical name, and so on.

To view table details, in the **Tables** grid, click <Table_Name>.

The <Table_Name> page appears. The Details tab displays the Technical Details, Business Details, User Defined Properties, and Extended Properties sections.

The screenshot shows the 'Claim' table details page. At the top, there is a navigation bar with a back arrow, the title 'Claim', a 4-star rating, and a 'DETAILS' tab. Below this, the page is divided into four main sections:

- Technical Details:** A table with fields for Table Name (Claim), File Type, Environment Name (DM Staging), System Name (EDW - Enterprise Data Warehouse), Number of Rows, and Synonym Reference.
- Business Details:** A table with fields for Table Definition (A claim is a statement listing services rendered, the dates of services, ...), Table Comments, Logical Table Name (Claim), and Table Expanded Logical Name.
- Classification Details:** A section showing the Type (Table), Sensitive Data Indicator (SDI) status (indicated by a red dot), Sensitive Data Classification (PII), and Sensitive Data Description (Personally Identifiable Information).
- Data Governance:** A section showing the Data Steward (sbenedict).

Associations

A table may be associated with the technical and business assets. The technical assets refer to systems, environments, tables, and columns. The business assets refer to business terms, business policies, business rules, and custom assets.

To view associations of tables, on the <Table_Name> page, click the **Associations** tab.


The list of associated assets appears. You can click the <Asset_Name> appearing as hyper-link to view its details.

The screenshot shows the 'Claim' table associations page. At the top, there is a navigation bar with a back arrow, the title 'Claim', a 4-star rating, and an 'ASSOCIATIONS' tab. Below this, there is a search bar and a table of associated assets:

Actions	Name	Type	Catalog Hierarchy	Relationship
	Employee Appraisal Report	Environment		is associated with

You can use the filter and export options to work on the list. For more information on the filters and export options, refer to the [Metadata](#) topic.

To view association details, under the **Actions** column, click  for the required asset. The Association pane appears. It displays association details of the table with the asset.




Columns

You can view list of columns in a table. It displays information that includes logical names, expanded logical names, and data type of columns. You can drill down further to view mappings, lineage, impact analysis, valid values, and mind map of a column.

To view columns in tables, in the **Tables** grid, click  for the required table.

By default, the Columns card view appears. You can click  to view the Columns in grid view.




Columns

erwin DI Business User Portal (BUP) gives you access to view mappings, lineage, impact analysis, valid values, mind map, and associations of a column. The Columns grid displays all the columns and you can easily navigate through the grid using advance filtering mechanisms to find the required row. You can also analyze technical, business and extended properties of a column.

To access the Columns grid follow these steps:


1. In the menu, expand the **Metadata** node.

The Metadata node unfolds to display Systems, Environments, Tables, and Columns.




2. Click **Columns**.

By default, the Column card view appears.



3. Click .

The Columns page appears. It displays a list of columns. You can click <System_Name>, <Environment_Name>, <Table_Name>, and <Column_Name> to view their details.



You can use the filter and export options to work on the grid. For more information on the filters and export options, refer to the [Metadata](#) topic.

You can further drill down to view a column's:

- [Mappings](#)
- [Lineage](#)
- [Impact Analysis](#)

- [Valid Values](#)
- [Mind map](#)

Column Details

Column details include environment name, system name, column definition, logical column name, column expanded logical name, and so on.

To view column details, in the **Columns** grid, click <Column_Name>.

The <Column_Name> page appears. The Details tab displays the Technical Details, Business Details, User Defined Properties, and Extended Properties section.

The screenshot shows the 'Claim Amount US Dollars' column details page. The page has a header with a back arrow, the column name, a star rating '(no reviews)', and several utility icons. Below the header are three tabs: 'DETAILS' (selected), 'ASSOCIATIONS', and 'VALID VALUES'. The main content area is divided into three sections:


- Technical Details:** A table with two columns: 'Column Name' and 'Table Name'. The first row shows 'Claim Amount US Dollars' and 'Claims Analysis'. The second row shows 'Environment Name' as 'DM Staging' and 'System Name' as 'EDW - Enterprise Data Warehouse'. Other rows include 'File Starting Position', 'Data Domain', 'Data Type', 'Length', 'Precision', 'Scale', 'Primary Key', and 'Foreign Key'.
- Classification Details:** A section with a red 'Sensitive Data Indicator (SDI)' icon. It shows 'Sensitive Data Classification' as 'Confidential' and 'Sensitive Data Description' as 'Confidential'.
- Data Governance:** A section showing 'Data Steward' as 'sbenedict'.

Associations

A column may be associated with the technical and business assets. The technical assets refer to systems, environments, tables, and columns. The business assets refer to business terms, business policies, business rules, and custom assets.

To view associations of columns, on the <Column_Name> page, click the **Associations** tab.


The list of associated assets appears. You can click the <Asset_Name> appearing as hyper-link to view its details.



You can use the filter and export options to work on the grid. For more information on the filters and export options, refer to the [Metadata](#) topic.

To view association details, under the **Actions** column, click for the required asset.

The association details of the column with the asset appears.



Valid Values

You can view the assigned codesets to the column as valid values.

To view the valid values of columns, on the <Column_Name> page, click the **Valid Values** tab.

Category Hierarchy	Codeset	Codeset Version	Code Name	Code Value
erwinDISAccounts	erwinProdAccounts	1.01	1005	210
erwinDISAccounts	erwinProdAccounts	1.01	1016	211
erwinDISAccounts	erwinProdAccounts	1.01	1016	212
erwinDISAccounts	erwinProdAccounts	1.01	1016	213

You can also view valid values of a column in the Columns grid. For more information on viewing valid values in the Columns grid, refer to the [Valid Values](#) topic.

Valid Values

You can view the assigned codesets to the column as valid values.

To view the valid values of columns, in the **Columns** grid, click .


Category Hierarchy	Codeset	Codeset Version	Code Name	Code Value
erwinDISAccounts	erwinProdAccounts	1.01	1005	210
erwinDISAccounts	erwinProdAccounts	1.01	1016	211
erwinDISAccounts	erwinProdAccounts	1.01	1016	212
erwinDISAccounts	erwinProdAccounts	1.01	1016	213

Lineage

You can view lineage of a technical asset and trace data's origin, its transformations, and its destination after source to target mappings.

To view lineage, in the <Technical_Asset> grid, click  for the required technical asset.

The lineage of the technical asset appears.




Use the following options to work on the lineage:

Overview Lineage

Use this to switch between detailed lineage view and overview lineage view. By default, detailed lineage view appears.

Detailed lineage view: This view is helpful to technical users like ETL developers. When you reverse engineer ETL jobs or SQL scripts, the lineage might contain temporary tables, ETL components (filters, joiners, routers etc.). This view includes technical assets that do not exist in the Metadata Manager.

For example, the following lineage displays the EXP_CASA and dbo.BD_DM_ACCTMAST tables. These do not exist in the Metadata Manager.



Overview lineage view: This view is helpful to business users. It excludes technical assets that do not exist in the Metadata Manager.


For example, the following lineage does not display the EXP_CASA and dbo.BD_DM_ACCTMAST tables.



Expand (⌵)

By default, lineage appears in the collapsed view. Use this option to switch between the collapsed and expanded view. The expanded view includes technical assets lower in hierarchy.


For example, the following lineage displays the expanded view that includes columns.



Autofit (⌵)

This switch is enabled when you are in the expanded view (⌵). Use it to switch between Auto Expand View and Autofit view. The Auto Expand view shrinks the space for the technical assets lower in hierarchy and the Autofit view expands the space to fit the list of technical assets lower in hierarchy.

For example, the following lineage appears in the Auto Expand view that shrinks the space for columns.




Legend (☰)

By default, legend appears in the lineage. Use this switch to make legend appear or disappear.

Overview (🖼️)

By default, the overview does not appear. Use this switch to make the overview appear or disappear. You can move the purple box in the overview to navigate across the lineage.



Export (📄)

Use this option to download the lineage in the PDF, XLSX, or, JPG format.

Properties (📄)

Click a technical asset to view its properties under this pane. It has different sections for different lineage types.

System's Lineage:

- Summary: This section gives information about the number of environments acting as source, target, or both in the lineage.
- System Details: This section gives information about the selected system in the lineage.
- Environment Details: This section displays a list of environments under the selected system. The list does not include environments that are not part of lineage. You can click <Environment_Name> to view the environment's lineage.
- Extended Properties: This section displays the extended properties configured for the selected system.

Environment's Lineage

- **Summary:** This section gives information about the number of tables acting as source, target, or both in the lineage.
- **Environment Details:** This section gives information about the selected environment in the lineage.
- **Table Details:** This section displays a list of tables under the selected environment. The list does not include tables that are not part of lineage. You can click <Table_Name> to view the table's lineage.
- **Extended Properties:** This section displays the extended properties configured for the selected environment.

Table's Lineage

- **Summary:** This section gives information about the number of columns acting as source, target, or both in the lineage.
- **Table Details:** This section gives information about the selected table in the lineage.
- **Column Details:** This section displays a list of columns under the selected table. The list does not include columns that are not part of lineage. You can click <Column_Name> to view the column's lineage.
- **Technical:** This section displays the technical properties of the selected table.
- **Business:** This section displays the business properties of the selected table.
- **Extended Properties:** This section displays the extended properties configured for the table.

Column's Lineage


- **Summary:** This section gives information about the number of columns acting as source, target, or both in the lineage.
- **Technical:** This section displays the technical properties of the selected column.
- **Business:** This section displays the business properties of the selected column.

- Transformation: This section displays the transformation details of the selected column.
- Valid Values: This section displays the codesets assigned to the selected column.
- Extended Properties: This section displays the extended properties configured for the selected column.

Highlighting lineage path

To highlight a lineage path with respect to a technical asset, click the technical asset in the lineage. The technical asset is highlighted in orange color, its forward lineage path appears in red, and its reverse lineage path appears in blue. The technical assets that are not part of the lineage path disappear.

For example, in the following lineage the EXP_CASA and Claim table disappear.



Impact Analysis

A technical asset may act as a source, target, or both in mapping projects. Impact analysis details of a technical asset displays the impact of the technical asset as source and target. In addition to this the impact analysis of tables and columns display:

- Indirect (upstream and downstream) impact
- Other impacts (business rules, source extract SQL, and lookups)

Systems

To view impact analysis details of systems, in the **Systems** grid, click  for the required system.

< Impact Analysis Details for Data Warehouse +

As Source ☰

Project Name	Mapping Name	Target System
CRD - Data Catalog	Data Warehouse To Data Mart	Data Mart

Rows per page: 10 ▾ 1-1 of 1 < >

As Target ☰

Project Name	Mapping Name	Source System
CRD - Data Catalog	Staging To Data Warehouse	Staging

Rows per page: 10 ▾ 1-1 of 1 < >

Use ☰ to select columns that you want to show in the grid. By default, all the columns appear as selected. You can clear the checkboxes for the columns that are not required in the grid.

You can click the required <Mapping_Name> to view the mapping details.

To download the impact analysis in the XLSX format, click .

Environments

To view impact analysis details of environments, in the **Environments** grid, click  for the required environment.

< Impact Analysis Details for Customer Order Entry

SQL System

As Source

Project Name	Mapping Name	Target Environment	Target System
EDW	CUSTOMER_MAP	SAP	SAP
EDW	CUSTOMER_MAP	SOLEnv	SQL System
test_lineage	CUSTOMER_MAP	SAP	SAP
test_lineage	CUSTOMER_MAP	SOLEnv	SQL System

Rows per page: 10 ▾ 1-4 of 4

As Target

Project Name	Mapping Name	Source Environment	Source System
EDW	CUSTOMER_MAP	ETL	ETL
Lineage_Demo	test	SOLEnv	SQL System
test_lineage	CUSTOMER_MAP	ETL	ETL

Use  to select columns that you want to show in the grid. By default, all the columns appear as selected. You can clear the checkboxes for the columns that are not required in the grid.


You can click the required <Mapping_Name>, <Environment_Name>, or <System_Name> to view its details.

To download the impact analysis in the XLSX format, click .

Tables

A table may act as a source, target, or both in mapping projects. It may also act as a business rule, source extract SQL, or lookup condition.

To view impact analysis details of tables, in the **Tables** grid, click  for the required table.



You can view the summary of indirect impact of the table in pie chart and bar graph. Use  to download the complete impact analysis in the XLSX format.

Direct Impact

You can scroll down the page to view direct impact of the table under the Direct Impact tab.

DIRECT IMPACT						
As Source						
Project Name	Mapping Name	Target Table	Target Environment	Target System	Business Rule	
Lineage_Demo	Account_Claims	Claim	DM_Staging	erwin_DM		<input checked="" type="checkbox"/>

Rows per page: 10 | 1-1 of 1

As Target						
Project Name	Mapping Name	Source Table	Source Environment	Source System	Business Rule	
Lineage_Demo	Account_Tableau_Report	dbo.BD_DM_ACCTMAST	EDW	INFORMATICA		<input checked="" type="checkbox"/>
Lineage_Demo	Account_Tableau_Report	dbo.BD_DM_ACCTMAST	EDW	INFORMATICA	1	<input checked="" type="checkbox"/>
Lineage_Demo	Account_Tableau_Report	dbo.BD_DM_ACCTMAST	EDW	INFORMATICA	UPPER	<input checked="" type="checkbox"/>

Rows per page: 10 | 1-3 of 3

On the Direct Impact tab, you can click <Mapping_Name>, <Table_Name>, <Environment_Name>, and <System_Name> to view their details.

Use to select columns that you want to show in the grid. By default, all the columns appear as selected. You can clear the check boxes for the columns that are not required in the grid.

Indirect Impact

Indirect impact analysis displays upstream and downstream impact of tables.

To view indirect impact, click the **Indirect Impact** tab.

DIRECT IMPACT <u>INDIRECT IMPACT</u> OTHER IMPACTS							
Upstream and Downstream Impact ☰							
Project Name	Mapping Name	Source Table	Source Environment	Source System	Target Table	Target Environment	Target System
Lineage_Demo	Account_Claims	Account	PRESENTATION LAYER	TABLEAU	Claim	DM Staging	erwin DM
Lineage_Demo	Informatica_m_CBDR_BDM_CASA	BD_BA_CUST_ACCT_AO_LOB_XREF	Source Definition	Informatica	SO_BD_MIS_CH_ACCT_MAST	Source Qualifier	Informatica
test_lineage	Informatica_m_CBDR_BDM_CASA	BD_BA_CUST_ACCT_AO_LOB_XREF	Source Definition	Informatica	SO_BD_MIS_CH_ACCT_MAST	Source Qualifier	Informatica
Lineage_Demo	Account_Tableau_Report	dbo.BD_DM_ACCTMAST	EDW	INFORMATICA	Account	Presentation Layer	TABLEAU
Lineage_Demo	Informatica_m_CBDR_BDM_CASA	dbo.BD_MIS_CH_ACCT_MAST	STAGING	TALEND	SO_BD_MIS_CH_ACCT_MAST	Source Qualifier	Informatica
test_lineage	Informatica_m_CBDR_BDM_CASA	dbo.BD_MIS_CH_ACCT_MAST	STAGING	TALEND	SO_BD_MIS_CH_ACCT_MAST	Source Qualifier	Informatica

On the Indirect tab, click <Mapping_Name>, <Table_Name>, <Environment_Name>, and <System_Name> to view their details.

Use ☰ to select columns that you want to show in the grid. By default, all the columns appear as selected. You can clear the check boxes for the columns that are not required in the grid.

Other Impacts

Other impacts refer to impact of a table in:

- Business rules
- Source extract SQL
- Lookups

To view other impacts, click the **Other Impact** tab.

OTHER IMPACTS										
In Business Rules										
Project Name	Mapping Name	Source Table	Source Environment	Source System	Target Table	Target Environment	Target System	Business Rule	Extended Business Rule	
Lineage_Demo	Informatica_m_CBDR_BDM_CASA	LKP_ACCT_CARD_REL	Lookup Procedure	Informatica	EXP_CASA	Expression	Informatica	Account		
Rows per page: 10 1-1 of 1										
In Source Extract SQL										
Project Name	Mapping Name	Source Extract SQL								
Lineage_Demo	Informatica_m_CBDR_BDM_CASA	Select * from Account								
Rows per page: 10 1-1 of 1										
In Lookups										
Project Name	Mapping Name	Source Table	Source Environment	Source System	Target Table	Target Environment	Target System	Lookup Condition	Lookup On	Lookup Reference
Lineage_Demo	Account_Claims	Account	PRESENTATION LAYER	TABLEAU	Claim	DM Staging	erwin_DM	SELECT Cod Acct No FROM Account WHERE Cod Acct No = Account.Acct Atm Status	Cod Acct No	


On the Other Impact tab, click <Mapping_Name>, <Table_Name>, <Environment_Name>, and <System_Name> to view their details.

Use  to select columns that you want to show in the grid. By default, all the columns appear as selected. You can clear the check boxes for the columns that are not required in the grid.

Columns

A column may act as a source, target, or both in mapping projects. It may also act as a business rule, source extract SQL, or lookup condition.

To view impact analysis details of columns, in the **Columns** grid, click  for the required column.



You can view the summary of indirect impact of the column in pie chart and bar graph. Use  to download the complete impact analysis in the XLSX format.

Direct Impact

You can scroll down the page to view direct impact of the column under the Direct Impact tab.

DIRECT IMPACT							INDIRECT IMPACT	OTHER IMPACTS
As Source								
Project Name	Mapping Name	Target Column	Target Table	Target Environment	Target System	Business Rule		
Lineage_Demo	Account_Claims	Claim Status Description	Claim	DM Staging	erwin_DM			
							Rows per page: 10	1-1 of 1
As Target								
Project Name	Mapping Name	Source Column	Source Table	Source Environment	Source System	Business Rule		
Lineage_Demo	Account_Tableau_Report	ACCT_PROD_SOURCE_ID	dbo.BD_DM_ACCTMAST	EDW	INFORMATICA			

On the Direct Impact tab, you can click <Mapping_Name>, <Column_Name>, <Table_Name>, <Environment_Name>, and <System_Name> to view their details.

Use to select columns that you want to show in the Direct Impact grid. By default, all the columns appear as selected. You can clear the check boxes for the columns that are not required in the grid.

Indirect Impact

Indirect impact analysis displays upstream and downstream impact of columns.

To view indirect impact, click the **Indirect Impact** tab.

Upstream and Downstream Impact								
Project Name	Mapping Name	Source Column	Source Table	Source Environment	Source System	Target Column	Target Table	Target Environment
Lineage_Demo	Account_Tableau_Report	ACCT_PROD_SOURCE_ID	dbo.BD_DM_ACCTMAST	EDW	INFORMATICA	Acct_Prod_Source_Id	Account	Presentation Layer
Lineage_Demo	Account_Claims	Acct_Prod_Source_Id	Account	PRESENTATION LAYER	TABLEAU	Claim_Status_Description	Claim	DM Staging
Lineage_Demo	Informatica_m_CBDR_BDM_CASA	SOURCE_ID	EXP_CASA	Expression	Informatica	ACCT_PROD_SOURCE_ID	dbo.BD_DM_ACCTMAST	EDW
test_lineage	Informatica_m_CBDR_BDM_CASA	SOURCE_ID	EXP_CASA	Expression	Informatica	ACCT_PROD_SOURCE_ID	dbo.BD_DM_ACCTMAST	EDW

On the Indirect tab, you can click <Mapping_Name>, <Column_Name>, <Table_Name>, <Environment_Name>, and <System_Name> to view their details.

Use to select columns that you want to show in the grid. By default, all the columns appear as selected. You can clear the check boxes for the columns that are not required in the grid.

Other Impacts

Other impacts refer to impact of a column in:

- Business rules
- Source extract SQL
- Lookups

To view other impacts, click the **Other Impact** tab.

OTHER IMPACTS											
In Business Rules											
Project Name	Mapping Name	Source Column	Source Table	Source Environment	Source System	Target Column	Target Table	Target Environment	Target System	Business Rule	Extended Business Rule
Lineage_Demo	Informatica_m_CBRD_BD_M_CASA	COD_ACCT_NO	LXP_ACCT_CARD_REL	Lookup.Procedure	Informatica	COD_ACCT_NO1	EXP_CASA	Expression	Informatica	Acct Prod Source Id	
Lineage_Demo	Talent_staging	ACCT_PROD_SOURCE_ID	IMeo_1	IMeo_1	TALEND	ACCT_PROD_SOURCE_ID	IFFilterRow_1	IFFilterRow_1	TALEND	row2.ACCT_PROD_SOURCE_ID	
Rows per page: 10 1-2 of 2											
In Source Extract SQL											
Project Name	Mapping Name	Source Extract SQL									
EDW	CUSTOMER_MAP	Select Acct_Prod_Source_Id from Account									
Lineage_Demo	Account_Tableau_Report	select Acct_Prod_Source_Id from Account									
Rows per page: 10 1-2 of 2											
In Lookups											
Project Name	Mapping Name	Source Column	Source Table	Source Environment	Source System	Target Column	Target Table	Target Environment	Target System	Lookup Condition	Lookup On
Lineage_Demo	Informatica_m_CBRD_BD_M_CASA	ACCT_OFOR_BUS	EXP_CASA	Expression	Informatica	ACCT_OFOR_BUS	dbo.BD_DIM_ACCTMAST	EDW	INFORMATICA	SELECT Acct Arm Status, Acct Cod Coy, Acct Prod Source Id, Cod Acct No, Number of Records FROM Account WHERE Acct Arm Status = EXP_CASA.ACCT_OFOR_BUS	Acct Arm Status

On the Other Impact tab, click <Mapping_Name>, <Table_Name>, <Environment_Name>, and <System_Name> to view their details.

Use  to select columns that you want to show in the grid. By default, all the columns appear as selected. You can clear the check boxes for the columns that are not required in the grid.

Mappings

You can view mappings of technical assets (tables and columns) where they act as source or target.

To view mappings, in the <Technical_Asset> grid, click .

The Mappings page appears. By default, the Source tab opens.

For example, the following image displays mappings of the Account table where it acts as source.

< Account

SOURCE TARGET

Mappings

Project	Subject	Mapping	Target System Name	Target System Environm...	Target Table Name
Lineage_Demo		Account_Claims	erwin DM	DM Staging	Claim

To view a list of mappings where the technical asset (table or column) is a target, click the **Target** tab.

< Account

SOURCE TARGET

Mappings


Project	Subject	Mapping	Source System Name	Source System Environ...	Source Table Name
Lineage_Demo		Account_Tableau_Re...	INFORMATICA	EDW	dbo.BD_DM_ACCTM...
Lineage_Demo		Account_Tableau_Re...	INFORMATICA	EDW	dbo.BD_DM_ACCTM...
Lineage_Demo		Account_Tableau_Re...	INFORMATICA	EDW	dbo.BD_DM_ACCTM...

You can click <Mapping_Name>, <Source_System_Name>, <Source_System_Environment>, or <Source_Table_Name> to view their details.

Mind Maps

A mind map is a pictorial representation of associated assets. You can view sensitivity of assets, logical and expanded logical name of tables and columns, and relationships between the assets. It is also possible to use filter to view more focused mind map based on asset types and relationships.

To view mind map of technical assets, in the <Technical_Asset> grid, click .



Use the following options to work on the mind map


View Sensitive Data Indicator (🔒)

Use this switch to view sensitive data indicator of assets on the mind map.

View Sensitivity Data Classification (▲●)

Switch **View Sensitivity Data Classification** to ▲● to view sensitive data classification of assets on the mind map.

For example, the following mind map displays sensitive data classifications of assets as Restri (restricted) and Confiden (Confidential).



Switch to Enterprise Relationship Configuration (⚡)

Switch **Switch to Enterprise Relationship Configuration** to ⚡ to view enterprise relationship configuration. The enterprise relationship configuration refers to the line

color and type as configured in the Business Glossary Manager.


For example, the following mind map displays the relationship between business term and system in blue color and ZigZag type display.



Include Relationships (✓)

Switch **Include Relationships** to ✓ to view relationships between assets on the mind map.


For example, the following mind map displays the relationships between assets.



Logical Names (A)

Switch **Logical Names** to A to view logical names of associated tables and columns on the mind map.


For example, the following mind map displays a logical name of a table.



Expanded Object Logical Names (A)

Switch **Expanded Object Logical Names** to  to view expanded logical names of associated tables and columns on the mind map.

For example, the following mind map displays expanded logical name of a table.




Legend ()

Switch **Legend** to  to view legend of the mind map.

Overview ()

Switch **Overview** to  to view the overview of the mind map. You can slide the purple box to navigate across the mind map.



Expand All ()

Use this switch to expand the nodes of the assets on the mind map.

Collapse All ()

Use this switch to collapse the nodes of the assets on the mind map.

Export ()

Use this option to download the mind map in the XLSX or JPG format.

Filter ()

Use this option to filter the mind map based on:

- Asset Type: You can exclude or include asset types from the mind map.
- Relationships: You can exclude or include assets based on relationships from the mind map.

Properties


Click an asset on the mind map to view its properties with association statistics under this pane. The properties of a technical asset differs from that of a business asset.

Reviewing and Rating Assets

You can review and rate technical assets under the Metadata module. Rating and reviewing an asset enables you to add 5-star rating and provide feedback for an asset. Also, the ratings are displayed for the asset in card view and grid view.


To review and rate assets, follow these steps:

1. In the <Technical_Asset> grid, click an asset.
The <Technical_Asset_Name> page appears.




2. Click .
The Reviews page appears. It displays reviews and ratings for an asset from all the

users.



3. Click the **Write A Review** option.
The ratings page appears.



4. Enter appropriate values in the fields. Refer to the following table for field descriptions.

Filed Name	Description
Rating	Specifies the rating of the asset. To rate an asset, select an appropriate star.
Title	Specifies the title of your review com-

Filed Name	Description
	ments. For example: Well Documented Asset!
Review	Specifies the review comments. For example: The asset's technical and business properties are well documented.


5. Click **Save**.

The ratings are displayed on the Reviews page.

Once the review is added, you can click  to use the following options:

- **Edit Review:**
Use this option to update reviews and ratings for the asset.
- **Delete Review:**
Use this option to delete the review.

You can also filter the reviews based on ratings and sort category.



Managing Access

You can manage access to technical assets in the following ways:


- Assigning roles
- Assigning users

Assigning Roles

To manage access via roles, follow these steps:


1. In the <Technical_Asset> grid, click .

The available options appear.




2. Click **Manage Access**.

The Manage Access pane appears. By default, it is switched to Roles ()



3. Click .

The available roles appear.




4. Select a role.

The selected role is assigned to the asset. Also, the users assigned to this role get access to the asset.

To delete roles from the assigned roles list, follow these steps:

1. Select a role.
2. Click  for the selected role.

The Delete option appears.




3. Click **Delete**.

The selected role is deleted.

Assigning Users


To manage access via users, follow these steps:

1. In the **Manage Access** pane, switch to **Users** ().



2. Click .

The available users appear.




3. Select a user.

The selected user is assigned to the asset.

To delete users from the assigned users list, follow these steps

1. Select a user.
2. Click  for the selected user.

The Delete option appears.



3. Click **Delete**.

The selected user is deleted.