



erwin Data Intelligence

Resource Management Guide

Release v12.1

Legal Notices

This Documentation, which includes embedded help systems and electronically distributed materials (hereinafter referred to as the Documentation), is for your informational purposes only and is subject to change or withdrawal by Quest Software, Inc and/or its affiliates at any time. This Documentation is proprietary information of Quest Software, Inc and/or its affiliates and may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of Quest Software, Inc and/or its affiliates

If you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make available a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all Quest Software, Inc and/or its affiliates copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make available copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to Quest Software, Inc and/or its affiliates that all copies and partial copies of the Documentation have been returned to Quest Software, Inc and/or its affiliates or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, QUEST SOFTWARE, INC. PROVIDES THIS DOCUMENTATION AS IS WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL QUEST SOFTWARE, INC. BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF QUEST SOFTWARE, INC. IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is Quest Software, Inc and/or its affiliates Provided with Restricted Rights. Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © 2022 Quest Software, Inc. and/or its affiliates All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

Contact erwin

Understanding your Support

Review [support maintenance programs and offerings](#).

Registering for Support

Access the [erwin support](#) site and click Sign in to register for product support.

Accessing Technical Support

For your convenience, erwin provides easy access to "One Stop" support for [erwin Data Intelligence \(erwin DI\)](#), and includes the following:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- erwin Support policies and guidelines
- Other helpful resources appropriate for your product

For information about other erwin products, visit <http://erwin.com/>.

Provide Feedback

If you have comments or questions, or feedback about erwin product documentation, you can send a message to distechpubs@erwin.com.

erwin Data Modeler News and Events

Visit www.erwin.com to get up-to-date news, announcements, and events. View video demos and read up on customer success stories and articles by industry experts.

Contents

Managing Resources	7
Using Resource Manager	8
Creating Roles	9
Configuring Access Rights	13
Viewing Infographics	15
Statistical Boards	15
Metadata	16
Mapping Projects	16
Business Glossary	17
Managing Roles	19
Creating Users and Assigning Roles	20
Configuring Access Rights	25
Viewing Infographics	28
Statistical Boards	28
Metadata	29
Mapping Projects	29
Business Glossary	30
Viewing User Assignments	32
User Activity Report	32
Mapping Assignment - By Role	33
Mapping Assignment - By Status	34
Mapping Assignment Summary	34

Configuring Password Settings	35
Managing Users	36
Editing or Deleting	36
Monitoring User Account Activities	36
Viewing Users Activity History	38
Creating Profiles	40
Setting Mapping Specification Grids	44
Setting Code Value Grids	49
Managing Profiles	52
Viewing Access Rights Report	53
Creating Roles Group	57
Managing Roles Group	60
Viewing Reports	61

Managing Resources

This section walks you through managing resources in the Resource Manager.


The Resource Manager is key to data governance where you do the following:

- Create roles and users
- Assign roles to users for the access level permissions
- Assign technical and business assets to users and roles in bulk
- View access rights
- Create roles group based on governance responsibilities
- View governance responsibilities report
- Create profiles to set up user-specific mapping grid views in the Mapping Manager and code value grid views in the Codeset Manager

The application has a default Administrator user, Administrator role, and a Default profile which you cannot edit or delete. For further information on accessing and using the Resource Manager, refer to the [Using Resource Manager](#) topic.

Using Resource Manager

To access the Resource Manager, go to **Application Menu > Data Catalog > Resource Manager**. The Resource Manager dashboard appears:



UI Section	Function
1-Utility Pane	Use this pane to navigate through Users, Roles, Profiles, Governance Responsibilities, and Access Rights Report.
2-Browser Pane	Based on your selection in the utility pane, use this pane to browse through users list, roles list, profiles, and roles group.
3-Right Pane	Use this pane to view or work on the data displayed based on your selection in the browser pane.

Managing resources involves the following:

- [Creating and managing roles](#)
- [Creating and managing users](#)
- [Creating and managing profiles](#)
- [Viewing access rights report](#)
- [Configuring governance responsibilities](#)

Creating Roles

Use roles to assign access-level permissions to users. While few roles are available by default in erwin DI, you can create custom roles.



The Administrator role is system-generated and you cannot edit or delete it.

To create roles, follow these steps:

1. Go to **Application Menu > Data Catalog > Resource Manager**.


The Resource Manager page appears. By default the Users tab opens.

The screenshot shows the Resource Manager interface with the 'Users' tab selected. The 'Users' list on the left includes 'Administrator' (AD) and 'esimpson' (ES). The 'User Details' form for the Administrator user is displayed, showing fields for User Type (Database), User ID (Administrator), User Full Name (Administrator - Default System User), Password (masked with dots), and Mobile (999999999). Other fields include Telephone Number, Email ID, Alternate Telephone Number, Manager Name, and Company.

Users	Roles	Profiles	Governance Responsibilities	Access Rights Report
Settings	User Details	User Account Activities	User Assignments	Access Rights
Users	User Type	Database	Telephone Number	
AD Administrator Administrator - Default System Us	User ID	Administrator	Email ID	
ES esimpson Erica Simpson	User Full Name	Administrator - Default System User	Alternate Telephone Number	
	Password	Manager Name	
	Mobile	999999999	Company	

2. Click the **Roles** tab.

Creating Roles



3. Click .

The Role page appears.

Creating Roles

The screenshot shows a 'Role' configuration window. At the top right are 'Save' and 'Cancel' buttons. The 'Role Name*' field is highlighted with a red asterisk and has a note below it: 'Note: Role Name once created cannot be edited'. The 'Business Name' field is empty. The 'Role Type' dropdown is set to 'DI'. The 'Role Description' field is empty. The 'Permissions Tree' is expanded to show a list of permissions: Resource Manager, Metadata Manager, Mapping Manager, Codeset Manager, Release Manager, Reference Data Manager, Automation Framework, and Test Manager. Each permission has a checkbox and a small icon.


4. Enter appropriate values in the fields. Fields marked with a red asterisk are mandatory. Refer to the following table for field descriptions.

Tab	Description
Role Name	Specifies the user-defined role name. For example, Data Steward_AsiaPacific.
Business Name	Specifies the user-defined business name. For example, Data_Steward_Mapping.
Role Type	Specifies the role type <ul style="list-style-type: none"> ▪ DI: Indicates that the role is available only for a Data Intelligence (DI) user ▪ BU: Indicates that the role is available only for a Business User (BU)
Role Description	Specifies the role description. For example, This role has access to the Resource Manager and Mapping Manager.

Creating Roles

5. Under the **Permissions Tree** section, select the check box for the modules or the permission object to which you want to grant access to the role.
6. Click **Save**.

A role is created and added to the Roles list.



Once a role is created, you can:

- [Assign it to users](#)
- [Configure access rights](#)

You can also manage roles by using the options available on clicking the role. [Managing roles](#) involves:

- Editing roles
- Deleting roles
- Cloning roles


Configuring Access Rights

You can configure role access rights and assign assets to roles. Assets here refer to the environments in Metadata Manager, projects in Mapping Manager, and catalogs in Business Glossary Manager.

To configure access rights, follow these steps:

1. On the **Roles** tab, click a role.

By default, the Role tab opens.



2. Click the **Access Rights** tab.

By default, the Metadata pane appears. It displays the environments assigned to the role.

Configuring Access Rights

10	2
Assigned Assets	Assigned Users
3/23	3/16
Metadata Environments	Mapping Projects
1/9	1/2
Business Terms Catalogs	Business Policies Catalogs

Assigned : 3 Unassigned : 20

3

20

3. Click the required pane and switch **Assigned Assets** **All Assets** to **All Assets**.

For example, if you switch to All Assets in the Metadata pane, all the environments appear.

10	2
Assigned Assets	Assigned Users
3/23	3/16
Metadata Environments	Mapping Projects
1/9	1/2
Business Terms Catalogs	Business Policies Catalogs

Assigned : 3 Unassigned : 20

3

20

4. Select the required assets.

Configuring Access Rights

5. Click **Save**.

The selected assets are assigned to the role.

After, assigning assets to roles, you can view a summary of role assignments with the help of infographics.

Viewing Infographics

The Access Rights tab displays metrics that help you analyze and track role assignments. It presents this information using statistical boards, charts, or graphs.

Statistical Boards

The following statistical boards display metrics about role assignments:

10 Assigned Assets	2 Assigned Users	3/23 Metadata Environments
3/16 Mapping Projects	1/9 Business Terms Catalogs	1/2 Business Policies Catalogs
1/2 Business Rules Catalogs		

- **Assigned Assets:** It displays the total number of assigned assets to the role. This includes all the environments, projects, and catalogs assigned to the role.
- **Assigned Users:** It displays the number of user assigned to the role.
- **Metadata Environments:** It displays the number of environments in the Metadata Manager assigned to the role.
- **Mapping Projects:** It displays the number of projects in the Mapping Manager assigned to the role.
- **Business Terms Catalogs:** It displays the number of business terms catalogs in the Business Glossary Manager assigned to the role.


Configuring Access Rights

- **Business Policies Catalogs:** It displays the number of business policies catalogs in the Business Glossary Manager assigned to the role.
- **Business Rules Catalogs:** It displays the number of business rules catalogs in the Business Glossary Manager assigned to the role.

Metadata

In the Metadata pane, the pie-chart displays the number of assigned and unassigned environments to the role. The blue colored slice corresponds to the assigned environments.

For example, the following pie-chart displays two assigned environments and twenty-one unassigned environments.




Mapping Projects

In the Mapping Projects pane, the pie-chart displays the number of assigned and unassigned projects to the role.

The blue colored slice corresponds to the assigned projects.

For example, the following chart displays four assigned projects and twelve unassigned projects.

Configuring Access Rights




Business Glossary

In the Business Glossary pane, the bar graph displays the number of assigned and unassigned catalogs of each type.

The blue colored segment of the bar corresponds to assigned catalogs.

For example, the following bar graph displays two assigned business terms catalogs and seven unassigned business terms catalogs.

Configuring Access Rights



Managing Roles


Managing Roles involves:

- Editing or deleting Roles
- Cloning Roles

To manage Roles, follow these steps:

1. On the **Roles** tab, click a role.


By default, the Role tab opens.



2. Use the following options on the Role tab:

Edit

Use this option to update roles. You can update the Permission Tree and Role Description.

 You cannot edit the Role Name.

Delete

Use this option to delete a role that is no longer required.

Clone Role

Use this option to clone a role. The cloned role can have different role name and description.

Creating Users and Assigning Roles

Users are used to grant members of your team access to erwin DI and your projects. While a few users are available by default, you can create users for your organization using the Resource Manager. While you create users, you also assign them roles to define their access-level permissions.

When you upgrade from 11.5 or lower app version, the Business User Portal (BUP) users migrate to the latest erwin DI version as BU user type.



The Administrator user is available by default and you cannot edit or delete this user.

To create users, follow these steps:

1. Go to **Application Menu > Data Catalog > Resource Manager**.

By default, the Users tab opens.

The screenshot shows the 'Users' tab in the Resource Manager interface. On the left, there is a list of users under the heading 'USERS (25)'. The 'Administrator' user is highlighted in orange. Below the list are several other users: John Doe (JD), Joey Wilson (JW), Luqman Michal (LM), and Mike Adams (MA). A plus sign icon is visible at the bottom right of the list. The main area of the screen displays the 'User Details' form for the Administrator user. The form includes fields for Login Type (Database), User ID (Administrator), User Full Name (Administrator - Default System User), Password (masked with slashes), Mobile (999999999), Company Title (Administrator), Default Role (Admin), Created By (System), Last Modified By (System), Landing Module (Mapping Manager), and User Image. On the right side of the form, there are fields for Telephone Number (999999999), Email ID (abc@abc.com), Alternate Telephone Number (999999999), Manager Name, Company (erwin, Inc.), Created Date Time (02/26/2020 03:48:28), Last Modified Date Time (02/26/2020 03:48:28), Theme (erwin), Language Preference (English), and User Type (DI).

2. Click .

The New User page appears.

Creating Users and Assigning Roles

3. Enter appropriate values in the fields. Refer to the following table for field descriptions.



The fields marked with an asterisk (*) is mandatory.

Field Name	Description
Login Type	<p>Specifies whether the user type is Database, LDAP (Lightweight Directory Access Protocol), SAML (Security Assertion Markup Language), or NON LOGIN.</p> <p>For example, Database.</p> <ul style="list-style-type: none"> ▪ Database: Select this option if the user authentication is through the credentials created in the Resource Manager. ▪ LDAP: Select this option if the user authentication is through a directory server, such as MS Active Directory, OpenLDAP or OpenDJ. ▪ SAML: Select this option if the user authentication is through SAML


Creating Users and Assigning Roles

Field Name	Description
	attributes. <ul style="list-style-type: none"> ▪ NON LOGIN: Select this option if the user is not required to log on to the application.
User ID*	Specifies the user name of the user to log on to erwin DI. For example, lmicchal.
User Full Name*	Specifies the user's full name. For example, Luqman Michal.
Password*	Specifies the password to log on to erwin DI. For example, Luqman@1. The administrator provides a default password, which can be changed later. The administrator can also enforce a password policy. For more information on enforcing password policy, refer to the Configuring Settings topic.
Mobile	Specifies the user's valid mobile number. For example, +658374414288.
Company Title	Specifies the user's company title or designation. For example, Data Administrator.
Default Role	Specifies the default role of the user. For example, Data Steward_RO.
Landing Module	Specifies the landing module for the user. For example, Mapping Manager. The Landing Module is the first page displayed when a user logs in.
User Roles*	Select roles under Available Roles list-box and move them to Assigned Roles list-box using the arrows (→ or ⇨). Similarly, to change existing role assignment, select roles under Assigned Roles list-box and move them back to Available Roles list-box using the arrows (← or ⇩). For adding a new role under the Available Roles list-box, refer to the Creating Roles topic.

Creating Users and Assigning Roles

Field Name	Description
	You can assign the Legacy Data Steward role to a user. This enables you to assign this user as a Data Steward in the Metadata Manager and Reference Data Manager.
Telephone Number	Specifies the valid telephone number of the user. For example, 1-800-783-7946.
Email ID*	Specifies the user's email address. For example, l.michal@mauris.edu
Alternate Telephone Number	Specifies the user's valid alternate telephone number. For example, 1-802-456-7946.
Manager Name	Specifies the name of the user's reporting manager. For example, John Doe.
Company	Specifies the name of the user's company. For example, ABC Consulting Services.
Send Email	Specifies whether to send email to the user's email ID. Select the Send Email check box to send an email notification to the user's email ID. For more information on configuring notifications, refer to the Configuring Notifications topic.
Theme	Specifies the theme for the user to set the appearance of erwin DI. By default, it is set to erwin (Web Blue).
Language Preference	Specifies the language preferred by the user. For example, English. For more information on language settings, refer to the Configuring Language Settings topic.
User Type	Specifies the user type. <ul style="list-style-type: none"> ▪ DI: Indicates the user type is Data Intelligence (DI), and the users have access to DI, and BU modules ▪ BU: Indicates that the user type is Business User (BU), and the users

Creating Users and Assigning Roles

Field Name	Description
	have access to BU module
User Image	Specifies the physical image file being attached to the user. Drag and drop a user's image file or click  to select and upload the image file.

4. Click .

A new user is created and added to the Users list.

Once a user is created, you can [configure its access rights](#) with respect to the assets in the Metadata Manager, Mapping Manager, and Business Glossary Manager. After assigning users to projects and mappings, you can view the user activity report and mapping assignments on the [User Assignments](#) tab.

You can also manage a user by using the options available on clicking the user. [Managing users](#) involves:

- Editing
- Deleting
- Viewing user account activities
- Viewing users activity history


Configuring Access Rights

You can configure user access rights and assign assets to users. Assets here refer to the environments in Metadata Manager, projects in Mapping Manager, and catalogs in Business Glossary Manager.

To configure access rights, follow these steps:

1. On the **Users** tab, click a user.

By default, the User Details tab opens.

User Details	User Account Activities	User Assignments	Access Rights
User Type	<input type="text" value="Database"/>	Telephone Number	<input type="text"/>
User ID	<input type="text" value="janedoe"/>	Email ID	<input type="text" value="jane.doe@edufirm.com"/>
User Full Name	<input type="text" value="Jane Doe"/>	Alternate Telephone Number	<input type="text"/>
Password	<input type="text" value="...."/>	Manager Name	<input type="text" value="K.Sridhar"/>
Mobile	<input type="text"/>	Company	<input type="text"/>
Company Title	<input type="text"/>	Created Date Time	<input type="text" value="08/07/2020 07:27:45"/>
Default Role	<input type="text" value="Mapping Designer"/>	Last Modified Date Time	<input type="text" value="09/29/2020 10:08:56"/>
Created By	<input type="text" value="Administrator"/>	Theme	<input type="text" value="erwin"/>
Last Modified By	<input type="text" value="Administrator"/>	Language Preference	<input type="text" value="English"/>
Landing Module	<input type="text" value="Mapping Manager"/>		
User Image			
User Roles			
Role Name	Role Description		

2. Click the **Access Rights** tab.

By default, the Metadata pane appears. It displays the environment assigned to the role.

Configuring Access Rights

The screenshot displays the 'Access Rights' configuration page. The left sidebar contains a tree view under 'Metadata' with the following items:

- erwin DI Suite
 - erwin_Sales
 - SQLTechPubs
- erwinSales
- New
 - FlatFileEnv
- FlatFileEnv

The right-hand summary panel shows the following statistics:


7 Assigned Assets	1 Assigned Roles
3/23 Metadata Environments	3/16 Mapping Projects
1/9 Business Terms Catalogs	0/2 Business Policies Catalogs

Below the statistics is a donut chart with a legend: Assigned : 3 (blue) and Unassigned : 20 (gray). The chart shows 3 assigned assets and 20 unassigned assets.

3. Click the required pane and switch **Assigned Assets** **All Assets** to **All Assets**.

For example, if you switch to All Assets in the Metadata pane, all the environments appear.

Configuring Access Rights



4. Select the required assets.
5. Click **Save**.

The selected assets are assigned to the user.

After, assigning assets to roles, you can view a summary of user assignments with the help of infographics.

Viewing Infographics

The Access Rights tab displays metrics that help you analyze and track user assignments. It presents this information using statistical boards, charts, or graphs.

Statistical Boards

The following statistical boards display metrics about user assignments:

10 Assigned Assets	1 Assigned Roles
2/23 Metadata Environments	4/16 Mapping Projects
2/9 Business Terms Catalogs	1/2 Business Policies Catalogs
1/2 Business Rules Catalogs	0/0 DM NSM Files Catalogs

- **Assigned Assets:** It displays the total number of assigned assets. This includes all the environments, projects, and catalogs assigned to the user.
- **Assigned Roles:** It displays the number of roles assigned to the user.
- **Metadata Environments:** It displays the number of environments in the Metadata Manager assigned to the user.
- **Mapping Projects:** It displays the number of projects in the Mapping Manager assigned to the user.
- **Business Terms Catalogs:** It displays the number of business terms catalogs in the Business Glossary Manager assigned to the user.


Configuring Access Rights

- **Business Policies Catalogs:** It displays the number of business policies catalogs in the Business Glossary Manager assigned to the user.
- **Business Rules Catalogs:** It displays the number of business rules catalogs in the Business Glossary Manager assigned to the user.

Metadata

In the Metadata pane, the pie-chart displays the number of assigned and unassigned environments to the user. The blue colored slice corresponds to the assigned environments.

For example, the following pie-chart displays two assigned environments and twenty-one unassigned environments.




Mapping Projects

In the Mapping Projects pane, the pie-chart displays the number of assigned and unassigned projects to the user.

The blue colored slice corresponds to the assigned projects.

For example, the following chart displays four assigned projects and twelve unassigned projects.

Configuring Access Rights




Business Glossary

In the Business Glossary pane, the bar graph displays the number of assigned and unassigned catalogs of each type.

The blue colored segment of the bar corresponds to assigned catalogs.

For example, the following bar graph displays two assigned business terms catalogs and seven unassigned business terms catalogs.


Configuring Access Rights



Viewing User Assignments

The User Assignments tab displays metrics that help you analyze and track user assignments with respect to the Mapping Manager. It presents this information using statistical boards, charts, and grid.

To view user assignments, on the **Users** tab, click the **User Assignments** tab.




UI Section	Function
1- User Activity Report	It displays a snapshot of statistics related to the user activities.
2- Mapping Assignment - By Role	It displays information about the mapping assignment based on their statuses.
3- Mapping Assignment - By Status	
4- Mapping Assignment Summary	It displays a list of maps assigned to the user.

User Activity Report

The User Activity Report pane displays the following statistical boards:


Viewing User Assignments



- **Project(s) Assigned To:** It displays the number of mapping projects assigned to the user.
- **Enterprise Roles:** It displays the number of roles assigned to the user.
- **Mappings Created:** It displays the number of maps created by the user.
- **Mappings Updated:** It displays the number of maps updated by the user.
- **Mapping(s) Assigned To:** It displays the number of mappings assigned to the user
- **Last Activity On:** It displays the date and time of last activity of the user.

Mapping Assignment - By Role


The Mapping Assignment - By Role pane displays the number of mappings based on the user's role in a pie-chart.



Each slice of the pie-chart corresponds to a role. To view detailed information about mapping assignment, click a slice. The Mapping Assignment Summary pane displays the map names based on the role.

Mapping Assignment - By Status

The Mapping Assignment - By Status pane displays number of mappings based on the status in a pie-chart.



Each slice corresponds to a status. To view detailed information about the mapping assignment, click a slice. The Mapping Assignment Summary pane displays the map names based on the status.

Mapping Assignment Summary

By default, the Mapping Assignment Summary pane displays all the maps assigned to the user in the grid format.

#	Map Name	Version	Description	Role	Status	Created By	Created Date	Last Modified By	Last Modified Date
	<input type="text"/>			<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
1	Informatica_m_CBI	1.00		Mapping Approver	Not Started	Administrator	2020-02-26 04:02:21.297	Administrator	2020-08-27 07:15:26.91
2	Account_Tableau_I	1.02		Mapping ETL Developer	Not Started	Administrator	2020-02-26 04:02:21.297	sojha	2020-08-27 08:39:38.363
3	TechPubs	1.00		Mapping ETL Developer	On Hold	Administrator	2020-05-23 18:51:12.91	Administrator	2020-08-27 06:50:59.303

You can click a slice in the above pie-charts to view the mapping assignment in the grid. It includes map name, roles of the user, and status of the maps.


Configuring Password Settings


You can configure password settings to enforce a password policy that sets the minimum complexity requirements for user passwords. The set of rules in the password policy makes the passwords strong. You can also set maximum number of invalid logs in attempts to lock users.

To configure password settings, follow these steps:

1. On the **Users** tab, click the **Settings** section.

By default, the Configurations tab opens.



2. Click .
3. Use the following options:

Enforce Password Policy

Use this option to enforce the password policy.

Maximum attempts to Lock User

Use this option to turn on the **No Of invalid Login Attempts Permitted** field.

No of invalid Login Attempts Permitted: Use this option to set the maximum number of invalid logs in attempts. For example, if you set it to 5, the user gets locked after attempting 5 number of invalid logs in attempts. You can enable the locked user by using the options available under the Users section.

For more information on enabling users, refer to the [Managing Users](#) topic.

Managing Users

Managing users involves:

- Editing or deleting users
- Monitoring user account activities
- Viewing users activity history

Editing or Deleting

To edit or delete users, follow these steps:

1. On the **Users** tab, click a user.

By default, the User Details tab opens.

Roles		Profiles		Governance Responsibilities		Access Rights	
User Details		User Account Activities		User Assignments		Access Rights	
User Type	<input type="text" value="Database"/>	Telephone Number	<input type="text"/>				
User ID	<input type="text" value="esimpson"/>	Email ID	<input type="text" value="e.simpson@xyz.com"/>				
User Full Name	<input type="text" value="Erica Simpson"/>	Alternate Telephone Number	<input type="text"/>				
Password	<input type="password" value="....."/>	Manager Name	<input type="text"/>				

2. Use the following options:

Edit User

Use this option to update user details and assign new roles to the user.



You cannot edit the User Type, User ID and the Default Role.

Delete User

Use this option to delete a user that is no longer required.


Monitoring User Account Activities

To monitor user account activities, follow these steps:

Managing Users

1. In the browser pane, click the **Users** section.

By default, the User Account Activities tab opens. It displays the account activities of all the users.



#	User Id	Account Status	Login Status	IP Address	Browser	Last Log-In	Log-Out	Session Duration (HH:MM:SS)	
1	Administrator	ENABLED	●	183.83.135.30	Chrome 8 86.0.4240.75	10/13/2020 05:13:23		00:15:51	<input type="checkbox"/>
2	sojha	ENABLED	●	183.83.135.30	Chrome 8 86.0.4240.75	10/13/2020 04:59:51	10/13/2020 05:13:12	00:13:21	<input type="checkbox"/>
3	ksridhar	ENABLED	●	183.83.135.30	Chrome 8 86.0.4240.75	10/08/2020 09:27:54	10/08/2020 09:29:15	00:01:21	<input type="checkbox"/>

2. Use the following options:

Enable User

Use this option to enable locked and disabled users. To enable users, select the required rows in the grid and click **Enable User**.

Disable User

Use this option to disable users. To disable users, select the required rows in the grid and click **Disable User**.

Export to Excel

Use this option to download the user's account activities in the XLS format.

Notify


Use this option to send email notifications to users.


Logout

Use this option to log out the user.




If the selected user is logged in then the Logout button appears like Logout[1].

You can filter the content in the grid based on the From Date and To Date. To filter the content, set dates in the **From Date** and **To Date** and then click .

To clear the search results, click .

Managing Users

You can monitor account activities of an individual user. To monitor account activities of users individually, on the **Users** tab, click a user and then click the **User Account Activities** tab. Refer to the above descriptions for the available options on the User Account Activities tab.




The screenshot shows the 'Users' tab with a sidebar containing user profiles: John Doe (JD), Joey Wilson (JW), Kartik Sridhar (KS), and Luqman Michal (LM). The 'User Account Activities' tab is selected, displaying a table with columns: #, IP Address, Browser, Last Log-In, Log-Out, and Session Duration (HH:MM:SS). A single activity record is shown for user ksridhar.

#	IP Address	Browser	Last Log-In	Log-Out	Session Duration (HH:MM:SS)
1	183.83.135.30	Chrome 86.0.4240.75	10/08/2020 09:27:54	10/08/2020 09:29:15	00:01:21

Viewing Users Activity History

To view users activity history, follow these steps:

1. In the browser pane, click the **Users** section.




The screenshot shows the 'Users' section with a sidebar containing user profiles: Administrator, Erica Simpson (ES), Joey Adams (JA), and Jane Doe (Janedoe). The 'Users Activity History' tab is selected, displaying a table with columns: #, User Id, Account Status, Login Status, IP Address, Browser, Last Log-In, Log-Out, and Session Duration (HH:MM:SS). Three activity records are shown.

#	User Id	Account Status	Login Status	IP Address	Browser	Last Log-In	Log-Out	Session Duration (HH:MM:SS)
1	Administrator	ENABLED	●	183.83.135.30	Chrome 86.0.4240.75	10/13/2020 05:13:23		00:15:51
2	sojha	ENABLED	●	183.83.135.30	Chrome 86.0.4240.75	10/13/2020 04:59:51	10/13/2020 05:13:12	00:13:21
3	ksridhar	ENABLED	●	183.83.135.30	Chrome 86.0.4240.75	10/08/2020 09:27:54	10/08/2020 09:29:15	00:01:21

2. Click the **Users Activity History** tab.


It displays the complete history of users activity.




The screenshot shows the 'Users Activity History' tab with a table containing columns: #, User Id, Full Name, Role(s), Action Type, IP Address, Browser, Action By, and Action Date. Three activity records are shown.

#	User Id	Full Name	Role(s)	Action Type	IP Address	Browser	Action By	Action Date
1	lmichal	Luqman Michal	ETL Developer	ACCOUNT ENABLED	183.83.135.30	Chrome 8(86.0.4240.75)	Administrator	10/13/2020 05:42:48
2	ksridhar	Kartik Sridhar	Data Owner_RO	ACCOUNT ENABLED	183.83.135.30	Chrome 8(86.0.4240.75)	Administrator	10/13/2020 05:42:48
3	sojha	Saras Ojha	Mapping Admin	ACCOUNT ENABLED	183.83.135.30	Chrome 8(86.0.4240.75)	Administrator	10/13/2020 05:42:48

Managing Users

You can filter the content in the grid based on the From Date and To Date. To filter the content, set dates in the **From Date** and **To Date** and then click .

To clear the search results, click .

Creating Profiles

Profiles help users to personalize:

- Mapping Specification grid in the Mapping Manager.
- Code Value Grid in the Codeset Manager.

You can create two types of profiles:

- **Site Profiles:** You can create a profile for other users by creating a site profile. Ensure that you specify the users who can access the site profile.



The Default profile is available by default as a site profile for all the users. You cannot edit or delete this profile.

- **User Profiles:** You can create a profile for yourself. A user profile created by you cannot be accessed by other users.

To create profiles, follow these steps:

1. Go to **Application Menu > Data Catalog > Resource Manager**.

By default, the Users tab opens.


Users	Roles	Profiles	Governance Responsibilities	Access Rights Report
Settings	User Details	User Account Activities	User Assignments	Access Rights
Users	User Type	Database	Telephone Number	
AD Administrator Administrator - Default System Us	User ID	Administrator	Email ID	
	User Full Name	Administrator - Default System User	Alternate Telephone Number	
	Password	*****	Manager Name	
ES esimpson Erica Simpson	Mobile	9999999999	Company	

2. Click the **Profiles** tab.

Users	Roles	Profiles	Governance Responsibilities	Access Rights Report
Profiles	Profile Details			
	S.No	Profile Name	Profile Type	Created By
	1	Default	Site	Administrator


Creating Profiles

3. Right-click the **Profiles** node.



4. Click **New Profile**

The New Profile page appears.







Creating Profiles

5. Enter appropriate values in the fields. Fields marked with a red asterisk are mandatory. Refer to the following table for field descriptions.

Field Name	Description
Profile Name	Specifies the unique name of the profile. For example, Mapping_Admin_Profile.
Description	Specifies the description about the profile. For example: This is a site profile for mapping administrators.
Profile Type	Specifies type of the profile. <ul style="list-style-type: none">▪ To create the profile for yourself, select User.▪ To create profile for other users, select Site and select appropriate users from the Override User List.

6. Click .

A profile is created and added to the Profiles tree.

Users	Roles	Profiles
Profiles	Profile Details	
 Profiles	S.No	Profile Name
 Default	1	Default
 Mapping_Admin_Profile	2	Mapping_Admin_Profile
 Mapping_Designer_Profile	3	Mapping_Designer_Profile

Once the profile is created, you can set the following for the profile:

- [Mapping Specification grid in the Mapping Manager](#)
- [Code Value Grid in the Codeset Manager](#)

Creating Profiles

You can also manage profiles. It involves editing or deleting profiles. For more information on managing profiles, refer to the [Managing Profiles](#) topic.

Setting Mapping Specification Grids

You can set the Mapping Specification grid for a profile with respect to:


- Column order
- Column visibility
- Header Menu

You can also define the project scope of the profile.

To set Mapping Specification grids, follow these steps:

1. In the **Profiles** pane, click a profile.

By default, the Overview tab opens.



2. Click the **Mapping Manager** tab.

Setting Mapping Specification Grids

The screenshot shows the Mapping Manager interface. At the top, there are tabs for Profiles, Governance Responsibilities, and Access Rights Report. Below these, there are sub-tabs for Overview, Mapping Manager, and Codeset Manager. The Mapping Manager sub-tab is active. On the left, there is a Project Scope dropdown menu with options: None, All Projects, ABC, dgfd, DigitalAdoption, erwinDIS, Lineage Demo, Project, project 1, and Project Tech Pubs. The All Projects option is selected. To the right of the dropdown is a pencil icon. Below the dropdown is the Mapping Grid section, which contains a table with the following columns: #, Target System Name, Target Environment Name, Target Table Name, Target Column Name, Target Column Data Type, Target Column Length, and Target Column Precision. The table is currently empty. Below the table is a section for All Mapping Tabs, which includes a list of tabs: Map Spec Overview, Source Extract SQL, Target Update Strategy, Testing Notes, and Map Documents. To the right of this list is a Move to Top section with a list of tabs: Mapping Specification, Graphical Designer, Test Specification, and Workflow Log. Green arrows point from the tabs in the All Mapping Tabs section to the Move to Top section.

3. Click .

4. Use the following options:

Project Scope

Use this option to specify the projects to which the profile can be used. For example, if the project scope is **All Projects** then the profile can be used to view all the projects in the Mapping Manager. To select multiple projects, use the Ctrl key.


Mapping Grid

Use the following options under this section to set the columns and header menu:

Change Column Order (↕)

Use this option to set the columns order.

To change the column order, click ↕. The Grid Columns Order page appears.




Drag and drop the columns in the required order.

Header Menu (☰)

Use this option to set the columns visible in the header menu.

To set the columns visible, click ☰ and select the required columns.



Reset Column Ordering ()

Use this option to reset the column order.

Reset Column Visibility ()

Use this option to reset the column visibility.

Move to Top

The mapping tabs present in **Move to Top** box appears on top of the mapping grid.

To move mapping tabs from **All Mapping Tabs** to **Move to Top** box, use ( or ) .

To move mapping tabs from **Move to Top** box to **All Mapping Tabs** box, use ( or ) .

5. Click .

The Mapping Specification grid is set for the profile.

The user can choose a profile in the Mapping Manager to view the Mapping Specification grid.

Setting Mapping Specification Grids

Mapping Specification Graphical Designer Test Specification Workflow Log

[Data Integration] Profiles: Mapping_Designer_Profil

#	Target System Name	Target Environment Name	Target Table Name	Target Column Name	Target Column Data Type	Target Column Length	Target Column Precision	get umn lable Flag	Target Column ETL Default Value	Ti C D
1	SQLTechPubs	SQLTechPubs	dbo.Customers	CustomerID	nchar	5	0	<input type="checkbox"/>		
2	TABLEUAU	PRESENTATION LAYER	Account	Acct Cod Coy				<input type="checkbox"/>		

Site Profiles : Mapping_Designer_Profile
User Profiles : Mapping_Admin_Profile

Setting Code Value Grids


You can set Code Value Grid for a profile with respect to:

- Header menu
- Column order
- Column visibility


To set Code Value Grids, follow these steps:

1. In the **Profiles** pane, click a profile.

By default, the Overview tab opens.



2. Click the **Codeset Manager** tab.



3. Click .


4. Use the following options:

Header Menu ()

Use this option to set the column visibility in the header menu.

To set the column visibility, click  and select the required columns.

Setting Code Value Grids




Change Column Order (⇅)

Use this option to set the column order.

To set the column order, click ⇅ and then drag and drop the columns in the required order.

Setting Code Value Grids



Reset Column Ordering (🔄)

Use this option to reset the column order.


Reset Column Visibility (🖥️)

Use this option to reset the column visibility.

5. Click 📄.

The Code Value Grid is set for the profile.

The user can select a profile in the Codeset Manager to view the Code Value Grid.



Managing Profiles


Managing Profiles involves:

- Editing
- Deleting

To edit a profile, follow these steps:

1. In the **Profiles** pane, click a profile.

The Overview tab opens.



2. Click .

You can update the profile.

3. Click .

The profile is updated.

To delete profiles, in the **Profiles** pane, right-click a profile and click **Delete Profile(s)**.


Viewing Access Rights Report

The Access Rights Report tab displays the roles and users assignments. You can view these assignments in the graphical and tabular views. The graphical view displays the assigned asset types and names in a tree structure that can be expanded. Whereas the tabular view displays the assigned asset types and names in a grid format.


To view access rights, follow these steps:

1. Go to **Application Menu > Data Catalog > Resource Manager**.

By default, the Users tab opens.



2. Click the **Access Rights Report** tab.



3. Use the following options:

By Roles Assignments/By Users Assignments


Viewing Access Rights Report

Use this option to switch between the roles and users assignments.

Graphical View/Tabular View

Use this option to switch between the graphical and tabular views.

The graphical view displays the assignments in a tree structure. You can expand the tree to view the asset types and names. For example, the following graphical view displays the users assignment.



Use the following options on the Graphical View:

- **Show Pan View/Hide Pan View**


Use this option to show or hide pan view. The pan view facilitates in navigating across the expanded assignment tree. To navigate across the expanded, on the **Pan View**, move the purple box.



- **Expand/Collapse** (🔍)

Viewing Access Rights Report

Use this option to switch between the expanded or collapsed view. For example, the following assignment tree appears in the expanded view.



- **Expand Node Level**

Use this option to expand the assignment tree at node level. Hover over a node and click the plus (+) icon.


- **Export Image** (📄)

Use this option to download the assignment tree in the JPG format.

The Tabular View displays the assignment details in a grid format. For example, the following roles assignments are displayed in the grid format.

Viewing Access Rights Report

Users		Roles		Profiles		Governance Responsibilities		Access Rights Report	
By Roles Assignments		By Users Assignments		Graphical View		Tabular View			
#	Role Name	Asset Type	Asset Name						
1	Administrator	Users	Administrator - Default System User						
2	Data Owner_GER	Users	Erica Simpson, Mike Adams						
3	Data Owner_GER	Environment	DM Landing(erwin DM)						

You can download the assignments details in the XLSX format. To download the assignments, on the **Tabular View**, click .

Creating Roles Group

Data governance plan in your organization may require new roles groups to accommodate governance responsibilities. You can create roles groups and group roles based on the governance responsibilities in your organization.

To create roles groups, follow these steps:

1. Go to **Application Menu > Data Catalog > Resource Manager**.

By default, the Users tab opens.

The screenshot shows the 'Users' tab in the Resource Manager interface. The left sidebar contains a 'Users' list with two entries: 'Administrator' (AD) and 'esimpson' (ES). The main content area is titled 'User Details' and contains a form with the following fields:

User Type	Database	Telephone Number
User ID	Administrator	Email ID
User Full Name	Administrator - Default System User	Alternate Telephone Number
Password	Manager Name
Mobile	999999999	Company

2. Click the **Governance Responsibilities** tab.

By default, the Configure Responsibilities tab opens.


The screenshot shows the 'Governance Responsibilities' tab in the Resource Manager interface. The left sidebar contains a list of roles: 'Data Stewards', 'Data Owners', 'Technical Data Steward', and 'Compliance Officer'. The main content area is titled 'Configure Responsibilities' and contains a form with the following fields:

Name	Data Stewards	Enabled
Description	This role is responsible for utilizing an organization's data governance process	Display Order
		1.0

3. Click **+**.

Creating Roles Group

The New Roles Group page appears.



The screenshot shows a modal window titled "New Roles Group" with a red close button in the top right corner. Inside the modal, there are three text input fields: "Name", "Description", and "Display Order". Below these fields is a toggle switch labeled "Disabled" which is currently turned off. At the bottom right of the modal are two buttons: "CANCEL" and "ADD".

4. Enter appropriate values in the fields. Fields marked with a red asterisk are mandatory. Refer to the following table for field descriptions.

Field Name	Description
Name	Specifies the name of the roles group. For example, Data Owner.
Description	Specifies the description of the roles group. For example: Roles in this group are accountable for who has access to information to assets in their functional areas.
Display Order	Specifies the order of the roles group in the roles group list. For example, 2.0.
Disabled or Enabled	Specifies whether the roles group is enabled.

5. Click **Add**.

The roles group is created and added to the roles group list.

Creating Roles Group

Once a roles group is created, you can assign roles and users to catalogs in the Business Glossary Manager and [assign governance responsibilities](#) for the business assets.

You can also manage roles groups and [view governance responsibilities reports](#).

[Managing roles group](#) involves:

- Editing roles group
- Deleting roles group


Managing Roles Group

Managing roles group involves:

- Editing roles group
- Deleting roles group

To manage roles group, follow these steps:

1. On the **Configure Responsibilities** tab, click a roles group.



2. Use the following options:

Edit (✎)

Use this option to update a roles group. You can update name, description, list of selected roles, and enable or disable the roles group.

Delete (🗑)

Use this option to delete a roles group that is no longer required.

Viewing Reports


A successful data governance program demands an efficient grouping of roles based on the responsibilities. It is also important to assign appropriate users and roles to catalogs and then assign governance responsibilities to business assets. The governance responsibilities report helps you track assignment of these governance responsibilities to the business assets in the Business Glossary Manager.

To view reports, on the **Governance Responsibilities** tab, click the **Reports** tab.

Use the following two views to view reports:


- **Graphical View:** The graphical view displays the governance responsibilities in a tree structure.
- **Tabular View:** The tabular view displays the governance responsibilities in a grid format.

By default, the graphical view opens.




To view report details in the graphical view, use the following options:

Viewing Reports



Expand/Collapse (↕)

Use this option to switch between the expanded or collapsed view. For example, the report displays the governance responsibilities in the expanded view.



Pan View

Viewing Reports

Use this option to focus on a part of the governance responsibilities tree.



- **Export** (↓)

Use this option to download the report in the JPG format.

The Tabular View displays the governance responsibilities in a grid that includes, roles group, role, user details, asset name, asset type, and catalogs.

The screenshot shows a web interface titled 'Governance Responsibilities' with a 'Reports' tab. The 'Tabular View' is selected, displaying a table of governance responsibilities. The table has columns for Group Name, Role Name, User Id, User Name, User Email, Business Asset, Asset Type, and Catalog. The data is filtered to 'BUSINESS ASSETS'.

Group Name	Role Name	User Id	User Name	User Email	Business Asset	Asset Type	Catalog
Data Stewards	Data Steward_GER	mmanigan	Mike Mannigan	mmanigan@xyz.com	TestTaskList	Business Terms	Customer Master Catalog → TechD
Data Stewards	Data Steward_GER	mmenza	Mike Menza	mmenza@xyz.com	TestTaskList	Business Terms	Customer Master Catalog → TechD
Data Stewards	Data Steward_UK	rcooper	Richard Cooper	rcooper@xyz.com	Goods Supply	Business Terms	Monetary Terms → Microeconomics

To download the report in the XLSX format, click ↓.