



erwin Data Intelligence – erwin Data Quality
Ubuntu Upgrade Guide

Legal Notices

This Documentation, which includes embedded help systems and electronically distributed materials (hereinafter referred to as the Documentation), is for your informational purposes only and is subject to change or withdrawal by Quest Software, Inc and/or its affiliates at any time. This Documentation is proprietary information of Quest Software, Inc and/or its affiliates and may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of Quest Software, Inc and/or its affiliates.

If you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make available a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all Quest Software, Inc and/or its affiliates copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make available copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to Quest Software, Inc and/or its affiliates that all copies and partial copies of the Documentation have been returned to Quest Software, Inc and/or its affiliates or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, QUEST SOFTWARE, INC. PROVIDES THIS DOCUMENTATION AS IS WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL QUEST SOFTWARE, INC. BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF QUEST SOFTWARE, INC. IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is Quest Software, Inc and/or its affiliates Provided with Restricted Rights. Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright© 2025 Quest Software, Inc. and/or its affiliates All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

Contact erwin

Understanding your Support

Review [support maintenance programs and offerings](#).

Registering for Support

Access the [erwin support](#) site and click Sign in to register for product support.

Accessing Technical Support

For your convenience, erwin provides easy access to "One Stop" support for [erwin Data Intelligence \(erwin DI\)](#), and includes the following:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- erwin Support policies and guidelines
- Other helpful resources appropriate for your product

For information about other erwin products, visit <http://erwin.com/>.

Provide Feedback

If you have comments or questions, or feedback about erwin product documentation, you can send a message to distechpubs@erwin.com.

erwin Data Modeler News and Events

Visit www.erwin.com to get up-to-date news, announcements, and events. View video demos and read up on customer success stories and articles by industry experts.

Contents

Introduction	1
System Requirements	1
Software Requirements (Auto Install)	3
Pre-Installation Setup.....	4
Configuration Setup	5
Details about the config file	5
Installation Process	6
Verification of Installation.....	6
Patch Process	6
Post-Installation Procedure	7
Migration Notes	8

Introduction

This document provides a comprehensive, step-by-step process for upgrading DQLabs on Ubuntu Server 22.04 from version 2.4.6 to version 3.1.0. It is designed for personnel with technical knowledge of Ubuntu Server 22.04 and Linux Operating Systems.

The guide walks you through the installation steps, ensuring that you have a clear understanding of the process and any prerequisites specific to Ubuntu. By following this guide, you will be able to successfully set up the DQLabs 3.1.0 application and leverage its features in your Ubuntu Server 22.04 environment.

System Requirements

This section outlines the minimum system and mandatory requirements necessary to install the DQLabs application in the Linux environment successfully.

Category	Recommended
Operating system	Ubuntu Server 22.04 LTS (HVM)
Processor	64-bit processor
Disk Space	100 GB, and it should be /directory or DQLabs installing folder, and the install user home directory should have at least 5GB

Package	Core and RAM Specifications
Bronze	4 Core 8 GB RAM
Silver	4 Core 8 GB RAM
Gold	8 Core 16 GB RAM
Platinum	16 Cores 32 GB RAM
Titanium	32 Cores 64 GB RAM

Postgres Server Prerequisites (Only in case of DB Isolated Deployments)

Operating System	Ubuntu 22.04
CPU Core	4 Cores or more

RAM	8GB or more
-----	-------------

1. Ensure to take a snapshot of the server before attempting to upgrade
2. **Dedicated Server:** DQLabs needs a dedicated server for installation
3. **Internet Access:**

URL	Purpose	Required during
https://license-ga.dqlabs.cloud	This URL must be whitelisted to activate and manage the validity of the license key.	Required after Installation
https://s3.amazonaws.com	This URL must be whitelisted to allow binaries to be downloaded from the DQLabs repository.	Required only before installation. The file can be downloaded externally and moved to the server if needed
Ubuntu/Debian Official Repositories archive.ubuntu.com security.ubuntu.com	Official Ubuntu repositories are accessed to download and update the necessary packages Command: sudo apt-get install wget && sudo apt-get update && sudo apt-get install p7zip-full -y	These repositories can be limited after updates and before installation
pypi.org pypi.python.org files.pythonhosted.org pythonhosted.org	These URL is required to download the Python packages.	Required after Installation

4. **License key:** A new DQ license key is required for activating DQLabs 3.1.0 upon upgrade
5. **Ports to be opened:** Ports Used for Internal Communication within the Application:

PostgreSQL	5432 (Mandatory)
Airflow	8080
HTTP	80
HTTPS	443

Software Requirements (Auto Install)

The requirements mentioned below are auto-installed with the script; the user should not manually install any of the software requirements in the DQServer

Services	Version
PostgreSQL	15.12
Python	3.11.0
Java	17.0.14
Airflow	2.8.1
Drivers	MSSQL, Oracle, PostgreSQL, MySQL ODBC/JDBC
Spark	3.5.1

Before proceeding with the upgrade, ensure the following:

1. PostgreSQL should be available on the same server from the fresh installation of erwin DQ 2.4.6. Upgradation will not accommodate Dual server deployments.
2. No third-party or external applications should be present on the server.
3. Database cleanup process
Follow these steps to identify and remove excess rows from the core.drift_alert table in the dqlabs database.

- **Connect to the database**

```
sudo -u postgres psql -d dqlabs
```

When prompted, enter the database password (Password: Intel1234)

- **Delete groups exceeding 5,000 alerts**

```
#Run this query to remove all rows from core.drift_alert where the same (measure_id, run_id)
appears more than 5,000 times
DELETE FROM core.drift_alert AS da
USING (
  SELECT
    drift_alert.measure_id,
    drift_alert.run_id
  FROM core.drift_alert
  JOIN core.metrics
    ON metrics.measure_id = drift_alert.measure_id
   AND metrics.run_id    = drift_alert.run_id
```

```
GROUP BY
  drift_alert.measure_id,
  drift_alert.run_id
HAVING COUNT(*) > 5000
) AS sub
WHERE
  da.measure_id = sub.measure_id
AND da.run_id = sub.run_id;
```

- **Exit psql**

```
\q
```

Pre-Installation Setup

Step 1: Log in to the Application server with appropriate privileges and install wget & the p7zip Plugin using the below command

```
sudo apt-get install wget && sudo apt-get update && sudo apt-get install p7zip-full -y
```

Step 2: Download the Prerequisite File from S3 into the directory (within the service user used for 2.4.6) where the application should be installed

```
wget
https://s3.us-east-1.amazonaws.com/erwin-2.0/code/linux/application-
code/3.1.0/On_premise/Packages_3.1.0/Erwin-Ubuntu-Upgrade-Packages/Erwin-prerequisites.tar
```

Step 3: Extract the Downloaded Tar File

```
tar -xvf Erwin-prerequisites.tar
```

Step 4: Remove the redundant tar file after extraction

```
sudo rm -rf Erwin-prerequisites.tar
```

Step 5: Download the Installation File by using the commands below in the directory (within the service user used for 2.4.6) where the application should be installed

```
wget https://s3.us-east-1.amazonaws.com/erwin-2.0/code/linux/application-
code/3.1.0/On_premise/Packages_3.1.0/Erwin-Ubuntu-Upgrade-Packages/Erwin-installer.7za
```

Step 6: Extract the Installation File by using the commands below:

```
sudo 7za x Erwin-installer.7za
```

Step 7: Remove the redundant zip file after extraction

```
sudo rm -rf Erwin-installer.7za
```

Configuration Setup

Step 1: Navigate to the Pre-requisites directory

```
#If the application is installed on home directory
cd prerequisites/

#If the application is installed on a custom directory
cd <custom_directory>/prerequisites/
```

Ensure that the config.txt and Erwin-installer.sh are in the same directory

```
dqlabs@ubuntu:~$ cd prerequisites/
dqlabs@ubuntu:~/prerequisites$ ls
Erwin-installer.sh  config.txt
```

Step 2: Edit the config.txt file using the command below:

```
sudo vi config.txt
```

Step 3: Update the config.txt file by clicking “I” to get into insert mode

Details about the config file

1. **Source and Destination Locations:** Please verify that the **SOURCE_LOCATION** path specified in the **config.txt** is accurate and ensure the installation file is downloaded correctly to that location.
 - a. **SOURCE_LOCATION:** Define the source location path.
Example - (/home/ubuntu/Erwin-installer)
 - b. **DESTINATION_LOCATION:** Define the new destination location path (Provide a new directory).
Example - (/home/ubuntu/erwindq)
3. **Rollback Options:**
 - a. **ROLLBACK_ENABLED:** yes or no
 - i. **yes** - To Rollback to the previous version (Used only after upgrade when you prefer to go back to the older version)
 - ii. **no** - To proceed with the upgrade

```
##### Erwin #####
# shellcheck disable=SC2034
SOURCE_LOCATION=/home/ubuntu/Erwin-installer
DESTINATION_LOCATION=/home/ubuntu/DQ36
# Rollback Inputs
ROLLBACK_ENABLED=no
-
-
-
-
```

Step 4: Go to command mode by pressing the escape key. Save and exit the editor using **:wq!** and press Enter

Installation Process

Step 1: Set Permissions and execute the script using the commands below:

```
#Navigate to the prerequisites directory

cd prerequisites

#Grant permissions to the script
sudo chmod 777 Erwin-installer-main.sh
sudo chmod 777 Erwin-installer-sub.sh

#Execute the setup script
./Erwin-installer-main.sh

#After installing all the required services, proceed to execute the sub-script for migration
./Erwin-installer-sub.sh
```

Verification of Installation

Once the installation process is complete, it is essential to verify that the DQLabs application and related services are running successfully on your Ubuntu machine. Perform the following verifications:

Step 1: Ensure the following output is shown at the end of the script execution:

```
airflow-webserver is running.
airflow-scheduler is running.
apache2 is running.
dqlabs is running.
true
*****
All services are running. DQ installation completed successfully!
*****
```

Note: The execution log will be stored on the server and can be accessed using the following commands:

```
#View the logs
vi script.log
```

Patch Process

Step 1: Download the Patch script into the DQ Server under the same user with which DQ was installed

```
wget
https://s3.us-east-1.amazonaws.com/erwin-2.0/code/linux/application-code/3.1.0/On\_premise/erwin\_v310\_patchscript.sh
```

Step 2: Open the script file

```
sudo vi erwin\_v310\_patchscript.sh
```

Step 3: Update the variables

```
#Provide the directory path where the script is downloaded
PATCH_DIR="/home/dqlabs/"

#Provide the path to Hitach-server folder
TARGET_DIR="/home/dqlabs/dq310/DQLabs-Server"

#Provide the destination directory of the application (Same as TARGET_DIR, exclude DQLabs-Server)
PARENT_DIR="/home/dqlabs/dq310"
```

Step 4: Save the file and exit

```
:wq!
```

Step 5: Grant permission to execute the script

```
sudo chmod 777 erwin\_v310\_patchscript.sh
```

Step 6: Execute the script

```
./erwin\_v310\_patchscript.sh
```


Post-Installation Procedure

After completing the installation and verifying the successful setup of DQLabs on your Ubuntu machine, you can now log in to the application and proceed with the final steps. Follow the instructions below:


Step 1: Launch any supported web browser on your machine

Step 2: In the address bar of the browser, enter the IP address or DNS name used during installation

Step 3: The browser will load the DQLabs application, and you will be presented with the login page



Step 4: After logging in to the application, navigate to Settings > Security > License. Activate your new 3x license key.



Migration Notes

The following modules will not be carried over after the upgrade to version 3.1.0:

Items that are not migrated	Description
Custom User Roles	User-based access control in version 3.1.0 differs from version 2.4.6 and cannot be directly migrated. While users themselves will be migrated, they will be assigned a default user role. Any custom roles that need to be recreated will require manual reassignment to the appropriate users.
Dashboards and Reports	Due to structural changes in the UI and visual reporting framework, custom dashboards and reports will not be migrated and will need to be recreated in the new version
User Activity log	Changes in the way the logs are captured between the versions