



erwin Data Modeler

DM Connect for DI

Release 12.5

Legal Notices

This Documentation, which includes embedded help systems and electronically distributed materials (hereinafter referred to as the “Documentation”), is for your informational purposes only and is subject to change or withdrawal by Quest Software, Inc and/or its affiliates at any time. This Documentation is proprietary information of Quest Software, Inc and/or its affiliates and may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of Quest Software, Inc and/or its affiliates

If you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make available a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all Quest Software, Inc and/or its affiliates copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make available copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to Quest Software, Inc and/or its affiliates that all copies and partial copies of the Documentation have been returned to Quest Software, Inc and/or its affiliates or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, QUEST SOFTWARE, INC. PROVIDES THIS DOCUMENTATION “AS IS” WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL QUEST SOFTWARE, INC. BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF QUEST SOFTWARE, INC. IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is Quest Software, Inc and/or its affiliates.

Provided with "Restricted Rights." Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © 2024 Quest Software, Inc and/or its affiliates All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

Contact erwin

Understanding your Support

Review [support maintenance programs and offerings](#).

Registering for Support

Access the [erwin support](#) site and register for product support.

Accessing Technical Support

For your convenience, erwin provides easy access to "One Stop" support for all editions of [erwin Data Modeler](#), and includes the following:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- erwin Support policies and guidelines
- Other helpful resources appropriate for your product

For information about other erwin products, visit <http://erwin.com/products>.

Provide Feedback

If you have comments or questions, or feedback about erwin product documentation, you can send a message to techpubs@erwin.com.

News and Events

Visit [News and Events](#) to get up-to-date news, announcements, and events. View video demos and read up on customer success stories and articles by industry experts.

Contents

DM Connect for DI Overview	7
Workflow	7
Prerequisites	10
erwin Mart Portal System Requirements	10
erwin DI System Requirements	12
Database Server Specifications	13
Permissions	13
Minimum erwin Mart Permissions	13
Minimum erwin DI Permissions	13
erwin DI DocumentsPath	15
Configuration	16
Scenario: Schedule Jobs to Export Data Models to erwin DI	19
Case I: Run Job	26
Case II: Modify Job	26
Case III: Recurring Job-No Change in Models	26
Case IV: New Model in the Folder	27
Scenario: Schedule Jobs to Import Data Models from erwin DI to erwin DM	28
Scenario: Import Source and Target Data into Mapping Manager	35
Scenario: NSM Files	37
Case I: One NSM File, Multiple Models	38
Case II: Multiple NSM Files, Multiple Models	38
Scenario: View Logs	39

Reference: Data Sharing between erwin DM and erwin DI	40
Limitations	43

DM Connect for DI Overview

erwin now offers an integration, DM Connect for DI, between two powerful products, erwin Data Modeler (erwin DM) and erwin Data Intelligence (erwin DI). This offering enables you to maintain a single metadata and glossary source across erwin DM and erwin DI using erwin Mart Portal as an interface. Apart from this, DM Connect for DI offers the following benefits

- Use data models as a foundation for data governance initiatives
- Automatically update data catalog
- Maintain a business glossary based on naming standards

Workflow


erwin DM supports several target databases. It provides a powerful and robust workspace to create rich data models based on these target databases. Further, it provides connectivity to erwin Mart Portal; where you can store your rich data models in a mart repository.

erwin Mart Portal acts as an interface between erwin DM and erwin DI. It enables you to schedule jobs to export data models and data sources from your mart repository to erwin DI Data Catalog and vice versa. Further, it integrates the naming standards set up on your models into the Business Glossary Manager.

erwin DI enables you to use your data models as a foundation for your data governance initiatives. It enables you to maintain a semantic lineage between metadata and business objects.

To summarize, erwin Data Modeler, erwin Mart Portal, and erwin DI work together as follows.

DM Connect for DI Overview



The following table explains the erwin DM, erwin Mart Portal, erwin DI version compatibility:

Products-Versions	erwin DI 10.0	erwin DI 10.1	erwin DI 10.2	erwin DI 11	erwin DI 11.5	erwin DI 12.0	erwin DI 12.1	erwin DI 13.0
erwin Mart Portal 2021R1	Yes	Yes	Yes	Yes	Yes	No	No	No

DM Connect for DI Overview

Products- Versions	erwin DI							
	10.0	10.1	10.2	11	11.5	12.0	12.1	13.0
erwin Mart Portal 12.0	Yes	Yes	Yes	Yes	Yes	No	No	No
erwin Mart Portal 12.1	No	No	No	No	No	Yes	Yes	Yes
erwin Mart Portal 12.5	No	Yes						
erwin Mart Portal 12.5.1	No	Yes						
erwin Mart Portal 12.5.2	No	Yes						

Prerequisites

Before configuring erwin DM Connect for , ensure that the prerequisites for erwin Mart Portal and erwin Data Intelligent (erwin DI) are in place:

- System requirements:
 - [erwin Mart Portal](#)
 - [erwin DI](#)
- Permissions:
 - [erwin Mart Portal](#)
 - [erwin DI](#)
- [erwin DI DocumentsPath](#)

erwin Mart Portal System Requirements

Refer to the following tables for minimum system requirements.

Parameter	Requirement
Hardware/Workstation	<ul style="list-style-type: none">• Windows-based workstation• 16 GB RAM• 100 GB of disk space or more as required to support your specific mart
Operating System	<ul style="list-style-type: none">• Microsoft Windows Server 2016• Microsoft Windows Server 2019• Microsoft Windows Server 2022• Microsoft .NET Framework 4.0 and above• All current Microsoft Windows critical updates
Database	<ul style="list-style-type: none">• Microsoft SQL Server 2016 SP2 or the certified versions 2017 and 2019, and Microsoft SQL Azure 12, and Amazon RDS SQL Server 2019• For DM Connect for DI, the minimum SQL Server version requirement is SQL Server 2016 SP2• Oracle 12c R2, 18c, 19c, and 21c

Prerequisites

Parameter	Requirement
	<ul style="list-style-type: none"> PostgreSQL 15.3, 14.8, 13.11, 12.15 and 11.20. You can also use PostgreSQL certified version 11.18 for Amazon Aurora.
erwin Mart Portal Web Client - Browser	<ul style="list-style-type: none"> Microsoft Edge v97 or newer Mozilla Firefox v91 or newer Google Chrome v97 or newer Apple Safari 15 or newer
Web Server	Apache Server 2.4.57
JDK	17.0.7
MartPortal Services	<p>In the C:\Program Files\erwin\Mart Portal\create_service.cmd, update the RAM size setting to increase the RAM in MBs:</p> <pre>reg add "HKLM\SYSTEM\CurrentControlSet\Services\erwinMartPortal\Parameters" /v Application /d "%JRE_HOME%\bin\java.exe" -Xms2048m -Xmx10240m -Dlogging.config="file:C:\Program Files\erwin\Mart Portal\MartApp\config\log4j2-portal.xml" -jar "C:\Program Files\erwin\Mart Portal\MartApp\MartPortal.jar"</pre> <p>That is, (2GB -10GB)</p>
ER360 Services	<p>In the C:\Program Files\erwin\Mart Portal\create_service.cmd, update the RAM size setting to increase the RAM in MBs as follows:</p> <pre>reg add "HKLM\SYSTEM\CurrentControlSet\Services\erwinER360\Parameters" /v Application /d "%JRE_HOME%\bin\java.exe" -Xms2048m -Xmx10240m -Dlogging.config="file:C:\Program Files\erwin\Mart Portal\MartApp\config\log4j2-er360.xml" -jar "C:\Program Files\erwin\Mart Portal\MartApp\ER360.jar"</pre> <p>That is (2GB - 10GB)</p>
Vault Services	<p>In the C:\Program Files\erwin\Mart Portal\create_service.cmd, update the RAM size setting to increase the RAM in MBs:</p> <pre>reg add "HKLM\SYSTEM\CurrentControlSet\Services\erwinVaultService\Parameters" /v Application /d "%JRE_HOME%\bin\java.exe" -Xms2048m -Xmx4096m -Dlogging.config="file:C:\Program Files\erwin\Mart Portal\MartApp\config\log4j2-vaultservice.xml" -jar "C:\Program Files\erwin\Mart Portal\MartApp\vaultservice.jar"</pre> <p>That is, (2GB -4GB)</p>

erwin DI System Requirements

Parameter	Requirement
Hardware/Workstation	<ul style="list-style-type: none"> • VM or Dedicated Physical Server • Processor - 64-bit, minimum 4 cores • RAM: <ul style="list-style-type: none"> • 16 GB for limited user POCs • 32-64 GB for enterprise production deployment • Hard Disk Drive - 200-300 GB
Operating System	<ul style="list-style-type: none"> • Microsoft Windows - Windows Server 2016 and above • Linux v4.19 and above • RHEL 8.0 and 8.5 • Amazon Linux 2
Database	<ul style="list-style-type: none"> • SQL Server 2016, 2017, 2019 <div style="border-left: 2px solid #0070C0; padding-left: 10px; margin: 10px 0;"> <p>For DM Connect for DI, the minimum SQL Server version requirement is SQL Server 2016 SP2</p> </div> <ul style="list-style-type: none"> • Oracle 12c, 18c, 19c
Browser	<ul style="list-style-type: none"> • Microsoft Edge v86x or newer • Google Chrome v86.0 or higher • Mozilla Firefox v82.0 or higher
Web Servers	Apache Tomcat v9.0.58
Web Server Memory Allocation	<p>Allot at least 50 percent of available memory.</p> <p>For example, if available memory is 16GB, allot at least 8GB.</p>
Web Client Workstation	<ul style="list-style-type: none"> • Processor - i3 or higher • RAM - 8GB minimum • Minimum Free Space - 1-2GB

In case of enterprise deployment, for the best performance, it is recommended to allot at least 0.5 GB space per user on the application server. For example, if 30 users log on simultaneously, the application server must have at least 15 GB of RAM allocated to it.

The above RAM allocation does not indicate the RAM of the server machine. It indicates the physical RAM allocation to the application server.

Database Server Specifications

The following table lists database server specifications:

Parameter	Requirement
Server Type	Dedicated standalone server
Processor	64-bit, minimum 4-8 cores
RAM	32 GB
Hard Disk Drive	250-500 GB
Tablespace	50 GB, minimum

erwin DI requires a dedicated schema/database (SQL Server or Oracle) with at least 50 GB tablespace allocated to it, which increases exponentially based on usage.

Permissions

To use DM Connect for DI, you need certain permissions on erwin Mart Portal and erwin Data Intelligence (DI).

Minimum erwin Mart Permissions

You can use DM Connect for DI only if your account has been assigned the following profiles:

- Administrator
- Architect

Minimum erwin DI Permissions

Metadata Manager
Create System

Prerequisites

Metadata Manager
Systems/System Tabs/View System Details
List Systems
Systems/Add Environment
Systems/List Environments
Systems/System Environments/Import Environment
Systems/System Environments/New Version
Systems/System Tabs/View Environment Details
Systems/Configure Expanded Logical Name
Systems/System Environments/Environment Tabs/Extended Properties/Edit Extended Properties
Systems/System Environments/Scan Metadata
Systems/System Environments/Environment Tabs/EnvironmentDetails

Mapping Manager
Projects/Create Project
Projects/Mappings/Create Mapping
Projects/Project Tabs/Project Details/View Project Details
Projects/Mappings/Mapping Grid/Edit Mapping Specification Grid (Any one permission in child permissions)

Business Glossary Manager
Custom Objects/Catalog/Create
Custom Objects/Catalog/Edit
Custom Objects/Catalog/View
Custom Objects/Catalog/Custom Objects/Create
Custom Objects/Catalog/Custom Objects/Edit

Prerequisites

Business Glossary Manager

Custom Objects/Catalog/Custom Objects/View

Custom Objects/Import Catalog

erwin DI DocumentsPath

To be able to export data from erwin Data Modeler (DM) to erwin DI , ensure that you update the **iccdocuments.properties** file in erwin DI as follows:

- **Windows:** If you change the default installation location, follow these steps:
 1. Open the **iccdocuments.properties** file from the following location:
Apache Software Foundation\Tomcat 8.5\webapps\<Application Name>\WEB-INF\configuration\properties\iccdocuments.properties
 2. Change the **DocumentsPath** value to the current installation location:
<drivename>:/<application name>

For example, consider you changed the installation location from the default location to:

D:\Apache Software Foundation\Tomcat 8.5\webapps\erwinDISuite\WEB-INF-configuration\properties.

Then, change the **DocumentsPath** to:

D:/erwinDISuite

- **Linux:** Ensure that you follow these steps:
 1. Open the **iccdocuments.properties** file from the following location:
/opt/tomcat/webapps/<<erwinDISuite>>/WEB-INF-configuration/properties/iccdocuments.properties
 2. Change the **DocumentsPath** value to:
opt/tomcat/<application name>

For example, change the **DocumentsPath** from *C:/MappingManager* to:
opt/tomcat/erwinDISuite


Configuration

To import and export data models, data sources, and naming standards using DM Connect for DI, you need to configure your erwin Data Intelligence (erwin DI) application in erwin Mart Portal.

To configure erwin DI, follow these steps:

1. Go to **Application Menu > Settings > DI Configurations**.

The Configurations page appears.



Name	Server Name	Application Name	Configurations	SSL	Username	Password	Timeout	Actions
No records to display								

2. Click .

The Add Configuration page appears.

Configuration

Add Configuration ×

Enable SSL *

Session Timeout *

3. Configure your erwin DI connection parameters as follows:

Field	Description
Configuration Name	Specify a unique name for the configuration.
Server Name	Specify the server address, where erwin DI is installed.
Application Name	Specify the name of your erwin DI Application.

Configuration

Field	Description
Port	Specify the port on your server that is used for erwin DI.
Enable SSL	Specify whether you want to connect to the server through a secured connection
Username	Specify your erwin DI user name.
Password	Specify your erwin DI password.
Session Timeout	Specify erwin DI's session time out duration in minutes.

4. Click **Submit**.

Your connection is tested and saved. You can set up multiple erwin DI configurations and use them as required.

Scenario: Schedule Jobs to Export Data Models to erwin DI

An Export to DI job converts a model to erwin DI compatible format and then,

- exports the model to the Metadata Manager
- exports the source and target column data from a dimensional model into the Mapping Manager

Once source and target column data is exported, any updates made to them are not exported when the job runs again.

- If the model has an associated NSM file, it exports the file to the Business Glossary Manager


For more information about data sharing between erwin Data Modeler (erwin DM) and erwin Data Intelligence(erwin DI), refer to the [Data Sharing](#) topic.

By default the DM Connect for DI app opens in the Calendar view. You can toggle the page view between the List View () or Calendar View () using the respective buttons on the page toolbar.

To schedule jobs, follow these steps:

1. In the header pane, click  and then click **DM Connect for DI**.
The DM Connect for DI page opens.
2. Click a suitable calendar slot or click .
3. Click **Export to DI**.
The Schedule Job page appears.

Scenario: Schedule Jobs to Export Data Models to erwin DI



4. Set up job parameters as follows:

Tab	Field	Description
Catalog	Select Models	Select models from mart catalog to export.

Scenario: Schedule Jobs to Export Data Models to erwin DI

Tab	Field	Description
Information		The Count field displays the number of selected models.
	Include NSM	Select whether naming standards must be exported. A catalog named by the NSM file is created under Business Glossary Manager > DM NSM Files custom asset. Ensure that the DM NSM Files asset is enabled in erwin DI > Business Glossary Manager Settings .

Scenario: Schedule Jobs to Export Data Models to erwin DI

Tab	Field	Description
DI Inform- ation	Connector Name	Select a configuration to use for the export job.

Scenario: Schedule Jobs to Export Data Models to erwin DI

Tab	Field	Description
	System Name	Enter a system name. This corresponds to System in Metadata Manager.
	Environment Name	<p>Use the predefined macros to set the environment name. This corresponds to Environment in Metadata manager.</p> <p>For system and environment names, following special characters are allowed:</p> <ul style="list-style-type: none"> • System: - (hyphen), _ (underscore), and space • Environment: @ (at sign), \$ (dollar sign), & (ampersand), / (slash mark), - (hyphen), _ (underscore), and space <p>All other special characters are replaced with _ (underscore).</p>
	Export Options	<p>Select a suitable export option:</p> <ul style="list-style-type: none"> • Add New: <ul style="list-style-type: none"> • If an environment exists, this option adds any new tables or columns to it. • If an environment does not exist, this option creates an environment and adds tables and columns to it. • Update Existing + Add New: <ul style="list-style-type: none"> • If the existing model objects have changed, this option exports the updates to the existing model objects in erwin DI . • Also, it exports any new objects in the model to erwin DI . • Update Existing + Add New + Invalidate: <p>Along with the functionality of Update</p>

Scenario: Schedule Jobs to Export Data Models to erwin DI

Tab	Field	Description
		Existing + Add New option, this option invalidates any deleted tables or columns. <ul style="list-style-type: none"> • Delete & Reload: This option deletes all the tables and columns. Then, it exports them again.
	Version	Select whether a version of an existing environment must be created. This archives the existing environment.
Job Information	Job Name	Specify a job name.
	Scheduled Job On	Select the date and time at which the job must run.
	Job Interval	Select a suitable frequency at which the job must run. You can set the job to run once or recur daily, weekly, monthly, or yearly.
	Notify Me	Select whether a notification is sent to you when the job status changes. This enables the Notification Email and CC List fields.
	Notification Email	Specify the email address at which you want to receive the notification.
	CC List	Specify a semi-colon-separated list of email addresses that must receive the job notification.
	Run Now	Select the check box to run the job immediately.

5. Click **Submit**.

The job is added to the calendar for execution with its **Job State** set to Scheduled.

The job runs according to the schedule and exports data model to Metadata Manager and naming standards to Business Glossary Manager.

Scenario: Schedule Jobs to Export Data Models to erwin DI

The screenshot displays the erwin Mart Administrator interface. At the top, a table shows the execution status of a job named 'TechPubsEMovies', which is completed. A callout box labeled '1' points to this job, stating: 'Job run on TechPubsModel, TechPubs NSM file attached to the model'. Below this, the 'Metadata Manager' section shows a 'System Catalogue' with a tree view containing 'TechPubsModel (v1.00)'. A callout box labeled '2' points to this model, stating: 'Model exported to Metadata Manager'. To the right, the 'Business Glossary Manager' shows a 'Workspace' with 'DM NSM Files' including 'MyMovieList (6)' and 'TechPubs (6)'. A callout box labeled '3' points to these files, stating: 'TechPubs NSM file exported to Business Glossary Manager'. The bottom right shows a 'DM NSM FILE Summary' with two entries: 'CUST' and 'EMP'.

Database connection parameters such as DBMS Name/DSN, IP Address/Host Name, Port, and Business Entity Type (System Environment Type) are stored in environment details.

The screenshot shows the 'Environment Details' tab in the Metadata Manager. It displays a form with the following fields and values:

Field	Value
System Environment Name*	Demo_SQS2019_REDB_DISV11
System Environment Type	erwin DM Mart - SqlServer
Data Steward	
Server Platform	
Server OS Version	
File Management Type	
File Location	
Driver Name*	
DBMS Name/DSN*	disv11
IP Address/Host Name*	localhost
Port**	
User Name*	
Password*	
Uri*	

Also, the UDPs and validation rules in the model are exported to the Extended Properties tab in Metadata Manager.

Scenario: Schedule Jobs to Export Data Models to erwin DI

The screenshot displays the erwin software interface. On the left, a diagram titled 'erwin, Inc. erwin Sample Diagram eMovies.erwin' shows a data model with entities like CUSTOMER and CUSTOMER CREDIT. A callout box labeled '1' points to the diagram with the text: 'Source and target column data exported to Mapping Manager'. In the center, the 'Entity 'CUSTOMER CREDIT' Editor' window is open, showing a table of properties for the entity. On the right, the 'Metadata Manager' window is open, showing the 'System Catalogue' and 'Extended Properties' for the 'CUSTOMER CREDIT' entity. A callout box labeled '2' points to the 'Extended Properties' section with the text: 'Job run on the eMovies model exports UDPs to the Extended Properties under Metadata Manager'. The 'Extended Properties' section shows 'Logical.Color' set to 'red', 'Logical.Create Date' set to '12/31/2007', and 'Logical.Data Steward' set to 'Tom'.

Case I: Run Job

The Run Job option immediately runs a job. This option works only if the selected job is a recurring job in the scheduled state.

Case II: Modify Job

The Manage Job option lets you modify an existing scheduled job. If you modify a job:

- before its run schedule, the changes take effect when the job runs
- while it is running, the job is cancelled, and changes are saved. They take effect when the job runs next time.
- after it is past its schedule, the job runs according to the new schedule

Case III: Recurring Job-No Change in Models

Recurring jobs run based on the Job Interval you set while scheduling them. If the models selected in the job have not changed between job intervals, the job still runs according to

Scenario: Schedule Jobs to Export Data Models to erwin DI

the schedule. However, no data is exported to erwin DI.

Case IV: New Model in the Folder

If a new model is added to an existing folder on which a recurring job has been scheduled, DM Connect for DI auto-syncs it to the job. The new model is included in the job automatically, when the job runs next.

Scenario: Schedule Jobs to Import Data Models from erwin DI to erwin DM

An Import to DM job imports environments and the underlying tables, columns, and metadata to a mart catalog in the original file format as a model. You can then, connect to your mart via erwin DM and open the saved model. erwin DM automatically converts this model to an erwin model. You can save this model locally or on mart. When you save this model back to the mart, it is saved with the corresponding timestamp.

For more information about data sharing between erwin Data Modeler (erwin DM) and erwin Data Intelligence (erwin DI), refer to the [Data Sharing](#) topic.

By default the DM Connect for DI app opens in the Calendar view. You can toggle the page view between the List View () or Calendar View () using the respective buttons on the page toolbar.

To schedule import to DM jobs, follow these steps:

1. In the header pane, click  and then click **DM Connect for DI**.
The DM Connect for DI page opens.
2. Click a suitable calendar slot or click .
3. Click **Import to DM**.

Scenario: Schedule Jobs to Import Data Models from erwin DI to erwin DM

The Schedule Job page appears.

The screenshot shows a web application window titled "Schedule Job". The window has a blue header bar with the title "Schedule Job" and a close button (X). Below the header, there are three tabs: "DI INFORMATION" (which is selected and underlined), "CATALOG INFORMATION", and "JOB INFORMATION". Each tab has a small icon above it. Under the "DI INFORMATION" tab, there are three dropdown menus, each with a red border and a downward arrow on the right side. The first dropdown is labeled "Connector Name", the second is "System Name", and the third is "Environment Name". At the bottom right of the form area, there is a grey button labeled "NEXT >".

Scenario: Schedule Jobs to Import Data Models from erwin DI to erwin DM

4. Set up job parameters as follows:


Tab	Field	Description
DI Information	Connector Name	Select a configuration to use for the import job.
	System Name	Select a system from the list of available systems based on your DI configuration
	Environment Name	Select one or more environments from the list of available environments based on the selected system.
Catalog Information	Select Models	Select the mart catalog/library to import models to.
Job Information	Job Name	Specify a job name.
	Scheduled Job On	Select the date and time at which the job must run.
	Job Interval	Select a suitable frequency at which the job must run. You can set the job to run once or recur daily, weekly, monthly, or yearly.
	Notify Me	Select whether a notification is sent to you when the job status changes. This enables the Notification Email and CC List fields.
	Notification Email	Specify the email address at which you want to receive the notification.
	CC List	Specify a semi-colon-separated list of email addresses that must receive the job notification.
	Run Now	Select the check box to run the job immediately.

5. Click **Submit**.

The job is added to the calendar for execution with its **Job State** set to Scheduled.

On successful job completion, the imported model is added to the selected library in the original erwin DI format. To use this model, you must convert it to erwin DM format.


Scenario: Schedule Jobs to Import Data Models from erwin DI to erwin DM




To convert an imported model to erwin DM format, follow these steps:

1. Start erwin DM and connect to your mart.
2. On the ribbon, click **Mart** > **Open**.

Scenario: Schedule Jobs to Import Data Models from erwin DI to erwin DM




3. Select the required model and click **Open**.
The process to convert the imported model to the erwin DM format runs.




Scenario: Schedule Jobs to Import Data Models from erwin DI to erwin DM

Once this process is complete, the model is converted to .erwin format and opened in the diagram editor.




This model is saved to your mart catalog in the .erwin format with a time stamp. The following image shows the saved model in the Catalog Manager and in your mart library.

Scenario: Schedule Jobs to Import Data Models from erwin DI to erwin DM



Scenario: Import Source and Target Data into Mapping Manager

In case of dimensional model that has associated data sources, DM Connect for DI exports the source and target column data from the model into the Mapping Manager.



Schedule a job on your dimensional model. Once the job is completed successfully, DM Connect for DI creates a project. Under this project, it creates a mapping specification with the source and target column data from your model.

Scenario: Import Source and Target Data into Mapping Manager

The screenshot displays the erwin Mart Administrator interface. At the top, a table lists job execution details. Below this, the Mapping Manager workspace is shown, including a tree view on the left and a Mapping Specification table on the right. Two callout boxes provide context: one points to the job status table, and the other points to the Mapping Manager tree view.

1 Job run on a Dimensional model, with associated Data Sources

Job Name	Last Scheduled Run	Next Scheduled Run	Job State	Last Run Job Status	Modified By	Modified On
TechnicalPublications	2020-06-08 20:13:16		Completed	Success	mmacharla	2020-06-08 20:11:50
<input checked="" type="checkbox"/> DimensionalModel	2020-06-08 19:43:39	2020-06-08 09:15:00	Scheduled	Success	mmacharla	2020-06-08 19:42:59


2 Source and target column data exported to Mapping Manager

#	Source System Name	Source Environment Name	Source Table Name	Source Column Name	Source Column Data Type	Source Column Length	Business R
1	OPROD	ban-prod.valenciacc.	SGBSTDN	SGBSTDN_ADMT_C	VARCHAR2(2)		
2	OPROD	ban-prod.valenciacc.	SGBSTDN	SGBSTDN_EXP_GR	DATE		
3	OPROD	ban-prod.valenciacc.	SGBSTDN	SGBSTDN_SECD_R	VARCHAR2(1)		

Scenario: NSM Files

If the models selected in a job have NSM files associated with them, DM connect for DI exports them to the Business Glossary Manager under the custom asset, erwin DM NSM.

Ensure that the erwin DM NSM asset is enabled under **erwin DI > Business Glossary Manager Settings**.



Under the erwin DM NSM asset, each unique NSM file is added as a catalog.

Scenario: NSM Files

erwin Mart Administrator

mmacharla | LOGOUT | Help

DM Connect for DI

Add Job | Delete Job | Manage Job | Cancel Job | Refresh Job | View Log | Run Job

Job Name	Last Scheduled Run	Next Scheduled Run	Job State	Last Run Job Status	Modified By	Modified On
TechPubsDept		2020-06-15 18:30:00	Scheduled		mmacharla	2020-06-15 05:52:23

BUSINESS ASSETS < CATALOG VIEW

Workspace < erwin DM NSM

- BT Business Terms
- BP Business Policies
- BR Business Rules
- ED erwin DM NSM
- SG Stewardship Goals

erwin DM NSM

- eMovies (5)
- TruistABBV (245)

DM NSM ASSET Summary

Compact View | Grid View

Search

Items Per Page: 50 | Page 1 | PREVIOUS | NEXT

- eMovies CUST No Description available
- eMovies EMP No Description available

1 Job with 2 models; 2 NSM files, eMovies.nsm and TruistABBV.nsm

2

- 2 catalogs based on the NSM files attached to the models are created.
- Glossary words from each files are added to the respective catalogs.

Case I: One NSM File, Multiple Models

In a job, if a single NSM file is associated with multiple models, a single catalog is created for both models. The contents of the corresponding catalog under the erwin DM NSM asset type in Business Glossary Manager are overwritten.


Case II: Multiple NSM Files, Multiple Models

In a job, if multiple NSM files are associated with multiple models, multiple catalogs, corresponding to the NSM files are created under the erwin DM NSM asset type in Business Glossary Manager.

Scenario: View Logs

After a job runs, you can view its log to understand more about the job status. In case of failures, you can then troubleshoot using the logs.

To view a job's log, select a job and click **View Log**.



The screenshot shows the 'DM Connect for DI' interface. At the top, there is a navigation bar with the title 'DM Connect for DI' and several icons. Below the navigation bar is a table with columns: JobName, Last Schedule Run, Next Schedule Run, Job State, Last Run Job Status, and Modified By. The first row is selected, and a 'View Logs' button is visible. A callout box points to the 'View Logs' button with the text: 'Select a job and click here to view its log'. Below the table, the log content is displayed, showing a series of timestamps and messages related to the job execution.

JobName	Last Schedule Run	Next Schedule Run	Job State	Last Run Job Status	Modified By
REDB_SQS2019_DISV11	2022-01-25 18:50:51	2022-01-27 18:50:00	Scheduled	Success	

View Logs

```
[25/01/22 06:50:42:042 IST] 12_REDB_SQS2019_DISV11 : Start Job Execution
[25/01/22 06:50:42:042 IST] 12_REDB_SQS2019_DISV11 : DisplayJobBean.getJobById()
[25/01/22 06:50:42:042 IST] 12_REDB_SQS2019_DISV11 : Start Create/Get SystemName : Demo
[25/01/22 06:50:42:042 IST] 12_REDB_SQS2019_DISV11 : End(Success) Create/Get SystemName: Demo
[25/01/22 06:50:42:042 IST] 12_REDB_SQS2019_DISV11 : 65558=> Start Export
[25/01/22 06:50:42:042 IST] 12_REDB_SQS2019_DISV11 : DisplayJobBean.getJobById()
[25/01/22 06:50:42:042 IST] 12_REDB_SQS2019_DISV11 : 65558=> Preparing data for model export
[25/01/22 06:50:42:042 IST] 12_REDB_SQS2019_DISV11 : 65558=> Evaluated Environment Name ::Demo_SQS2019_REDB_DISV11, modelName : SQS2019_REDB_DISV11, ownerName ::Mart/SQS2019_REDB_DISV11
[25/01/22 06:50:42:042 IST] 12_REDB_SQS2019_DISV11 : 65558=> Start Report File Generation
[25/01/22 06:50:42:042 IST] 12_REDB_SQS2019_DISV11 : Entering Query ReportAPI
```

Reference: Data Sharing between erwin DM and erwin DI

For data to be shared between erwin Data Modeler (DM) and erwin Data Intelligence (DI), the attributes and properties of objects in both the applications must correspond to each other. Refer to the following tables to understand how erwin DM Connect for DI maps data between applications.

LIBRARY-SYSTEM

erwin Data Modeler	erwin DI
Library/Catalog Name	System Name
Description	Business Purpose

MODEL-ENVIRONMENT

erwin Data Modeler	erwin DI
Model Name	System Environment Name
Model Type	System Environment Type
Version	Version
Description	Intended Use Description

TABLE-TABLE

erwin Data Modeler	erwin DI
Model Name	Environment Name
Library Name	System Name
Entity Name	Logical Table Name
Comment	Table Comments
Schema_Name	Schema

COLUMN-COLUMN

Reference: Data Sharing between erwin DM and erwin DI

erwin Data Modeler	erwin DI
Domain Parent	Data Domain
Physical Data Type	Data Type, Precision, Length, Scale
Null Option	Nullable Flag
Foreign Key	Foreign Key Flag
Primary Key	Primary Key Flag
Child Column Name	Foreign Key Column Name
Child Table Name	Foreign Key Table Name

UDP-EXTENDED PROPERTIES

erwin Data Modeler	erwin DI
UDP Name	Key Name
Value	Value
Description	Description

NSM-erwin DM NSM

erwin Data Modeler	erwin DI
NSM File Name	Catalog Name
Abbreviation	Asset Name
Glossary Word	Definition

NSM files have multiple parameters. However, DM Connect for DI is configured to push only the Glossary Word and Abbreviation to erwin DI.

DATA MOVEMENT SOURCE-MAPPING

erwin Data Modeler	erwin DI
Data Source DBMS Type	Database Type
DS Transformations	Business Rule

Reference: Data Sharing between erwin DM and erwin DI

Library	Target System
Model	Target Environment
Table	Target Table
Column	Target Column
Datatype and Length	Target Column Datatype and length
Source Library (Or Data Source Name)	Source System
Source Model (Or Data Source Server)	Source Environment
Source Table (Or Data Movement Table)	Source Table
Source Column (Or Data Movement Column)	Source Column
Source Column Datatype (Or Data Movement Column Datatype)	Source Column Datatype and length Check whether datatype and length are added to the corresponding fields. If not, you need to correct it manually.

Limitations

The following list summarizes the limitations of erwin DM Connect for DI.

- If table's or column's Definition property is updated in a model, the update is not exported when the job is run again. To export the updated Definition, set the job's Export Options to Delete & Reload.
- When you apply an NSM file to a model, it is applied at the model-level. Therefore, it is applied to all versions of the model.
- When you use the validation rules, ensure that the names of valid values do not exceed 200 characters, or the validation rules are not exported to DI.