

GUIDE

Quest Data Intelligence

Business Glossary Management
Guide 16.0



Legal Notices

This Documentation, which includes embedded help systems and electronically distributed materials (hereinafter referred to as the Documentation), is for your informational purposes only and is subject to change or withdrawal by Quest Software, Inc and/or its affiliates at any time. This Documentation is proprietary information of Quest Software, Inc and/or its affiliates and may not be copied, transferred, reproduced, disclosed, modified or duplicated, in whole or in part, without the prior written consent of Quest Software, Inc and/or its affiliates

If you are a licensed user of the software product(s) addressed in the Documentation, you may print or otherwise make available a reasonable number of copies of the Documentation for internal use by you and your employees in connection with that software, provided that all Quest Software, Inc and/or its affiliates copyright notices and legends are affixed to each reproduced copy.

The right to print or otherwise make available copies of the Documentation is limited to the period during which the applicable license for such software remains in full force and effect. Should the license terminate for any reason, it is your responsibility to certify in writing to Quest Software, Inc and/or its affiliates that all copies and partial copies of the Documentation have been returned to Quest Software, Inc and/or its affiliates or destroyed.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, QUEST SOFTWARE, INC. PROVIDES THIS DOCUMENTATION AS IS WITHOUT WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL QUEST SOFTWARE, INC. BE LIABLE TO YOU OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE, DIRECT OR INDIRECT, FROM THE USE OF THIS DOCUMENTATION, INCLUDING WITHOUT LIMITATION, LOST PROFITS, LOST INVESTMENT, BUSINESS INTERRUPTION, GOODWILL, OR LOST DATA, EVEN IF QUEST SOFTWARE, INC. IS EXPRESSLY ADVISED IN ADVANCE OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The use of any software product referenced in the Documentation is governed by the applicable license agreement and such license agreement is not modified in any way by the terms of this notice.

The manufacturer of this Documentation is Quest Software, Inc and/or its affiliates Provided with Restricted Rights. Use, duplication or disclosure by the United States Government is subject to the restrictions set forth in FAR Sections 12.212, 52.227-14, and 52.227-19(c)(1) - (2) and DFARS Section 252.227-7014(b)(3), as applicable, or their successors.

Copyright © Quest Software, Inc. and/or its affiliates All rights reserved. All trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.

Contact Quest

Understanding your Support

Review [support maintenance programs and offerings](#).

Registering for Support

Access the [Quest support](#) site and click Sign in to register for product support.

Accessing Technical Support

For your convenience, Quest provides easy access to "One Stop" support for [Quest Data Intelligence \(Quest DI\)](#), and includes the following:

- Online and telephone contact information for technical assistance and customer services
- Information about user communities and forums
- Product and documentation downloads
- Quest Support policies and guidelines
- Other helpful resources appropriate for your product

For information about other Quest products, visit [Quest Products Overview](#).

Provide Feedback

If you have comments or questions, or feedback about Quest product documentation, you can send a message to the [documentation team](#).

News and Events

Visit [News and Events](#) to get up-to-date news, announcements, and events. View video demos and read up on customer success stories and articles by industry experts.

Contents

Business Glossary Manager	8
Using QuestAI Inline Assist	17
Viewing Business Glossary Manager Dashboard	21
Creating Catalogs	26
Managing Catalogs	29
Assigning Users and Roles	31
Creating Business Terms	34
Managing Business Terms	38
Viewing or Editing Business Terms	40
Setting Up Associations for Business Terms	47
Setting Up Additional Details	50
Adding Rich Media	51
Adding Tasks	53
Configuring Task Types	56
Managing Tasks	71
Viewing Workflow Logs	74
Assigning Valid Values	76
Viewing History	78
Creating Business Policies	79
Managing Business Policies	84
Viewing or Editing Business Policies	86
Setting Up Associations for Business Policies	92

Setting Up Additional Details	94
Adding Rich Media	95
Adding Tasks	97
Configuring Task Types	100
Managing Tasks	115
Viewing Workflow Logs	118
Viewing History	120
Creating Business Rules	121
Managing Business Rules	125
Viewing or Editing Business Rules	127
Setting Up Associations for Business Rules	133
Adding Rich Media	135
Viewing Workflow Logs	137
Viewing History	139
Viewing Mind Maps	140
Legend	142
View My Preferences	143
Object Properties	146
Overview	146
Comparing Business Assets	147
Moving Business Assets	154
Setting Up Associations using Qualifiers	157
Tagging Business Assets	165


Tagging Business Assets-Compact View	165
Tagging Business Assets-Grid View	167
Updating Sensitivity in Bulk	171
Updating Sensitivity-Mind Map	172
Associated Assets	173
Updating Sensitivity-Grid View	178
Importing Compliance Reports	182
Configuring Compliance Reports Starter Kit	182
Importing Compliance Reports	183
Managing Compliance Reports	185
Setting Up Stewardship Goals	187
Managing Stewardship Goals	190
Updating Data Governance Assignments	191
Viewing Access Rights and Data Governance Reports	194
Data Governance Report	194
Access Rights	197
Creating Custom Views	202
Managing Custom Views	204
Managing Proposed Assets	207

Business Glossary Manager

This section walks you through business glossary management.

Business Glossary is managed via Business Glossary Manager. It involves creating, managing, and collaborating on common business vocabulary across the organization. Business Glossary Manager supports regulatory compliance, data governance, and data stewardship. It facilitates lineage maps by showing how semantic definitions are related to physical data dictionaries, data mappings, and data lineages.

To access the Business Glossary Manager, go to **Application Menu > Data Governance > Business Glossary Manager**.

Based on your configuration, either the Dashboard or the Explore tab opens. To configure the landing tab, click  on the top-right corner to set either of the following tabs as default:

- [Dashboard](#)
- [Explore](#)

Dashboard


The Dashboard tab provides insights about business assets in your organization. For more information, refer to the [Viewing Business Glossary Manager Dashboard](#) topic.

Business Glossary Manager



Explore

The Explore tab is the primary work area where you can create and manage business assets, and view their mind maps and associations.



UI Section	Function
1-Asset Browser	Use this pane to select a business asset type. The asset types available here depend on your Business Glossary Manager settings. You can also create

Business Glossary Manager

UI Section	Function
	custom asset types. For more information on creating asset types, refer to the Configuring Asset Types topic.
2-Asset Workspace	<p>Use this pane to browse through your assets for the selected business asset type. It displays the available catalogs. In this pane you can view the following:</p> <ul style="list-style-type: none"> ▪ Home: Displays a summary of objects under the selected business asset type. ▪ Custom Views: Displays the available custom views. For more information on custom views, refer to the Creating Views topic. ▪ Proposed Assets: Displays the available proposed assets. For more information, refer to the Managing Proposed Business Assets topic. ▪ Catalog View: Displays the available catalogs. Expand catalogs to view existing business assets.
3-Summary	Displays a summary of objects under the selected business asset type.

Selecting a catalog from the Asset Workspace opens a list of business assets under the selected business asset type in that catalog.

The screenshot displays the Business Glossary Manager interface. At the top, there is a navigation bar with tabs: Dashboard, Explore, BUSINESS TERMS, BUSINESS POLICIES, COMPLIANCE REPORTS, BUSINESS RULES, DM NSM FILES, DS AGREEMENTS, ISSUES, TAGS, and STEWARDSHIP GOALS. The 'Explore' tab is active, and 'BUSINESS TERMS' is selected. Below the navigation bar, the 'Asset Workspace' is visible on the left, showing a tree view of catalogs. The main area displays a 'BUSINESS TERMS SUMMARY - Company Benefits' section. This section includes a search bar, a filter icon, and a table of assets. The table has columns for asset type, name, classifications, tags, and a 'Preliminary Dra...' status. The assets listed are 'CD Company Ben. Catalog Dine' and 'CP Company Ben. Customer Phone (Pers...'. The interface also shows a 'Domain Level Score' of 11% and a 'Catalogs (All Sub Catalogs)' count of 8.


Business Glossary Manager

UI Section	Function
1-Asset Overview	Use this pane to view the summary of the objects under the selected business asset type. It displays the count of each component and domain level score.
2-<Business Asset> Summary	<p>Use this pane to view a list of business assets based on the selection in the Asset Workspace pane. You can open a business asset and work on it.</p> <p>You can use this pane in two views:</p> <ul style="list-style-type: none"> ▪ Compact View: Displays a list of assets, their information, and available operations in a compact, card format. Alternatively, you can also use the Search box to search and filter business assets. ▪ Grid View: Displays a list of assets, their information, and available operations in a tabular format.

Compact View










The Compact View displays a list of business assets and their information, such as the asset name, description, status, tags, and sensitivity classification in a compact, card format. You can also search for an asset, view governance responsibilities, associations, and mind map of an asset using the card. Apart from this, each card also provides options to manage assets.

To narrow down the list of search for specific assets, use the Search box to search and filter.



The following table explains the options available for you to work on business assets:

Business Glossary Manager

Options	Description
	Use this option to configure search and filter options for the assets list. For more information about the search feature, refer to Search .
	Use this option to view a list of associations or set up new associations. Clicking this option opens the Associations tab.
	Use this option to view the data governance responsibilities assigned for an asset.
	Use this option to view the mind map for an asset. For more information about mind maps, refer to the Viewing Mind Maps topic.
	<p>Use this option to manage the business asset:</p> <ul style="list-style-type: none">▪ Use  to edit a business asset and update term details, governance responsibilities, and so on.▪ Use  to delete a business asset that is no longer required.▪ Use  to view all the actions performed on a business term since it was created.▪ Use  to share a business asset using a shareable link.

Apart from the options explained in the table above, you can also [view mind maps](#), [update tags](#), and [compare](#) business assets. To update multiple business assets, select the required assets, and click the relevant option. These option appears only when you select one or more assets.

Business Glossary Manager

The screenshot shows the 'BUSINESS TERMS SUMMARY - Pharmaceuticals' page in 'Compact View'. At the top, there are buttons for 'ADD BUSINESS TERM', 'UPDATE TAGS', 'ADD TO COMPARE', and 'MINDMAP'. Below the header, there's a search bar with the placeholder 'What are you looking for?', a 'Select All' toggle with a count of 3, and pagination controls showing 'Items Per Page' as 50 and 'Page 1'. The main content area displays three business terms, each with a blue checkmark icon, a red 'PHI' tag, 'No Tags', and a 'Preliminary Dra...' button. The first term is 'Pharmaceuti.. → Internatio..' with a definition '5 End' and 'The phosphate group tha...'. The second term is 'Pharmaceuti.. → Internatio..' with a definition '510 - K Device' and 'A medical device that is c...'. The third term is 'Pharmaceuti.. → Pharmal' with a definition 'A New Glossary' and 'New Glossary Term'. Each term also has a '2' or '1' in a circle, a group of people icon, a head with gears icon, and a three-dot menu icon.

Search


You can narrow down the list of business assets or search for a specific business asset using the search and filter options.

To search for business assets, enter a business asset name in the Search box. The <Business Asset> Summary pane displays assets based on your search term.

The screenshot shows the 'BUSINESS TERMS SUMMARY - Pharmaceuticals' page with the search bar containing 'Customer'. The 'Compact View' is selected. The search results show two items. The first item is 'Pharmaceuti.. → Internatio..' with a definition 'Client - Customer' and a red note 'No Definition available'. The second item is 'Pharmaceuti.. → Internatio..' with a definition 'Customer' and 'A recipient of a product ...'. Both items have 'No Classifications' and 'No Tags', and a 'Preliminary Dra...' button. Each item also has a '0' in a circle, a group of people icon, a head with gears icon, and a three-dot menu icon.

By default, the search uses a predefined configuration to filter and display search results. You can configure your own search settings using the search and filter options.

Business Glossary Manager

To configure the search and filter options, on the **Search** box, click . The search and filter options pane appears.

FilterSave As ViewExplore Custom Views

Search Options

☒ Asset Name

☐ Asset Definition

Filter Options

☐ Show Published Assets Only

☐ By Sensitivity

Sensitive Data Indicator(SDI) Classification

☐ By Tag

Tags

Refer to the following table for descriptions of Search and Filter Options.

Options	Description
Asset Name	Switch this option on to search business assets based on asset name. This option displays results when the search term matches a business asset name in your business glossary.
Asset Definition	Switch this option on to search business assets based on asset definition. This option displays results when the search term matches the content in the asset definition in your business glossary.
Show Published Assets Only	Switch this option on to filter and display only published assets.

Business Glossary Management Guide 16.0 | 14

Options	Description
By Sensitivity	Switch this option on to filter assets based on sensitivity. This enables the Sensitive Data Indicator (SDI) Classification list. Select a sensitivity classification based on which you want to filter results.
By Tag	Switch this option on to filter assets based on the enterprise tags applied to the business assets. This enables the Tags list. Select one or more tags based on which you want to filter results. You can create and assign new tags to business assets, For more information about creating tags, refer to the Creating Enterprise Tags topic.
By Governance Responsibilities	Switch this option on to filter assets based on governance responsibilities. This enables the available data governance roles lists. Select one or more relevant users in each list.

Once you have configured the search and filter options, you can use the following options:

Filter

Use this option to display search results based on your configuration.

Save As View

Use this option to save the search and filter configuration as a custom view.

Explore Custom Views

Use this option to view existing custom views.

Grid View

The grid view displays a list of assets and their information such as asset name, description, status, and sensitivity classification in a tabular format. You can also manage assets, generate mind maps, and share business assets on the Grid View.

Business Glossary Manager

BUSINESS TERMS SUMMARY – Pharmaceuticals

ADD BUSINESS TERM

Compact View

Grid View

#

☐ Options

Catalog Hierarchy

Business Term

Description






Tags

Sensitive Data Indicator (Y/N)

Sensitive Data Indicator Classification

50


☐



Pharmaceuticals → International Society fo...






ABPI

LEN(D54)



49


☐



Pharmaceuticals → International Society fo...






ABMT

LEN(D53)



48


☐



Pharmaceuticals → International Society fo...






ABMA

LEN(D52)



47


☐



Pharmaceuticals → International Society fo...






ABM

LEN(D51)



46


☐



Pharmaceuticals → International Society fo...

Ablotic

LEN(D50)



In the Grid View, you can:

- View mind maps
- Edit or delete business assets
- View history
- Share links to business assets
- Move business assets
- Compare business assets

Managing a business glossary involves the following:

- [Creating business terms](#)
 - Managing business terms
- [Creating business policies](#)
 - Managing business policies
- [Creating business rules](#)
 - Managing business rules

Once, you have created and set up these business glossary assets, you can assign data stewards and [set up stewardship goals](#).

Using QuestAI Inline Assist


QuestAI Inline Assist enables you to generate and enrich business asset details while creating and editing them. It provides AI-powered suggestions for the Definition, Description, Note, Classification, and Tags fields. You can review, edit, or regenerate suggestions before saving them.

For example, the following steps show how to use QuestAI Inline Assist for business term properties. Similarly, you can use it for other business assets in Business Glossary Manager.

To generate business term details, follow these steps:

1. In the **Asset Workspace** pane, click a catalog.

By default, the Compact View tab appears and displays business terms in the catalog.



2. Select the required business term. For example, 3-Hydroxyl End.


The business term summary page opens.


The screenshot shows the Business Glossary Manager interface for a specific term. At the top, the term is '3-Hydroxyl E...' with a book icon and a breadcrumb trail 'Monetary Terms → Macroeconomics'. To the right of the term is an 'ADD TO COMPARE' button and icons for edit, help, share, and delete. Below this, there are three summary cards: 'Maturity Level' showing a 57% gauge chart labeled 'Intermediate', 'Rating' showing four red stars and one blue star, and 'Rich Media Library' showing a document icon and the number '1'. At the bottom, there is a section titled 'Asset Information' with sub-sections for 'Definition' (showing 'No Data Found'), 'Description', and 'Notes'.


3. Click .

The Edit Business Term tab opens.

The screenshot shows the 'Business Glossary Manager' interface for the term '3-Hydroxyl End'. The header includes a book icon, the term name, and a breadcrumb 'Monetary Terms → Macroeconomics'. A navigation bar contains links: 'Edit Business Term', 'Additional Information', 'Associations', 'Rich Media Library', 'My Action Center', and 'Workflow Log'. The main content area is divided into two columns. The left column has 'Definition' and 'Description' sections, each with a rich text editor toolbar (including bold, italic, underline, link, unlink, list, and indent) and an 'Align' dropdown. The right column contains a 'Compliance Officer' dropdown, a 'Classification' section with a 'Sensitive Data Indicator(SDI) Classification' dropdown and a 'Sensitive Data Indicator (SDI) Description' text field, and a 'Miscellaneous' section with a 'Tags' dropdown. All dropdowns and the 'Tags' field have a red star icon for AI-generated content.

4. Click  in a supported field to generate content. For example, Definition.



A definition is generated and marked as AI-generated. You can review and edit it or click  again to regenerate it.



★★★★★

3 -Hydroxyl End

Monetary Terms → Macroeconomics

Edit Business TermAdditional InformationAssociationsRich Media LibraryMy Action


Term Details



Acronym

Business Term



3 -Hydroxyl End



Definition









B*I*U







Align

This refers to the chemical group present at the end of a molecule, which can influence its biological activity or interactions in various processes.

AI generated definition by
Administrator - Default System User at
22-12-2025 07:26:20

5. Click .

The business term details are updated with AI-generated content.

Viewing Business Glossary Manager Dashboard

The Business Glossary Manager Dashboard helps you to build insights about business vocabulary distribution across your organization. It helps you analyze the business assets based on creation trends, associations, and domains. You can also configure the dashboard to display insights of your favorite business asset.

To access the dashboard, go to **Application Menu > Data Governance > Business Glossary Manager > Dashboard**.


The Business Glossary Manager Dashboard appears.



UI Section	Function
1-< Business Asset >	It displays insights about all business assets and their associations. You can also change the asset type on the cards.
2- Top Contributors	It displays top contributors in your organization based on business asset types.
3- Top Assignments	It displays a list of users with most responsibilities based on data governance responsibilities and business asset types.
4- Top Tags	It displays a list of most used tags.

<Business Asset>

For each business asset type on your ecosystem, the <Business Asset> section displays the total number of assets and associations on asset type-specific cards.




These cards also display the following information:

- **Top Domains:** By default, it displays the top five domains (catalogs) with most number of business assets.
- **Top Assets By Associations:** By default, it displays the top five assets with most number of associations.
- **Creation Trend:** It displays the month-wise trend of business asset creation.

You can drill down to view detailed information of business assets.


To view detailed information of a business asset or its association, click the chart on the card. Now, each associated asset is clickable. Clicking on any of these assets takes you to the specific asset's page.

Viewing Business Glossary Manager Dashboard



Top Contributors

The Top Contributors card displays a list of top contributors in your organization based on the number of business assets assigned.




To view a contributor's list of assets based on the asset type, click .

Top Assignments

The Top Assignments card displays a list of users with the most assigned responsibilities based on data governance responsibilities for business asset type.

Viewing Business Glossary Manager Dashboard

Top Assignments		
JA	Joey Adams (4)	▼
MM	Mike Mannigan (3)	▼
	Jane Doe (3)	▼

To view the top responsibilities list of assets based on the asset type, click ▼.

Top Tags

The Top Tags card displays the most used tags based on business assets.

Top Tags	
customer (6)	▼
Glossary (2)	▼
TechPubs (2)	▼
Benefits (2)	▼
consumer (1)	▼

To view the list of top tags, click ▼.

This displays the list of tags based on asset type.

You can also manage and customize the Business Glossary Manager Dashboard using the following options:

Refresh (🔄)

Use this option to refresh the data on the cards.

More Options (ⓘ)

Use this option to change the asset type and number of records displayed on the card. Click ⓘ, and use the following options:

- **Change Asset:** Use this option to change the asset types on a card.
- **Records:** Use this option to set the number of records displayed on a card.

Viewing Business Glossary Manager Dashboard

- **Background:** Use this option to change the card's background color. This option is not available for <Business Asset> cards.

Creating Catalogs


Catalogs are the containers for all the asset types that are created in the Glossary Workspace. You can group business assets based on your organization's projects, departments, or functions. Therefore, before creating business assets, you need to create a catalog. You can also create sub-catalogs to group business assets further.

To create catalogs, follow these steps:

1. Go to **Application Menu > Data Governance > Business Glossary Manager > Explore**.
2. On the Asset Browser, select a business asset.


By default, Business Terms appear, and Asset Workspace pane displays catalogs.

This example walks you through creating a catalog under Business Terms.




Creating Catalogs

3. In the Asset Workspace pane, right-click the **Catalog View** node.



4. Click **New Catalog**.

The New Catalog page appears.

A screenshot of the 'New Catalog' form. The form has a title bar 'New Catalog' with standard window controls. Below the title bar, there are two input fields: 'Catalog Name' with a red asterisk indicating it is required, and 'Catalog Description'. The form is otherwise empty.

5. Enter **Catalog Name** and **Catalog Description**.

For example:

Creating Catalogs

- **Catalog Name:** Business and Management
- **Catalog Description:** The catalog contains business terms of the organization.

6. Click .

A catalog is created and added to the catalog tree.

Once a catalog is created, you can manage it using the options available on right-clicking the catalog. [Managing catalogs](#) involves:

- Creating sub-catalogs
- Editing catalogs
- Importing or exporting catalogs
- Assigning users
- Viewing workflows

Managing Catalogs


Managing catalogs involves:

- Creating sub-catalogs
- Editing catalogs
- Importing or exporting catalogs
- Assigning users and roles
- Viewing workflows
- Configuring AIMatch

To manage catalogs, follow these steps:

1. Right-click a catalog.

For example, right-clicking a business term catalog displays the corresponding options.



2. Use the following options:

New Catalog

Use this option to create sub-catalogs and group business assets further.

Edit Catalog

Use this option to update the catalog's name and description.

Import Catalog

Managing Catalogs

Use this option to import existing catalogs. On the Import Business Catalog page, select the catalog file and click .

Export Catalog

Use this option to export a catalog to an XLSX file. You can later import this file to your glossary workspace.

Delete Catalog

Use this option to delete a catalog that is no longer required. Deleting a catalog also deletes all business assets in the catalog.

Assign Users or Roles

Use this option to assign users and roles to the catalog based on your organization. For more information on assigning users and roles, refer to the [Assigning Users and Roles](#) topic.

View workflow

Use this option to view the workflow assigned to the catalog. The workflow displays all the stages, users, and roles involved. Also, it shows the flow of information and action across all the stages.

AIMatch Configuration

Use this option to schedule an AIMatch job to associate metadata to a business term and to detect sensitive data for associations. For more information, refer to the [Associating Metadata for AI Matching](#) topic.

Assigning Users and Roles


You can assign users and roles to a catalog. These assignments facilitates governance responsibilities assignment to the business assets in the catalog.

Assigning Roles

To assign roles, follow these steps:

1. Right-click a catalog.

For example, right-clicking a business term catalog displays the corresponding options.



2. Click **Assign Users or Roles**.

The **Assign/Unassign Users or Roles** page appears. By default, the Roles tab appears.

You can click View to view the users assigned to a role.

Assigning Users and Roles

Assign/Unassign Users or Roles

Roles *

Users

#	Select Role	Role Name	Role Description	Role Users
	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>	
1	<input type="checkbox"/>	Old_DataSteward		View
2	<input type="checkbox"/>			View
3	<input type="checkbox"/>	Data Owner_GER	This role is accountable for who has access to information assets within their functional areas for Germany area. It may decide to review and authorize each access request individually or may define a set of rules that determine who is eligible for access based on business function, support role, etc.	View

Note:

Only Non-Administrator Roles are displayed here

3. Select the required roles.

4. Click .

The selected roles are assigned to the catalog.

Assigning Users

To assign users, on the **Assign/Unassign Users or Roles** page, click the **Users** tab.

Assign/Unassign Users or Roles

Roles *


Users

#	Select Role	Role Name	Role Description	Role Users
	<input type="checkbox"/>	<input type="text"/>	<input type="text"/>	
1	<input type="checkbox"/>	Old_DataSteward		View
2	<input type="checkbox"/>			View
3	<input type="checkbox"/>	Data Owner_GER	This role is accountable for who has access to information assets within their functional areas for Germany area. It may decide to review and authorize each access request individually or may define a set of rules that determine who is eligible for access based on business function, support role, etc.	View

Note:

Only Non-Administrator Roles are displayed here

Assigning Users and Roles

Select the required users and click .


The users are assigned to the catalog.

Creating Business Terms

Business terms are globally defined terms that represent your business terminology usage. Using business terms, you can maintain a common business vocabulary across your organization. You can create business terms in new or existing catalogs. For more information about catalogs, refer to the [Creating Catalogs](#) topic.

To create business terms, follow these steps:

1. Go to **Application Menu > Data Governance > Business Glossary Manager > Explore**.
2. Go to the **Business Terms** tab.
The Workspace switches to the business terms view.
3. In the **Asset Workspace** pane, right-click a catalog.



Creating Business Terms

4. Click **New Business Term**.

The New Business Term page appears.

New Business Term

Term Details ☐ Acronym

Business Term

Definition

Description

Notes

Governance Responsibilities

Data Stewards

Data Owners

Classification

Sensitive Data Indicator(SDI) Classification


Sensitive Data Indicator (SDI) Description

BusinessTerm Image Uploader






0.0B / 0.00%

5. Enter appropriate values to the fields. Fields marked with a red asterisk are mandatory.

Refer to the following table for field descriptions.

Field Name	Description
Acronym	Specifies whether the business term is an acronym.
Business Term	Specifies the name of the business term. For example, Account.
Definition	Specifies the definition of the business term. For example: An Account contains data for a party. You can manually enter a definition or click  to generate it automatically.

Creating Business Terms

Field Name	Description
Description	<p>Specifies the description of the business term.</p> <p>For example: Account contains data for posting, payments, debt recovery, and taxes.</p> <p>You can manually enter a description or click  to generate it automatically.</p>
Notes	<p>Specifies the reference notes, if any.</p> <p>For example: The data for posting, payments, debt recovery, and taxes was imported from the Account.xlsx file.</p> <p>You can manually enter notes or click  to generate them automatically.</p>
Governance Responsibilities	<p>Specifies the users assigned with data governance responsibilities for the business assets. For more information, refer to Updating Data Governance.</p>
Classification	<p>Specifies the sensitive data indicator (SDI) classification of the business term. Also, you can add multiple SDI classifications to a business term. You can manually add classifications or click  to generate them automatically.</p> <p>For example, PHI.</p> <p>For more information on configuring SDI classifications, refer to the Configuring Sensitive Data Indicator Classifications topic.</p> <div> By default, this field is enabled for business terms. For more information on enabling sensitivity fields, refer to the Configuring Asset Details topic.</div>
Business Term Image Uploader	<p>Drag and drop a picture of business term or click  to browse and upload a picture.</p>

6. Click .

A business term is created and added to the catalog.

Creating Business Terms

Based on your workflow assignment settings, the business term may need further action for review or approval. For more information, refer to the [Managing Business Glossary Workflows](#) topic.

Once you create a business term, you can click a business term in the Business Term Summary pane to view it. You can enrich it further by:

- [Setting up associations](#)
- [Setting up additional details](#)
- [Adding rich media](#)
- [Adding tasks](#)
- [Viewing workflow logs](#)
- [Assigning valid values](#)
- [Comparing business terms](#)

You can manage a business term using the options available under the Options column on the Grid View tab. [Managing business terms](#) involves:


- Viewing mind maps
- Viewing history
- Editing or deleting business terms
- Sharing links of business terms

Managing Business Terms

Managing business terms involves:

- Viewing mind maps
- Editing or deleting business terms
- Viewing history
- Sharing links to business terms

To manage business terms, follow these steps:

1. On the **Compact View** tab, click .
Alternatively, on the **Grid View** tab, use the **Options** column for a business term.
2. Use the following options to manage business terms:

View Mind Map ()

Use this option to view a business term's mind map. A mind map displays the pictorial representation of the business term, its associations, relationships, sensitivity, and more in a logical and conceptual view.

For more information on mind maps, refer to the [Viewing Mind Maps](#) topic.

Edit Business Term ()

Use this option to edit a business term by updating term details, governance responsibilities, and so on.

For more information on editing business terms, refer to the [Viewing or Editing Business Terms](#) topic.

Delete Business Term ()

Use this option to delete a business term that is no longer required.

View History ()

Use this option to view all the actions performed on a business term since it was created. Alternatively, on the Edit Business Term page, click the **History** tab.

Share Link()

Managing Business Terms

Use this option to share a link to a business term. The following options are available to share the link:

Copy Link: Use this option to copy the shortcut link to the business term. You can then share this link manually.

Email: Use this option to share the shortcut link to the business term via an email.

Viewing or Editing Business Terms

You can view business term details and their properties on the View Business Term tab. On the **Business Terms Summary** page, click a business term.

Apart from viewing and editing business terms, you can also [compare](#) them while viewing the asset.

The business term summary page appears and displays asset details.

For example, the following image displays the asset's data value score, sensitive classification, tags, associations, governance responsibilities, audit history, and more. You can hover over Data Value Score to view the percentage of the data value score. Additionally, the associated assets are now clickable. Clicking on any of these assets takes you to the specific asset's page.

Search by Asset Name or Definition

3 -Hydroxyl End
Monetary Terms → Macroec...

CT Class Terms
Monetary Terms

GS Goods Supply
Monetary Terms → Microec...

TI TechPubs 1
Monetary Terms → Microec...

3 -Hydroxyl End
Monetary Terms → Macroec...

ADD TO COMPARE

Maturity Level
57%
Intermediate

Rating
★★★★☆

Rich Media Library
1

Workflow Status
Preliminary Draft

Tags
Medical

Governance Responsibilities

Data Stewards
Richard Cooper

Compliance Officer
Luqman Michal

Classification
Public

No Description Found

Audit History
2

Asset Information

Definition
This refers to a specific chemical group located at the end of a molecule, which plays a key role in determining its biological activity or function.
AI generated definition by Administrator - Default System User at 08-01-2026 10:08:55

Description
The 3-Hydroxyl End refers to the terminal position of a molecule, typically in biochemical or pharmaceutical contexts, where a hydroxyl group is attached to the third carbon atom. This entity is significant in business operations involving molecular analysis, product formulation, or quality control, as it can influence the chemical properties and reactivity of compounds within the BGM_TERM domain.
AI generated description by Administrator - Default System User at 08-01-2026 10:08:56

Notes

SHOW ADDITIONAL INFORMATION


PREVIOUS Page 1 NEXT 1

Viewing or Editing Business Terms

UI Section	Function
1-Business Term List	Use this pane to browse through the list of business terms.
2-Term Details	<p>Use this section to view business term details. Apart from viewing business term, you can view or edit the following business term properties:</p> <ul style="list-style-type: none">▪ Asset Information▪ Data Value Score▪ Maturity Level▪ Workflow Status▪ Governance Responsibilities▪ Classification▪ Miscellaneous▪ Business Term Image

Editing Business Terms

To edit a business term, follow these steps:

1. On the business term summary page, click .
2. On the Edit Business Term tab, use the following options:

Term Details

Use this section to edit business term's details, such as its definition and description. For a description of fields on this section, refer to the [Creating Business Terms](#) topic.

Viewing or Editing Business Terms

Term Details

Business Term

3 -Hydroxyl End

Definition

This refers to a specific chemical group located at the end of a molecule, which plays a key role in determining its biological activity or function.

AI generated definition by Administrator - Default System User at 08-01-2026 10:08:55


Description

The 3-Hydroxyl End refers to the terminal position of a molecule, typically in biochemical or pharmaceutical contexts, where a hydroxyl group is attached to the third carbon atom. This entity is significant in business operations involving molecular analysis, product formulation, or quality control, as it can influence the chemical properties and reactivity of compounds within the BGM_TERM domain.

AI generated description by Administrator - Default System User at 08-01-2026 10:08:56

Governance Responsibilities

Use this section to edit governance responsibilities assignment. It displays role groups based on the roles and users assigned to a business term catalog. To edit governance responsibilities, click a role group and add or remove users. For example, in the following image Mike Mannigan is added to the Data Stewards role group.



Governance Responsibilities

Data Stewards

Mike Mannigan ✕


Mike Mannigan

Mike Menza

For more information on assigning roles and users to a catalog, refer to the [Updating Data Governance Assignments](#) topic.

Classification

Use this section to edit the SDI classification of a business term. For a description of fields on this section, refer to the [Creating Business Terms](#) topic.



Classification

Sensitive Data Indicator(SDI) Classification

S2 ✕


Sensitive Data Indicator Description

Additions

Miscellaneous


Use this section to associate enterprise tags with business terms. Click **Tags** and select an existing tag or enter a tag name to create one on the fly. For example, in the following image, a tag, "In situ", is created and assigned to a business term.


Viewing or Editing Business Terms



Business Term Image Uploader

Use this option to upload an image corresponding to a business term.




To upload an image, click  and, then browse and select the image.

Comparing Business Terms

To compare business terms while viewing them, follow these steps:

1. On the Assets Details page, click **Add to Compare**.


The Assets to Compare window appears.





Viewing or Editing Business Terms

2. On the Business Term List, select other assets that you want to compare, and click **Add to Compare**.

The selected asset is added to the Assets to Compare window.



You can click  to remove assets from the list and  to move the window. Repeat this step to add more assets for comparison.




You can select up to five assets for comparison.

3. Click **Compare**.

Viewing or Editing Business Terms

The Compare Assets page appears and displays the side by side comparison of asset properties for the selected assets.





For more information about comparing assets based on properties, refer to the [Comparing Business Assets](#) topic.


Setting Up Associations for Business Terms

By default, you can associate business terms with business assets (business policies and other business terms) and technical assets (columns, environments, and tables). You can control the available asset types for association using the Business Glossary Manager settings page. For more information, refer to the [configuration](#) topic.

To set up associations, follow these steps:

1. On the **Compact View** tab, click  .
Alternatively, on the **Grid View** tab, under the **Options** column, click  . Then, click **Associations**.

The Associations tab opens in edit mode.



Economic Growth

Customer Terms

⏪

Edit Business Term

Additional Information

Associations

Rich Media Library

My Action Center

Workflow Log

⏩

Business Term


⏏

+

Actions	Qualifier Name	Relationship Name	Term Name	Description	Definition	Catalog Name	Catalog Hierarchy
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
No Records Found							

Setting Up Associations for Business Terms

- 2. In the asset type (business policies, business terms, columns, environments, and tables) list, select an asset type to associate with the business term.



Economic Growth

Customer Terms

< Edit Business Term Additional Information Associations

Business Term

Business Term

Dataset

Business Policy

Business Rule

Tags

System

Environment

Table

Relationship Name	Term Name
<input type="text"/>	<input type="text"/>

- 3. Click +.
The Relationship Associations page appears. Based on the asset type that you select, it

Setting Up Associations for Business Terms

displays a list of available assets.

Relationship Associations

Current Context: Economic Growth

Current Context Type: Business Term

Relationship Name: is a Synonym of

Search (partial matches):

<input type="checkbox"/>	Term Name	Description	Definition	Catalog Name	Catalog Hierarchy
<input type="checkbox"/>	3-Hydroxyl End	LEN(D3)	The hydroxyl group that is attached to the 3 carbon atom of the sugar (ribose or deoxyribose) of the terminal nucleotide of a nucleic acid molecule.	Macroeconomics	Monetary Terms → Macroeconomics
			3-A Sanitary Standards, Inc. (3-A SSI) is a non-profit association representing equipment manufacturers, processors, regulatory sanitarians and other public health professionals.		

4. Select assets to associate with your business term.

If you know the asset name, use the Search (partial matches) field to look up for it.

5. Click **Save**.

The selected assets are associated with the business term and added to the list of associations.





You can define as many associations as required.


You can associate multiple business assets with a business term and view the associations based on a qualifier view in the mind map. For more information, refer to the topic [Setting Up Associations using Qualifiers](#) topic.


Setting Up Additional Details

You can set up custom additional information about a business term to add more context.

To set up additional information, follow these steps:

1. On the **Compact View** tab, click . Then, click .
Alternatively, on the **Grid View** tab, under the **Options** column, click .
The business term opens in edit mode.
2. Click the **Additional Information** tab and click .







3. Add information to the available user-defined fields.
By default, these fields have generic labels. For example, User Defined 1. For more information on configuring the UI labels of these fields, refer to the [Configuring Language Settings](#) topic.
 4. Click .
- The information you entered is added to the business term.

Adding Rich Media

You can add supporting artifacts, such as text files, audio files, video files, and so on to a business term.

To add rich media to business terms, follow these steps:


1. On the **Compact View** tab, click . Then, click .
Alternatively, on the **Grid View** tab, under the **Options** column, click .
The business term opens in edit mode.
2. Click the **Rich Media Library** tab.



Adding Rich Media

3. Click .

The Add New Rich Media page appears.



4. Enter appropriate values in the fields. Fields marked with a red asterisk are mandatory. Refer to the following table for field descriptions.

Field Name	Description
Name	Specifies the name of the rich media being attached to the business term. For example, Business Term Details.
Description	Specifies a description of the rich media that is being added.
Owner Name	Specifies the document owner's name. For example, John Doe
Link	Specifies the URL of the rich media. For example, https://drive.google.com/file/d/2sC2_SZlyeFKI7OOn-b5YkMBq4ptA7jhg5/view
Rich Media Object	Click the Pick Files button to choose and upload files from your computer.





5. Click **Save**.

The selected rich media file and its description are added to the business term.

Adding Tasks


To collaborate on business assets you can create tasks depending on you requirement. By default, you can create to-do tasks, access requests, or issues. Apart from these task types, you can configure custom task types via [Task Type Configuration](#).

To add tasks, follow these steps:


1. On the **Compact View** tab, click . Then, click .
Alternatively, on the **Grid View** tab, under the **Options** column, click .
The business term opens in edit mode.
2. Click the **My Action Center** tab.
3. Click .
A list of task types appears.
4. Click the required task type.
The Create New Task page appears.
5. Enter appropriate values in the fields. Refer to the following table for field descriptions.

Field Name	Description
Task is being created on Asset	Specifies the asset for which the task is created. This field autopopulates with the map name.
With Task Type as	Specifies the task type. For example, To do Task.
Name	Specifies the name of the task. By default, it autopopulates with a name in the following format: Mapping_<Map_Name>. You can edit it and rename the task. For example, Test Mappings.
Description	Specifies a description of a task.

Adding Tasks

Field Name	Description
	For example: Test all the mappings and record the effort required.
Important	Specifies whether the task is important
Due	Specifies the due date of the task. Use  to set the due date.
Assign Users	Specifies the users assigned to the task. You can assign DI and BU users from the list. For example, Richard Cooper.
External user emails	Specifies the email ID of external users. For example, chris.harris@quest.com

6. Click .

The task is created and saved. Use  to edit the task details and attach relevant documents.

Chat

Use the Chat tab to send messages to the assigned and external users of a task.

On the **Chat** tab, enter your message in the text box and use the following options:

Assigned


Use this option to send messages to the assigned users.

External Users

Use this option to send messages to external users.

Users are notified via Messaging Center.

Adding Tasks



You can manage a task using the options available on the task list. [Managing a task](#) involves:


- Marking tasks complete
- Viewing task details
- Editing task details
- Disabling notifications
- Downloading Chat
- Sharing chat
- Marking tasks as pending
- Deleting tasks

With the My Action Center tab, you can filter and search tasks based on its status and assignments. For more information on search and filter mechanisms, refer to the [Filter and Search](#) topic.


Configuring Task Types

You can configure task types to categorize tasks. By default, three task types, To-Do Task, Request Access, and Issue, are available. You cannot edit or delete these task types. Additionally, you can create custom task types depending on your requirements.

To add custom task types, follow these steps:

1. In the utility section, click .

The Task Type Configuration pane appears and displays a list of available task types.




2. In the Add New Task Type box, enter a new task type and then click .

The task type is added to the list of available tasks.

For example, in the following image, a task type, Schedule Job is added.

Configuring Task Types



Use the following options to manage task types:

Configure Task Type ()

Use this option to [configure task types](#).

Edit ()

Use this option to edit task types.

Delete ()


Use this option to delete task types.

To configure task types, follow these steps:

1. Click .

The Task Type Configuration page appears. By default, the Extended Properties tab opens.

Configuring Task Types



The Extended Properties tab contains the following sections:

- **Field Controls:** This pane displays the available UI elements.
- **Configure Form:** Use this pane to design forms using the UI elements available in the Field Controls pane.
- **Configure Form:** Use this pane to view and edit the properties of the UI element selected in the Configure Form pane.

2. Click **Edit**.
3. Double-click or drag and drop the required UI elements from the Field Controls pane to the Configure Form pane.
4. Select the required UI element one at a time and edit their properties in the Properties pane.

Configuring Task Types

Task Type Configuration Schedule Job

EXTENDED PROPERTIES FIELD VISIBILITY

Save Cancel Delete

Field Controls

Group Combo Box Text Box List Radio Check Box Number Boolean Date Picker Category Rich Editor


Configure Form

List

Configure Form

Property	Value
Published	<input checked="" type="checkbox"/>
Field	List
Type	List
Dependencies	Type or click here
Configure Values	Configure
Mandatory	<input type="checkbox"/>
Description	

Note: 1. Double click on the field cell to update the field name

 The available properties differ based on the type of UI element.

Refer to the following table for property descriptions:

Property	Description
Published	Switch the Published option to ON to publish the field.
Field	Specifies the field label. To change the field labels, double-click the corresponding Value cell. For example, List.
Type	Specifies the type of the field. To select field types, double-click the corresponding Value cell. For example, List.
Dependencies	Defines the pick list fields that can be used as controlling fields. It

Configuring Task Types

Property	Description
	works only with the Reference Data Manager connector. To define pick list fields, select the fields from the drop down list.
Configure Values	Specifies the connectors for the field. To enter option values, click Configure . Use the following options: <ul style="list-style-type: none">▪ Default Connector: Use this option to enter option values manually or using an MS Excel file.▪ Reference Data Manager: Use this option to pull option values from reference tables in the Reference Data Manager.
Mandatory	Specifies whether the field is mandatory. Switch the Mandatory option to ON to make this field mandatory in a form.
Description	Specifies the field description. To enter field descriptions, double-click the corresponding Value cell.
Order	Specifies the order of the field on the Extended Properties tab. To enter the order number, double-click the corresponding Value cell. You can also drag and move fields in the Configure Form pane to change their order.


3. Click **Save**.

The form is saved and available on the Extended Properties tab.

To configure field visibility, follow these steps:

1. Click the **Field Visibility** tab. It displays the default fields available for the task type.

Configuring Task Types



The screenshot shows the 'Task Type Configuration' window with the 'FIELD VISIBILITY' tab selected. The 'EXTENDED PROPERTIES' tab is also visible. An 'EDIT' button is located at the top left of the configuration area. Below it, a list of fields is shown, each with a toggle switch to its right. The fields are: Description, Assign Users, Requestor, External user emails, Comments, Attachments & URLs, Type, and Important. All toggle switches are currently turned on (blue).

Field	Visibility
Description	On
Assign Users	On
Requestor	On
External user emails	On
Comments	On
Attachments & URLs	On
Type	On
Important	On

2. Click **Edit**.
3. To make fields visible, switch on the required fields.
4. Click **Save**.

The fields are configured.

Default Connector

When you configure extended properties using UI elements, such as combo box, radio button, and list, you also need to configure their option values. You can use the default connector to import option values from an MS Excel file or enter them manually.

To configure option values using the default connector, follow these steps:

Configuring Task Types

1. In the **Configure Form** section, click the required UI element.

Ensure that you are in edit mode.


2. In the **Properties** section, click **Configure**.

The Connectors page appears.



3. On the **Connectors** page, ensure that the Default Connector option is selected. Then, click **Next**.

The <UI_Element> Options page appears. For example, if the UI element is Combo Box, the Combo Box Options page appears.



Configuring Task Types

4. Use the following options:

Add

Use this option to enter text and value manually.

Import Excel

Use this option to import options from MS Excel files.

5. After configuring option values, click **Save**.

To add option values manually, follow these steps:

1. Click **Add**.
2. Enter values in the Text and Value fields.


The Text corresponds to options whereas the Value corresponds to underlying value of an option. You can add as many values as needed.

Text	Value
Data Steward_GER	rcooper
Data Steward_ROM	vsmith
<input type="text"/>	<input type="text"/>

3. Click **Save**.

Configuring Task Types

The option values appear in the UI element under the Configure Form section.




A screenshot of a 'Combo Box' UI element. The label 'Combo Box' is on the left. The main area shows a dropdown menu with the text 'Select an option' and a downward arrow. The dropdown is open, showing three options: 'Select an option', 'Data Steward_GER', and 'Data Steward_ROM'. The 'Data Steward_ROM' option is highlighted in blue.

To import option values from MS Excel files, follow these steps:

1. Click **Import Excel**.

The Upload Excel page appears.





A screenshot of the 'Upload Excel' page. The title 'Upload Excel' is at the top. Below it, there is a section 'Attach Excel File' with a 'Choose File' button and the text 'No file chosen'. There are two icons: an upward arrow and a cross. Below this, there is a 'Note*' section with four bullet points: '1. Empty FIELD pairs are ignored.', '2. Duplicate FIELD pairs are ignored.', '3. Slash(/) FIELD pairs are ignored.', and '4. FIELD pair with more than 200 characters are ignored.'

2. Click **Choose File** and select the required MS Excel file.



The Upload Excel page appears. It displays the data in the MS Excel file.

Configuring Task Types

Upload Excel			
 			
#	GROUP NAME	ROLE NAME	USER ID
#	Select Column To Import	Select Column To Import	Select Column To Import
1	Data Stewards	Data Steward_GER	mmannigan
2	Data Stewards	Data Steward_GER	mmenza
3	Data Stewards	Data Steward_GER	mmannigan

3. Double-click the **Select Column To Import** cell in the required column.

The available options appear.

 			
#	GROUP NAME	ROLE NAME	USER ID
#	Select Column To Import	<div>Select Column To Import FIELD VALUE Clear Selection</div>	Select Column To Import
1	Data Stewards	Data Steward_GER	mmannigan


4. Select the appropriate option.

Field corresponds to options and Value corresponds to value of an option. You can import multiple columns. Use Clear Selection to undo the selection.

5. Click .

The <UI_Element> Options page appears. It displays the imported columns. You can delete a row that is not required. To delete rows, click a row and then click **Delete**.


Configuring Task Types



Text	Value
Data Steward_GER	mmannigan
Data Steward_UK	rcooper
Data Owner_GER	esimpson
Data Owner_RO	ksridhar
Tech Data Steward_GER	jadams

6. Click **Save**.

The option values appear in the UI element under the Configure Form section.



Combo Box
Select an option
Select an option
Data Steward_GER
Data Steward_UK
Data Owner_GER
Data Owner_RO
Tech Data Steward_GER
Mapping Admin
ETL Developer
Mapping Designer

Reference Data Manager

When you configure extended properties using UI elements, such as combo box, radio button, and list, you also need to configure their option values. You can use the Reference Data Manager connector to import option values from tables in the Reference Data Manager.

Configuring Task Types


To configure option values using reference data manager connector, follow these steps:

1. In the **Configure Form** section, click the required UI element.

Ensure that you are in edit mode.


2. In the **Properties** section, click **Configure**.

The Connectors page appears.



3. On the **Connectors** page, click **Reference Data Manager** and then click **Next**.

The Reference Data Manager page appears. It displays the reference folders in the Connector View pane.



4. In the **Connector View** pane, expand a reference folder and select a reference table.

The Parameters pane displays the columns in the reference table. You can also click Preview to view the data in the reference table.

Configuring Task Types

The screenshot shows the 'Reference Data Manager' application window. It has a dark title bar with standard window controls. Below the title bar, there are 'Back' and 'Finish' buttons in the top right corner. The main area is divided into three sections:

- Connector View:** A tree view on the left showing a hierarchy: 'Reference Folders' > 'erwin Sales' > 'Reference Tables'. Under 'Reference Tables', several tables are listed: 'CITY_NAME(1.00)' (highlighted in blue), 'TECHPUBS_TEAM(1.00)', 'T_NAME(1.00)', 'SALES_REF_DATA(1.00)', and 'HR_REF_TABLE(1.00)'. Below these is 'erwin.DG'.
- Parameters:** A pane on the right with a 'Reset' button and a 'Field' column header. It contains two rows:
 - Row 1: 'CITY' in the first column, a dropdown menu showing 'Select' in the second column, and an unselected radio button in the third column.
 - Row 2: 'CITY_NAME' in the first column, a dropdown menu showing 'Select' in the second column, and an unselected radio button in the third column.
- Preview Data:** A section at the bottom with a 'Records' dropdown set to '10' and a 'Preview' button. Below this is a table with two columns: '# CITY' and 'CITY_NAME'. The table is currently empty.

5. In the **Parameters** pane, click the radio button next to the required column.
You can select the controlling field from the drop down option. Ensure that you define the required dependencies in the Properties pane and that the option values for controlling field are configured using the same reference column.
6. Click **Finish**.
The Extended Properties Configuration page appears.

Configuring Task Types

The **Extended Properties Configuration** window is shown. It has a title bar with standard window controls. Below the title bar are three buttons: **Save** (blue), **Cancel** (red), and **Delete** (red). The main area is divided into two sections: **Field Controls** and **Configure Form**.

Field Controls contains a row of icons for different field types: Group, Text Box, Combo Box, List, Radio, Check Box, Number, Boolean, Date Picker, and Category.

Configure Form is divided into two panes. The left pane shows a form with a **Selected Roles Group** dropdown set to **Compliance Officer** and a **List of Cities** dropdown with options **Mumbai**, **Los Angeles** (selected), and **New Delhi**. Below these is a **Radio** button. The right pane is titled **Properties** and contains a table with two columns: **Property** and **Value**.

Property	Value
Description	
Load On Startup	<input type="radio"/> Off
Visible in Extended Properties	<input checked="" type="radio"/> On

7. Under the **Properties** section, switch **Load on Startup** to **ON**.
8. Click **Save**.

The option values are configured. For example, in the following form the List of Cities is the controlling field for Selected City. Both the fields get their option values from the same reference column.

The **Configure Form** window shows the final configuration. It has a title bar and a main area with a light blue header bar labeled **Governance Responsibilities**. Below the header bar, there are three sections:

- Selected Roles Group**: A dropdown menu set to **Compliance Officer**.
- List of Cities**: A dropdown menu with options **Mumbai**, **Los Angeles** (selected), and **New Delhi**.
- Selected City**: A radio button group with **Los Angeles** selected.

Managing Tasks


Managing tasks involves:

- Marking tasks complete
- Viewing task details
- Editing task details
- Disabling notifications
- Downloading chat
- Sharing chat
- Marking tasks as pending
- Deleting tasks

To mark tasks complete, on a task tile, click the radio button.

The task is moved to the list of completed task.

For example, in the following image, the task, Test Mapping is marked as complete.




To further manage tasks, follow these steps:

1. On a task tile, click .

The available options appear.

Managing Tasks



2. Use the following options to work on tasks:

View Task Details

Use this option to view task details. These details include task name, description, assigned assets, attached documents, and so on.

Alternatively, you can click a task tile to view its details.

Edit Task Details

Use this option to update task details.

Disable Notification

Use this option to stop receiving notifications related to a task. By default, notifications are enabled, and users assigned to a task receive them.

Download Chat as Text


Use this option to download chats related to a task in the TXT format.

Send Chat as Email

Use this option to share chats related to a task via email. To do this, click **Send Chat as Email**.

The Email Selection page appears. It displays a list of users assigned to the task.


Managing Tasks



Select the required users, and then click . An email is sent to the selected users.

Mark as Pending

Use this option to mark a task as pending. This option is available for completed tasks.

To delete a task, on a task tile, click .




You can only delete a tasks that you created.

Viewing Workflow Logs

You can view the flow of actions of the workflow assigned to a business term. Along with other information, the workflow log displays the current state of the business term in the workflow.

To view the workflow log, follow these steps:

1. On the **Compact View** tab, click . Then, click .

Alternatively, on the **Grid View** tab, under the **Options** column, click .

The business term opens in edit mode.

2. Click the **Workflow Log** tab.

By default, it displays only the stages of the workflow and highlights the current stage.

Use the following options to view more information:

Expand Users & Roles


Use this option to display users and roles associated with each workflow stage.

You can choose to hide users or roles using the Collapse Users and Collapse Roles options.

Log Summary

Use this pane to view the log of the actions performed.

Viewing Workflow Logs



Customer First Name

Customer Terms

[Edit Business Term](#)

[Additional Information](#)

[Associations](#)

[Rich Media Library](#)

[My Action Center](#)

[Workflow Log](#)

[History](#)

[Valid Values](#)


DefaultFolder → Business_Glossary_Default_Workflow

[Collapse Roles](#)

[Collapse Users](#)


[Expand Users & Roles](#)

[Export Image](#)



Log Summary




#	Workflow Name	Previous Status	Current Status	Comments	Modified By	Modified Date Time
1	Business_Glossar		Preliminary Draft	Object created and moved to draft	Administrator	26-02-2020 04:09:29


You can export the workflow log summary in XLSX format. Click  to export the summary.

Assigning Valid Values

You can associate valid values (published codesets) to a business term. This enables you to maintain standard codes for business terms across the organization.


To assign valid values, follow these steps:

1. On the **Compact View** tab, click . Then, click .
Alternatively, on the **Grid View** tab, under the **Options** column, click .
The business term opens in edit mode.
2. Click the **Valid Values** tab.



The screenshot shows the 'Customer First Name' business term in edit mode. The 'Valid Values' tab is selected. The page has a header with the business term name and a close button. Below the header is a navigation bar with tabs: 'Additional Information', 'Associations', 'Rich Media Library', 'My Action Center', 'Workflow Log', 'History', and 'Valid Values'. The 'Valid Values' tab is active. Below the navigation bar are two buttons: 'Assign/Remove Codesets' (orange) and 'Export to Excel' (green). Below the buttons is a table with the following columns: '#', 'Code Name', 'Code Value', 'Code Description', 'System Name/Environment', 'Codeset Name', 'Version', 'Category Hierarchy', 'Extended Properties', 'Created By', 'Created Date', and 'Last Modified By'. The table is empty, and a red message 'No records found' is displayed below it.

3. Click **Assign/Remove Codesets**.
The Published Codesets page appears.



The screenshot shows the 'Published Codesets' page. It has a header with the title 'Published Codesets' and a close button. Below the header are 'Save' and 'Cancel' buttons. The main area shows a tree view of codesets. The tree has a root node 'Enterprise Codesets' with a checkbox. Under 'Enterprise Codesets' is a node 'Codesets' with a checkbox. Under 'Codesets' are two nodes: 'TechPubs' and 'TechPubs2', each with a checkbox. The 'TechPubs' checkbox is selected.

4. Select codesets.
5. Click **Save**.
The selected codesets are associated with the business term and are added to the Valid Values list.




Assigning Valid Values

To export the list of valid values, click **Export to Excel**.


Viewing History

You can view and track a list of changes made to a business term. The History tab displays change status, added records, and more.

To view the history of business terms, follow these steps:

1. On the **Compact View** tab, click . Then, click .
Alternatively, on the **Grid View** tab, under the **Options** column, click .
The business term opens in edit mode.
2. Click the **History** tab.

From the History tab, you can view the change history related to a business term.



Creating Business Policies


Business policies are globally defined set of enterprise-level principles. Using business policies, you can maintain business standards across your organization. You can create business policies in new or existing catalogs. For more information about catalogs, refer to the [Creating Catalogs](#) topic.

To create business policies, follow these steps:

1. Go to **Application Menu > Data Governance > Business Glossary Manager > Explore**.
2. Go to the **Business Policies** tab.

Creating Business Policies

3. In the **Asset Workspace** pane, right-click a catalog.



Creating Business Policies

4. Click **Add Business Policy**.

The New Business Policy page appears.

New Business Policy

Policy Details

Business Policy

Definition

Description

Governance Responsibilities

Technical Data Steward

Policy Expiry

Expiry Type

Policy Start Date

5. Enter appropriate values to the fields. Fields marked with a red asterisk are mandatory.

Refer to the following table for field descriptions.

Field Name	Description
Business Policy	Specifies the business policy of the organization. For example: Customer Phone Policy.
Definition	Specifies the definition of the business policy. For example: Customer phone policy cuts down on distraction and frustration at work by making it clear when it's ok and not ok to use a cell phone during work hours.
Description	Specifies the description of the business policy. For example: Cell phones should not be allowed to distract employees from business tasks and for surfing the internet or gaming during work hours.
Notes	Specifies the description of the business policy. For example: It includes privacy law 1966.

Creating Business Policies

Field Name	Description
Governance Responsibilities	Specifies the users assigned with data governance responsibilities for the business assets. For more information, refer to Updating Data Governance .
Policy Expiry	Expiry Type: Specifies the expiry type of a business policy. Use the following available options: <ul style="list-style-type: none">• No Expiry: Indicates that the policy never expires• Limited Duration: Indicates that the policy expires on its end date Policy Start Date: Specifies the start date of a policy Policy End Date: Specifies the end date of a policy. This option is available only when Expiry Type is set to Limited Duration.
Classification	Specifies the sensitive data indicator (SDI) classification of the business policy. Also, you can add multiple SDI classifications to a business policy. For example, PHI. For more information on configuring SDI classifications, refer to the Configuring Sensitive Data Indicator Classifications topic.



By default, SDI field Classification is not enabled for business policies. You can enable them in the Business Glossary Manager Settings. For more information on enabling sensitivity fields, refer to the [Configuring Asset Details](#) topic.

6. Click .

A business policy is created and added to the catalog.

Once you create a business policy, you can click a business policy in the Business Policy Summary pane to view it. You can enrich it further by:

- [Setting up associations](#)
- [Setting up additional information](#)
- [Adding rich media](#)
- [Adding tasks](#)

Creating Business Policies

- [Viewing workflow logs](#)
- [Comparing business policies](#)

You can manage a business policy using the options available in the Options column in the business policy row. [Managing business policy](#) involves:

- Viewing mind maps
- Viewing history
- Editing or deleting business policies
- Sharing links of business policies

Managing Business Policies

Managing business policies involves:

- Viewing mind maps
- Editing or deleting business policies
- Viewing history
- Sharing links to business policies

To manage business policies, follow these steps:

1. On the **Compact View** tab, click .

Alternatively, on the **Grid View** tab, use the **Options** column for a business policy.

2. Use the following options available under the Options column:

View Mind Map ()

Use this option to view a business term's mind map. A mind map displays the pictorial representation of the business term, its associations, relationships, sensitivity, and more in a logical and conceptual view.

For more information on mind maps, refer to the [Viewing Mind Maps](#) topic.

Edit Business Policy ()

Use this option to edit a business policy by updating policy details, governance responsibilities, and so on. For more information on editing business policies, refer to the [Viewing or Editing Business Policies](#).

Delete Business Policy ()

Use this option to delete a business policy that is no longer required.

View History ()

Use this option to view all the actions performed on a business policy since it was created. Alternatively, on the Edit Business Policy page, click the **History** tab.

Share Link ()

Managing Business Policies

Use this option to share a link to a business policy. The following options are available to share the link:

Copy Link: Use this option to copy the shortcut link to the business policy. You can then share this link manually.

Email: Use this option to share the shortcut link to the business policy via an email.

Viewing or Editing Business Policies

You can view business policy details and their properties on the View Business Policy tab. On the **Business Policies Summary** page, click a business policy.

Apart from viewing and editing business policies, you can also [compare](#) them while viewing business policies.

The business policy summary page appears and displays asset details.

For example, the following image displays the asset's data value score, sensitive classification, tags, associations, governance responsibilities, audit history, and more. You can hover over Data Value Score to view the percentage of the data value score. Additionally, the associated assets are now clickable. Clicking on any of these assets takes you to the specific asset's page.

Search by Asset Name or Definition

Customer Phone Policy
GDPR Policies

ADD TO COMPARE

Data Value S...
SILVER

Maturity Level
57%
Intermedia...

Rating
3 stars

Rich Media Library
1

Workflow Status
No Status

Tags
Business Case Phone Policy

Governance Responsibilities

Data Stewards
Erica Simpson

Technical Data Steward
Joey Adams

Policy Expiry
Expiry Type: No Expiry
Policy Start Date: 12-06-2024 14:20:00

Audit History
Created By: Administrator - Default System...
Created Date:

Asset Information

Definition
Imposed policy on customer phone numbers.

Description
Imposed policy on customer phone numbers.

Notes
Imposed policy on customer phone numbers.
[SHOW ADDITIONAL INFORMATION](#)

Related Assets (Associations)

Business Term
3-Hydroxyl End 3-A Sanitary Standards Inc - 3-A SSI CUSTOMER

Business Rule
Analysis

Columns
Assets Add


PREVIOUS Page 1 NEXT 1 2

Viewing or Editing Business Policies

UI Section	Function
1-Business Policy List	Use this pane to browse through the list of business policies.
2-Policy Details	<p>Use this section to view the business policy details. Apart from viewing business policy, you can view or edit the following business policy properties:</p> <ul style="list-style-type: none">▪ Asset Information▪ Data Value Score▪ Maturity Level▪ Workflow Status▪ Governance Responsibilities▪ Policy Expiry▪ Miscellaneous

Editing Business Policies

To edit a business policy, follow these steps:

1. On the business policy summary page, click .
2. On the Edit Business Policy tab, use the following options:

Policy Details

Use this section to edit business policy's details, such as its definition and description. For description of fields on this section, refer to the [Creating Business Policies](#) topic.

Viewing or Editing Business Policies

Policy Details

Business Policy

Customer Phone Policy

Definition

Customer phone policy cuts down on distraction and frustration at work by making it clear when it's ok and not ok to use a cell phone during work hours.

Description

Cell phones should not be allowed to distract employees from business tasks. They should not be used for surfing the internet.

Governance Responsibilities

Use this section to edit governance responsibilities assignment. It displays roles groups based on the roles and users assigned to a business policy catalog. To edit governance responsibilities, click a role group and add or remove users. For example, in the following image, Mike Mannigan is added to the Data Stewards role group.

Governance Responsibilities

Data Stewards

Mike Mannigan

Mike Mannigan

Mike Menza

For more information on assigning roles and users to a catalog, refer to the [Updating Data Governance Assignments](#) topic.


Policy Expiry

Use this section to edit the life time of a business policy. For description of fields on this section, refer to the [Creating Business Policies](#) topic.

Miscellaneous

Viewing or Editing Business Policies

Use this section to associate enterprise tags with business policies. Click **Tags** and select an existing tag or enter a tag name to create one on the fly. For example, in the following image, a tag, "Home", is created and assigned to a business policy.




Comparing Business Policies

To compare business policies while viewing them, follow these steps:

1. On the Assets Details page, click **Add to Compare**.


The Assets to Compare sheet appears.





2. On the Business Policy List, select other assets that you want to compare and click **Add to Compare**.

The selected asset is added to the Assets to Compare sheet.

Viewing or Editing Business Policies



You can click  to remove assets from the list and  to move the window. Repeat this step to add more assets for comparison.




You can select up to five assets for comparison.

3. Click **Compare**.

The Compare Assets page appears and displays the side by side comparison of asset properties for the selected assets.

Viewing or Editing Business Policies






For more information about comparing assets based on properties, refer to the [Comparing Business Assets](#) topic.







Setting Up Associations for Business Policies

By default, you can associate business policies with business assets (business rules and business terms) and technical assets (columns). You can control the asset types available for association using the Business Glossary Manager settings page. For more information, refer to the [configuration](#) topic.


To set up associations for business policies, follow these steps:




1. On the **Compact View** tab, click  .
Alternatively, on the **Grid View** tab, under the **Options** column, click  . Then, click **Associations**.
The Associations tab opens in edit mode.



Customer Phone Policy							
GDPR Policies							
Edit Business Policy Additional Information Associations Rich Media Library My Action Center Workflow Log History							
Business Term Business Term +							
<input type="checkbox"/>	Actions	Qualifier Name	Relationship Name	Term Name	Description	Definition	Catalog Name
<input type="checkbox"/>	  		Governs	3-Hydroxyl End	LEN(D3)	The hydroxyl group that is attached to the 3 carbon atom of the sugar (ribose or deoxyribose) of the terminal nucleotide of a nucleic acid molecule.	Macroeconomics
<input type="checkbox"/>	  		Governs	CUSTOMER	a person who buys your product	a person who buys your product	Customer Master Catalog

2. In the asset type (business rules, business terms, and columns) list, select the asset type to associate with the business policy.



Customer Phone Policy							
GDPR Policies							
Edit Business Policy Additional Information Associations							
Business Term Business Term +							
<div><div>Business Term</div><div>Dataset</div><div>Business Rule</div><div>Column</div></div>							
<input type="checkbox"/>	Actions	Qualifier Name	Relationship Name	Term Name	Description	Definition	Catalog Name
<input type="checkbox"/>	  						

Setting Up Associations for Business Policies

3. Click **+**.

The Relationship Associations page appears. Based on the asset type that you select, it displays a list of available business rules, business terms, or columns.

Relationship Associations

Current Context: Customer Phone Policy

Current Context Type: Business Policy

Relationship Name: is Implemented By

Search (partial matches):

<input type="checkbox"/>	Rule Name	Description	Definition	Catalog Name	Catalog Hierarchy
<input type="checkbox"/>	Customer Phone should be in a valid 10 digit format		requirements that organizations establish when collecting and managing phone numbers provided by their customers.	Customer Rules	Customer Rules
<input type="checkbox"/>	Customer Zip Code cannot be empty		Customer zip number rules refer to the guidelines and requirements that organizations establish when collecting and managing zip numbers provided by their customers.	Customer Rules	Customer Rules
<input type="checkbox"/>	DISWhatfix			TechPubs	TechPubs

4. From the list, select assets to associate with your business policy.

If you know the asset name, use the Search (partial matches) field to look up for it.

5. Click **Save**.

The selected assets are associated with the business policy and added to the list of associations for an asset type.

You can define as many associations as required.


You can associate multiple business assets with a business policy and view the associations based on a qualifier view in the mind map. For more information, refer to the topic [Setting Up Associations using Qualifiers](#) topic.

Setting Up Additional Details

You can set up custom additional information about a business policy to add more context.


To set up additional information, follow these steps:

1. On the **Compact View** tab, click . Then, click .


Alternatively, on the **Grid View** tab, under the Options column, click .

The business policy opens in edit mode.

2. Click the **Additional Information** tab and click .





The screenshot shows the 'Customer Phone Policy' edit interface. At the top, there's a title bar with 'Customer Phone Policy' and a close button. Below it, a tab bar shows 'Edit Business Policy', 'Additional Information' (selected), 'Associations', 'Rich Media Library', 'My Action Center', 'Workflow Log', and 'History'. The main area contains four 'User Defined' fields (1, 6, 2, 7) arranged in a 2x2 grid. Each field has a toolbar with icons for alignment, editing, bold, italic, underline, link, unlink, and list. The fields are currently empty.


3. Add information to the available user-defined fields.
By default, these fields have generic labels. For example, User Defined 1. For more information on configuring the UI labels of these fields, refer to the [Configuring Language Settings](#) topic.
 4. Click .
- The information you entered is added to the business policy.

Adding Rich Media

You can add supporting artifacts, such as text files, audio files, video files, and so on to a business policy.


To add rich media to a business policy, follow these steps:

1. On the **Compact View** tab, click . Then, click .

Alternatively, on the **Grid View** tab, under the **Options** column, click .

The business policy opens in edit mode.


2. Click the **Rich Media Library** tab.



Adding Rich Media

3. Click .

The Add New Rich Media page appears.



4. Enter appropriate values in the fields. Fields marked with a red asterisk are mandatory. Refer to the following table for field descriptions.

Field Name	Description
Name	Specifies the name of the document being attached to the business policy. For example, Business Policy Details.
Description	Specifies a description of the rich media that is being added.
Owner Name	Specifies the document owner's name. For example, John Doe
Link	Specifies the URL of the rich media. For example, https://drive.google.com/file/d/2sC2_SZlYeFKI7OOn-b5YkMBq4ptA7jhg5/view
Rich Media Object	Click the Pick Files button to choose and upload files from your computer.





5. Click **Save**.

The selected rich media file and its description are added to the business policy.

Adding Tasks


To collaborate on business assets you can create tasks depending on you requirement. By default, you can create to-do tasks, access requests, or issues. Apart from these task types, you can configure custom task types via [Task Type Configuration](#).

To add tasks, follow these steps:


1. On the **Compact View** tab, click . Then, click .
Alternatively, on the **Grid View** tab, under the **Options** column, click .
The business policy opens in edit mode.
2. Click the **My Action Center** tab.
3. Click .
A list of task types appears.
4. Click the required task type.
The Create New Task page appears.
5. Enter appropriate values in the fields. Refer to the following table for field descriptions.

Field Name	Description
Task is being created on Asset	Specifies the asset for which the task is created. This field autopopulates with the map name.
With Task Type as	Specifies the task type. For example, To do Task.
Name	Specifies the name of the task. By default, it autopopulates with a name in the following format: Mapping_<Map_Name>. You can edit it and rename the task. For example, Test Mappings.
Description	Specifies a description of a task.

Adding Tasks

Field Name	Description
	For example: Test all the mappings and record the effort required.
Important	Specifies whether the task is important
Due	Specifies the due date of the task. Use  to set the due date.
Assign Users	Specifies the users assigned to the task. You can assign DI and BU users from the list. For example, Richard Cooper.
External user emails	Specifies the email ID of external users. For example, chris.harris@quest.com

6. Click .

The task is created and saved. Use  to edit the task details and attach relevant documents.

Chat

Use the Chat tab to send messages to the assigned and external users of a task.

On the **Chat** tab, enter your message in the text box and use the following options:

Assigned


Use this option to send messages to the assigned users.

External Users

Use this option to send messages to external users.

Users are notified via Messaging Center.

Adding Tasks



You can manage a task using the options available on the task list. [Managing a task](#) involves:


- Marking tasks complete
- Viewing task details
- Editing task details
- Disabling notifications
- Downloading Chat
- Sharing chat
- Marking tasks as pending
- Deleting tasks

With the My Action Center tab, you can filter and search tasks based on its status and assignments. For more information on search and filter mechanisms, refer to the [Filter and Search](#) topic.


Configuring Task Types

You can configure task types to categorize tasks. By default, three task types, To-Do Task, Request Access, and Issue, are available. You cannot edit or delete these task types. Additionally, you can create custom task types depending on your requirements.

To add custom task types, follow these steps:

1. In the utility section, click .

The Task Type Configuration pane appears and displays a list of available task types.




2. In the Add New Task Type box, enter a new task type and then click .

The task type is added to the list of available tasks.

For example, in the following image, a task type, Schedule Job is added.

Configuring Task Types



Use the following options to manage task types:

Configure Task Type ()

Use this option to [configure task types](#).

Edit ()

Use this option to edit task types.

Delete ()


Use this option to delete task types.

To configure task types, follow these steps:

1. Click .

The Task Type Configuration page appears. By default, the Extended Properties tab opens.

Configuring Task Types



The Extended Properties tab contains the following sections:

- **Field Controls:** This pane displays the available UI elements.
- **Configure Form:** Use this pane to design forms using the UI elements available in the Field Controls pane.
- **Configure Form:** Use this pane to view and edit the properties of the UI element selected in the Configure Form pane.

2. Click **Edit**.
3. Double-click or drag and drop the required UI elements from the Field Controls pane to the Configure Form pane.
4. Select the required UI element one at a time and edit their properties in the Properties pane.

Configuring Task Types

Task Type Configuration Schedule Job

EXTENDED PROPERTIES FIELD VISIBILITY

Save Cancel Delete

Field Controls

Group Combo Box Text Box List Radio Check Box Number Boolean Date Picker Category Rich Editor


Configure Form

List

Configure Form

Property	Value
Published	<input checked="" type="checkbox"/>
Field	List
Type	List
Dependencies	Type or click here
Configure Values	Configure
Mandatory	<input type="checkbox"/>
Description	

Note: 1. Double click on the field cell to update the field name

 The available properties differ based on the type of UI element.

Refer to the following table for property descriptions:

Property	Description
Published	Switch the Published option to ON to publish the field.
Field	Specifies the field label. To change the field labels, double-click the corresponding Value cell. For example, List.
Type	Specifies the type of the field. To select field types, double-click the corresponding Value cell. For example, List.
Dependencies	Defines the pick list fields that can be used as controlling fields. It

Configuring Task Types

Property	Description
	works only with the Reference Data Manager connector. To define pick list fields, select the fields from the drop down list.
Configure Values	Specifies the connectors for the field. To enter option values, click Configure . Use the following options: <ul style="list-style-type: none">▪ Default Connector: Use this option to enter option values manually or using an MS Excel file.▪ Reference Data Manager: Use this option to pull option values from reference tables in the Reference Data Manager.
Mandatory	Specifies whether the field is mandatory. Switch the Mandatory option to ON to make this field mandatory in a form.
Description	Specifies the field description. To enter field descriptions, double-click the corresponding Value cell.
Order	Specifies the order of the field on the Extended Properties tab. To enter the order number, double-click the corresponding Value cell. You can also drag and move fields in the Configure Form pane to change their order.


3. Click **Save**.

The form is saved and available on the Extended Properties tab.

To configure field visibility, follow these steps:

1. Click the **Field Visibility** tab. It displays the default fields available for the task type.

Configuring Task Types



The screenshot shows the 'Task Type Configuration' window with the 'FIELD VISIBILITY' tab selected. The 'EXTENDED PROPERTIES' tab is also visible. An 'EDIT' button is located at the top left of the configuration area. Below it, a list of fields is shown, each with a toggle switch to its right. The fields and their toggle states are: Description (on), Assign Users (on), Requestor (on), External user emails (on), Comments (on), Attachments & URLs (on), Type (on), and Important (on).

Field	Visibility
Description	On
Assign Users	On
Requestor	On
External user emails	On
Comments	On
Attachments & URLs	On
Type	On
Important	On

2. Click **Edit**.
3. To make fields visible, switch on the required fields.
4. Click **Save**.

The fields are configured.

Default Connector

When you configure extended properties using UI elements, such as combo box, radio button, and list, you also need to configure their option values. You can use the default connector to import option values from an MS Excel file or enter them manually.

To configure option values using the default connector, follow these steps:

Configuring Task Types

1. In the **Configure Form** section, click the required UI element.

Ensure that you are in edit mode.


2. In the **Properties** section, click **Configure**.

The Connectors page appears.



3. On the **Connectors** page, ensure that the Default Connector option is selected. Then, click **Next**.

The <UI_Element> Options page appears. For example, if the UI element is Combo Box, the Combo Box Options page appears.



Configuring Task Types

4. Use the following options:

Add

Use this option to enter text and value manually.

Import Excel

Use this option to import options from MS Excel files.

5. After configuring option values, click **Save**.

To add option values manually, follow these steps:

1. Click **Add**.
2. Enter values in the Text and Value fields.


The Text corresponds to options whereas the Value corresponds to underlying value of an option. You can add as many values as needed.

Text	Value
Data Steward_GER	rcooper
Data Steward_ROM	vsmith
<input type="text"/>	<input type="text"/>

3. Click **Save**.

Configuring Task Types

The option values appear in the UI element under the Configure Form section.




A screenshot of a 'Combo Box' UI element. The label 'Combo Box' is on the left. The main area contains a dropdown menu with the text 'Select an option' and a downward arrow. The dropdown is open, showing three options: 'Select an option', 'Data Steward_GER', and 'Data Steward_ROM'. The 'Data Steward_ROM' option is highlighted in blue.

To import option values from MS Excel files, follow these steps:

1. Click **Import Excel**.

The Upload Excel page appears.





A screenshot of the 'Upload Excel' page. The title bar says 'Upload Excel'. Below the title bar, there is a section 'Attach Excel File' with a 'Choose File' button and the text 'No file chosen'. Below this, there are two icons: an upward arrow and a square with an 'X'. Below the icons, there is a red 'Note*' followed by a list of four points: 1. Empty FIELD pairs are ignored. 2. Duplicate FIELD pairs are ignored. 3. Slash(/) FIELD pairs are ignored. 4. FIELD pair with more than 200 characters are ignored.

2. Click **Choose File** and select the required MS Excel file.



The Upload Excel page appears. It displays the data in the MS Excel file.

Configuring Task Types

Upload Excel			
 			
#	GROUP NAME	ROLE NAME	USER ID
#	Select Column To Import	Select Column To Import	Select Column To Import
1	Data Stewards	Data Steward_GER	mmannigan
2	Data Stewards	Data Steward_GER	mmenza
3	Data Stewards	Data Steward_GER	mmannigan

3. Double-click the **Select Column To Import** cell in the required column.

The available options appear.

 			
#	GROUP NAME	ROLE NAME	USER ID
#	Select Column To Import	<div>Select Column To Import FIELD VALUE Clear Selection</div>	Select Column To Import
1	Data Stewards	Data Steward_GER	mmannigan


4. Select the appropriate option.

Field corresponds to options and Value corresponds to value of an option. You can import multiple columns. Use Clear Selection to undo the selection.

5. Click .

The <UI_Element> Options page appears. It displays the imported columns. You can delete a row that is not required. To delete rows, click a row and then click **Delete**.


Configuring Task Types



Text	Value
Data Steward_GER	mmannigan
Data Steward_UK	rcooper
Data Owner_GER	esimpson
Data Owner_RO	ksridhar
Tech Data Steward_GER	jadams

6. Click **Save**.

The option values appear in the UI element under the Configure Form section.



Combo Box
Select an option
Select an option
Data Steward_GER
Data Steward_UK
Data Owner_GER
Data Owner_RO
Tech Data Steward_GER
Mapping Admin
ETL Developer
Mapping Designer

Reference Data Manager

When you configure extended properties using UI elements, such as combo box, radio button, and list, you also need to configure their option values. You can use the Reference Data Manager connector to import option values from tables in the Reference Data Manager.

Configuring Task Types


To configure option values using reference data manager connector, follow these steps:

1. In the **Configure Form** section, click the required UI element.

Ensure that you are in edit mode.


2. In the **Properties** section, click **Configure**.

The Connectors page appears.



3. On the **Connectors** page, click **Reference Data Manager** and then click **Next**.


The Reference Data Manager page appears. It displays the reference folders in the Connector View pane.



4. In the **Connector View** pane, expand a reference folder and select a reference table.

The Parameters pane displays the columns in the reference table. You can also click Preview to view the data in the reference table.

Configuring Task Types



5. In the **Parameters** pane, click the radio button next to the required column.
You can select the controlling field from the drop down option. Ensure that you define the required dependencies in the Properties pane and that the option values for controlling field are configured using the same reference column.
6. Click **Finish**.
The Extended Properties Configuration page appears.

Configuring Task Types

The **Extended Properties Configuration** window is shown. It has a title bar with standard window controls. Below the title bar are three buttons: **Save** (blue), **Cancel** (red), and **Delete** (red). The main area is divided into two sections: **Field Controls** and **Configure Form**.

Field Controls contains a row of icons for different field types: Group, Text Box, Combo Box, List, Radio, Check Box, Number, Boolean, Date Picker, and Category.

Configure Form is divided into two panes. The left pane shows a form with a **Selected Roles Group** dropdown set to **Compliance Officer** and a **List of Cities** dropdown with options **Mumbai**, **Los Angeles** (selected), and **New Delhi**. Below these is a **Radio** button. The right pane, titled **Properties**, has a table with two columns: **Property** and **Value**.

Property	Value
Description	
Load On Startup	<input type="radio"/> Off
Visible in Extended Properties	<input checked="" type="radio"/> On

7. Under the **Properties** section, switch **Load on Startup** to **ON**.
8. Click **Save**.

The option values are configured. For example, in the following form the List of Cities is the controlling field for Selected City. Both the fields get their option values from the same reference column.

The **Configure Form** window shows the final configuration. It has a title bar and a main area with a light blue header bar labeled **Governance Responsibilities**. Below the header bar, there are three sections:

- Selected Roles Group**: A dropdown menu set to **Compliance Officer**.
- List of Cities**: A dropdown menu with options **Mumbai**, **Los Angeles** (selected), and **New Delhi**.
- Selected City**: A radio button group with **Los Angeles** selected.

Managing Tasks


Managing tasks involves:

- Marking tasks complete
- Viewing task details
- Editing task details
- Disabling notifications
- Downloading chat
- Sharing chat
- Marking tasks as pending
- Deleting tasks

To mark tasks complete, on a task tile, click the radio button.

The task is moved to the list of completed task.

For example, in the following image, the task, Test Mapping is marked as complete.




To further manage tasks, follow these steps:

1. On a task tile, click .

The available options appear.

Managing Tasks



2. Use the following options to work on tasks:

View Task Details

Use this option to view task details. These details include task name, description, assigned assets, attached documents, and so on.

Alternatively, you can click a task tile to view its details.

Edit Task Details

Use this option to update task details.

Disable Notification

Use this option to stop receiving notifications related to a task. By default, notifications are enabled, and users assigned to a task receive them.

Download Chat as Text


Use this option to download chats related to a task in the TXT format.


Send Chat as Email

Use this option to share chats related to a task via email. To do this, click **Send Chat as Email**.

The Email Selection page appears. It displays a list of users assigned to the task.


Managing Tasks



Select the required users, and then click . An email is sent to the selected users.

Mark as Pending

Use this option to mark a task as pending. This option is available for completed tasks.

To delete a task, on a task tile, click .




You can only delete a tasks that you created.

Viewing Workflow Logs

You can view the flow of actions of the workflow assigned to a business policy. Along with other information, the workflow log displays the current state of the business policy in the workflow.

To view workflow log, follow these steps:

1. On the **Compact View** tab, click . Then, click .

Alternatively, on the **Grid View** tab, under the **Options** column, click .

The business policy opens in edit mode.

2. Click the **Workflow Log** tab.

By default, it displays only the stages of the workflow and highlights the current stage.

Use the following options to view more information:

Expand Users & Roles

Use this option to display users and roles associated with each workflow stage.

You can choose to hide users or roles using the Collapse Users and Collapse Roles options.

Log Summary

Use this pane to view the log of the actions performed.

Viewing Workflow Logs

Project Plan

TechPubs

Edit Business Policy

Additional Information

Associations

Rich Media Library

My Action Center

Workflow Log

History

Business_Glossary_Business_Policy → Business_Glossary_--

Collapse Roles

Collapse Users

Expand Users & Roles

Export Image

```
graph LR; A[On Create] --> B[First Draft]; B --> C[Review]; B --> D[Approve]; C --> D; D --> E[Pending Publish]; E --> F[Publish];
```

Log Summary

#

Workflow Name

Previous Status

Current Status

Comments

Modified By

Modified Date Time

1


Business_Glossar

Preliminary Draft

Object created and moved to draft

Administrator



10-04-2020 07:16:25


You can export the workflow log summary in XLSX format. Click  to export the summary.

Viewing History

You can view and track a list of changes for a business policy. The History tab displays change status, added records, and more.

To view the history of a business policy, follow these steps:


1. On the **Compact View** tab, click . Then, click .

Alternatively, on the **Grid View** tab, under the **Options** column, click .

The business policy opens in edit mode.

2. Click the **History** tab.

From the History tab, you can view the change history related to a business policy.




Creating Business Rules

Business rules define a set of protocols to be followed in an organization. You can create business rules in new or existing catalogs. For more information about catalogs, refer to the [Creating Catalogs](#) topic.

To create business rules, follow these steps:

1. Go to **Application Menu > Data Governance > Business Glossary Manager > Explore**.
2. Go to the **Business Rules** tab.
The Workspace switches to the business rules view.
3. In the **Asset Workspace** pane, right-click a catalog.



Creating Business Rules

4. Click **Add Business Rule**.

The New Business Rule page appears.

The screenshot shows the 'New Business Rule' form. The 'Rule Details' section on the left has three text areas: 'Business Rule' (marked with a red asterisk), 'Definition', and 'Description'. Each text area has a rich text editor toolbar above it. The 'Governance Responsibilities' section on the right has a dropdown menu labeled 'Data Stewards'.

5. Enter appropriate values to the fields. Fields marked with a red asterisk are mandatory.

Refer to the following table for field descriptions.

Field Name	Description
Business Rule	Specifies the business rule of the organization. For example: Agriculture rules.
Definition	Specifies the definition of a business rule. For example: Agricultural rules belong to the study of the special laws and regulations that apply to the production and sale of agricultural products.
Description	Specifies the description of a business rule. For example: It deals with such legal issues as agricultural infrastructure, seed, water, fertilizer, pesticide use, agricultural finance, agricultural labour, agricultural marketing, and agricultural insur-

Creating Business Rules

Field Name	Description
	ance.
Notes	Specifies the notes of a business rule. For example: Rules cover farming laws of 1967.
Objective	Specifies the objective of a business rule. For example: Streamline agriculture practices.
Governance Responsibilities	Specifies the users assigned with data governance responsibilities for the business assets. For more information, refer to Updating Data Governance .
Classification	Specifies the sensitive data indicator (SDI) classification of the business rule. Also, you can add multiple SDI classifications to a business rule. For example, PHI, Confidential. For more information on configuring SDI classifications, refer to the Configuring Sensitive Data Indicator Classifications topic.



By default, SDI field Classification is not enabled for business rules. You can enable them in the Business Glossary Manager Settings. For more information on enabling sensitivity fields, refer to the [Configuring Asset Details](#) topic.

6. Click .

A business rule is created and added to the catalog.

Once you create a business rule, you can click a business rule in the Business Rule Summary pane to view it. You can enrich it further by:

- [Setting up associations](#)
- [Attaching rich media](#)
- [Viewing workflow logs](#)
- [Comparing business rules](#)

Creating Business Rules

You can manage a business rule using the options available under the Options column on the Grid View tab. [Managing business rules](#) involves:


- Viewing mind maps
- Viewing history
- Editing or deleting business rules
- Sharing links of business rules

Managing Business Rules

Managing business rules involves:

- Viewing mind maps
- Editing or deleting business rules
- Viewing history
- Sharing links to business policies

To manage business rules, follow these steps:

1. On the **Compact View** tab, click .
Alternatively, on the **Grid View** tab, use the **Options** column for a business rule.
You can also manage business rule in Compact View.
2. Use the following options available under the Options column:

View Mind Map ()

Use this option to view a business rule's mind map. A mind map displays the pictorial representation of the business rule, its associations, relationships, sensitivity, and more in a logical and conceptual view.

For more information on mind maps, refer to the [Viewing Mind Maps](#) topic.

Edit Business Rule ()

Use this option to edit a business rule by updating rule details, governance responsibilities, and so on.

For more information on editing a business rule, refer to the [Viewing or Editing Business Rules](#) topic.

Delete Business Rule ()

Use this option to delete a business rule that is no longer required.

View History ()

Use this option to view all the actions performed on a business rule since it was created. Alternatively, on the Edit Business Rule page, click the **History** tab.

Share Link()

Use this option to share a link to a business rule. The following options are available to share the link:

Copy Link: Use this option to copy the shortcut link to the business rule. You can then share this link manually.

Email: Use this option to share the shortcut link to the business rule via an email.

Viewing or Editing Business Rules

You can view business rule details and their properties on the View Business Rule tab. On the **Business Rules Summary** page, click a business rule.

Apart from viewing and editing business rules, you can also [compare](#) them while viewing business rules.

The business rule summary page appears and displays asset details.

For example, the following image displays the asset's data value score, tags, associations, governance responsibilities, audit history, and more. You can hover over Data Value Score to view the percentage of the data value score. Additionally, the associated assets are now clickable. Clicking on any of these assets takes you to the specific asset's page.


The screenshot displays the 'Change of Address' business rule details page. The interface includes a sidebar on the left with a search bar and a list of rules. The main content area is divided into several sections: 'Data Value Score' (42% SILVER), 'Maturity Level' (29% Beginner), 'Rating' (4 stars), 'Rich Media Library' (1 item), 'Workflow Status' (No Status), 'Tags' (Address, City, Data Quality), 'Governance Responsibilities' (Data Stewards: Joey Adams, Sarav Ojha), 'Classification' (No Data Found), and 'Audit History' (Created By: Administrator - Default System User, Created Date: 30-03-2020 05:14:46, Last Modified By: Administrator - Default System User, Modified Date: 01-05-2025 12:07:04). The 'Asset Information' section includes a definition, description, notes, and objective. The 'Related Assets (Associations)' section lists several assets: 3-Hydroxyl End, 3-A Sanitary Standards Inc - 3-A SSI, 5 End, 510 - K Device, and A New Glossary. The page is labeled 'Page 1' and has a 'NEXT' button.

Viewing or Editing Business Rules

UI Section	Function
1-Business Rule List	Use this pane to browse through the list of business rules.
2-Asset Details	<p>Use this section to view business rule details. Apart from viewing business rule, you can view or edit the following business rule properties:</p> <ul style="list-style-type: none">▪ Asset Information▪ Data Value Score▪ Maturity Level▪ Workflow Status▪ Governance Responsibilities▪ Miscellaneous

Editing Business Rules

To edit a business rule, follow these steps:

1. On the business rule summary page, click .
2. On the Edit Business Rule tab, use the following options:

Rule Details

Use this section to edit business rule's details, such as its definition and description. For description of fields on this section, refer to the [Creating Business Rules](#) topic.

Viewing or Editing Business Rules

Rule Details

Business Rule

Change of Address

Definition

Align

B

I

—

Consists of rules that apply during an address change.

Description

Align

B

I

—

Business rules in the context of a change of address refer to the guidelines, policies, and procedures that organizations follow when customers or clients request to update their address information. These rules ensure that the change of address process is executed accurately, securely, and in

Governance Responsibilities

Use this section to edit governance responsibilities assignment. It displays roles groups based on the roles and users assigned to a business rule catalog. To edit governance responsibilities, click a role group and add or remove users. For example, in the following image Mike Mannigan is added to the Data Stewards role group.

Governance Responsibilities

Data Stewards

Mike Mannigan

Mike Mannigan

Mike Menza


Viewing or Editing Business Rules

For more information on assigning roles and users to a catalog refer to the [Updating Data Governance Assignments](#) topic.

Miscellaneous

Use this section to associate enterprise tags with business rules. Click **Tags** and select an existing tag or enter a tag name to create one on the fly.

For example, in the following image, a tag, "City", is created and assigned to a business rule.



Comparing Business Rules

To compare business rules while viewing them, follow these steps:

1. On the Assets Details page, click **Add to Compare**.


The Assets to Compare sheet appears.






2. On the Business Rule List, select other assets that you want to compare and click **Add to Compare**.

The selected asset is added to the Assets to Compare window.

Viewing or Editing Business Rules




You can click  to remove assets from the list and  to move the window. Repeat this step to add more assets for comparison.

 You can select up to five assets for comparison.

3. Click **Compare**.

The Compare Assets page appears and displays the side by side comparison of asset properties for the selected assets.





Viewing or Editing Business Rules

For more information about comparing assets based on properties, refer to the [Comparing Business Assets](#) topic.

Setting Up Associations for Business Rules

By default, you can associate business rules with business assets (business policies). You can control the asset types available for association using the Business Glossary Manager settings page. For more information, refer to the [configuration](#) topic.

To set up associations for business rules, follow these steps:

1. On the **Compact View** tab, click  .
Alternatively, on the **Grid View** tab, under the **Options** column, click  . Then, click **Associations**.

The Associations tab opens in edit mode.

Change of Address

Customer Rules

Edit Business Rule

Associations





Rich Media Library

My Action Center

Workflow Log

History

Business Term

	Actions	Qualifier Name	Relationship Name	Term Name	Description	Definition	Catalog Name	Catalog Hierarchy
<input type="checkbox"/>								
<input type="checkbox"/>	<div>+  </div>			3-Hydroxyl End	LEN(D3)	The hydroxyl group that is attached to the 3 carbon atom of the sugar (ribose or deoxyribose) of the terminal nucleotide of a nucleic acid molecule.	Macroeconomics	Monetary Terms → Macroeconomics
<input type="checkbox"/>	<div>+  </div>			5 End	LEN(D5)	The phosphate group that is attached to the 5 carbon atom of a sugar (ribose or deoxyribose) of the terminal nucleotide of a nucleic acid	International Society for Pharmaceutical Engineering - ISPE	Pharmaceuticals → International Society for Pharmaceutical Engineering - ISPE

2. In the asset type list, select an asset type to associate with the business rule.

Change of Address

Customer Rules

Edit Business Rule

Associations

Business Term

Business Term

Dataset

Business Policy

er Name

Relationship

Setting Up Associations for Business Rules

3. Click **+**.

The Relationship Associations page appears. Based on the asset type that you select, it displays a list of available assets.

Relationship Associations

Current Context: Change of Address

Current Context Type: Business Rule

Relationship Name: (empty)

Search (partial matches):

<input type="checkbox"/>	Term Name	Description	Definition	Catalog Name	Catalog Hierarchy
<input type="checkbox"/>	A New Glossary		New Glossary Term	PharmaIQ	Pharmaceuticals → PharmaIQ
<input type="checkbox"/>	A per D	LEN(D9)	Analog/Digital	International Society for Pharmaceutical Engineering - ISPE	Pharmaceuticals → International Society for Pharmaceutical Engineering - ISPE
<input type="checkbox"/>	A per E	LEN(D10)	Architect/Engineer	International Society for Pharmaceutical Engineering - ISPE	Pharmaceuticals → International Society for Pharmaceutical Engineering - ISPE
<input type="checkbox"/>	A per NDA Batches	LEN(D11)	Those batches produced, included, or referenced in the filing of a US New Drug Application	International Society for Pharmaceutical Engineering - ISPE	Pharmaceuticals → International Society for Pharmaceutical Engineering - ISPE

4. Select assets to associate with your business rule.

If you know the asset name, use the Search (partial matches) field to look up for it.

5. Click **Save**.

The selected objects are associated with the business rule and added to the list of associations.




You can define as many associations as required.


You can associate multiple business assets with a business rule and view the associations based on a qualifier view in the mind map. For more information, refer to the topic [Setting Up Associations using Qualifiers](#) topic.

Adding Rich Media

You can add supporting documents in the Word, Text, or PDF formats to a business rule.

To add documents to a business rule, follow these steps:


- 1. On the **Compact View** tab, click . Then, click .
Alternatively, on the **Grid View** tab, under the **Options** column, click .
The business rule opens in edit mode.
- 2. Click the **Rich Media Library** tab.



Adding Rich Media

3. Click .

The Add New Rich Media page appears.



4. Enter appropriate values in the fields. Fields marked with a red asterisk are mandatory. Refer to the following table for field descriptions.

Field Name	Description
Name	Specifies the name of the document being attached to the business rule. For example, Business Rule Details.
Description	Specifies a description of the rich media that is being added.
Owner Name	Specifies the document owner's name. For example, John Doe
Link	Specifies the URL of the rich media. For example, https://drive.google.com/file/d/2sC2_SZlYeFKI7OOn-b5YkMBq4ptA7jhg5/view
Rich Media Object	Click the Pick Files button to choose and upload files from your computer.

5. Click **Save**.


The selected document and its description are added to the business rule.

Viewing Workflow Logs

You can view the flow of actions of the workflow assigned to a business rule. Along with other information, the workflow log displays the current state of the business rule in the workflow.

To view the workflow log, follow these steps:

1. On the **Compact View** tab, click . Then, click .

Alternatively, on the **Grid View** tab, under the **Options** column, click .

The business rule opens in edit mode.

2. Click the **Workflow Log** tab.

By default, it displays only the stages of the workflow and highlights the current stage.

Use the following options to view more information:

Expand Users & Roles

Use this option to display users and roles associated with each workflow stage.

You can choose to hide users or roles using the Collapse Users and Collapse Roles options.

Log Summary

Use this pane to view the log of the actions performed.

Viewing Workflow Logs

Performance Review

Erwin_Employee

Edit Business Rule

Associations

Rich Media Library

My Action Center

Workflow Log

History

BGM_WF → BGM_WF

Collapse Roles

Collapse Users

Expand Users & Roles

Export Image

On Create

First Draft


Review

Approve

Publish

Log Summary

#	Workflow Name	Previous Status	Current Status	Comments	Modified By	Modified Date Time
1	BGM_WF		Preliminary Draft	Object created and moved to Draft	Administrator	17-11-2020 13:35:10


You can export the workflow log summary in XLSX format. Click  to export the summary.

Viewing History

You can view and track a list of changes made to a business rule. The History tab displays change status, added records, and more.

To view the history of business rules, follow these steps:


1. On the **Compact View** tab, click . Then, click .

Alternatively, on the **Grid View** tab, under the **Options** column, click .

The business rule opens in edit mode.

2. Click the **History** tab.

From the History tab, you can view the change history related to a business rule.



Viewing Mind Maps


A mind map displays the pictorial representation of a business asset and its association with other business and technical assets. Technical assets refer to systems, environments, tables, and columns. Business assets refer to business terms, business policies, business rules, and other business assets as defined in the Business Glossary Manager Settings. You can also generate mind map for multiple business assets at the catalog level.


You can view and analyze Mind Maps in following views:

- Logical View
- Conceptual View

To view mind maps, follow these steps:

1. In the <Business_Asset> Summary section, do one of the following:
 - Select multiple business assets and click **MINDMAP** to view a mind map for the selected assets.




- Click  for an asset to view mind map for that asset alone.

The Mind Map page appears and the Logical View opens by default.


2. On the Mind Map page, you can click **Logical View** or **Conceptual View** to switch between them:

Viewing Mind Maps

- **Logical View:** The logical view displays the associated technical assets on the left side and associated business assets on the right of the business asset. Selecting an asset on the mind map displays its properties in the Object Properties pane.



- **Conceptual View:** The conceptual view displays the associated technical assets in non-hierarchical representation. Selecting an asset on the mind map displays its properties in the Object Properties pane.



3. Use the following options to work on the mind map:

Reload Diagram (🔄)

Use this option to reload the mind map to its default appearance.

Expand Diagram (📏)

Viewing Mind Maps

Use this option to expand the mind map to view the associated technical and business assets.

Reset Diagram to Original View (⌵)

Use this option to collapse the expanded nodes and restore the mind map to its original form.

Export (⬇)

Use this option to export the mind map. Hover over **Export** and use the following options:

Mind Map - Excel Report: Use this option to download the mind map in the .xlsx format. Ensure that you expand the mind map before downloading the report.

Mind Map - Image: Use this option to download the mind map as an image, in the .jpg format. Ensure that you expand the mind map before downloading the mind map image.

Sensitivity Details - Excel Report: Use this option to download the sensitivity report of all associated assets in the .xlsx format. This report includes sensitive data indicator (SDI), SDI classification, and SDI description of the associated assets.


You can use the following panes to view properties and configure preferences for the mind map:

- [Legend](#)
- [View My Preferences](#)
- [Object Properties](#)
- [Overview](#)

Legend

Use legends to identify objects on the mind map.

Viewing Mind Maps



View My Preferences

You can set your preferences to view the mind map according to your requirements. The available settings differ based on the logical and conceptual view. Expand the **View My Preferences** pane and use the following options:

Assets

Use the **Include Assets without Associations** to display business assets with no associations.




This option is only available when you generate mind maps for multiple assets at the same time.

Qualifier

Use the **Show Qualified View** to display business asset and its association with other business and technical assets that are created using a unique qualifier (business asset). For more information about creating associations using a qualifier, refer to the [Setting Up Associations Using Qualifiers](#) topic.

Asset Hierarchy



- _____




Viewing Mind Maps

- **Expanded Logical Names:** Use this option to view the expanded logical names of tables and columns on the mind map.

You can configure logical names and expanded logical names of [tables](#) and [columns](#) in the Metadata Manager.

For example, the following mind map displays logical names and expanded logical names.




View Sensitivity

Use the following options to view sensitivity information of the assets on the mind map:

- **Sensitivity Data Indicator(Y/N):** Use this option to indicate whether an asset is classified as sensitive.
- **Sensitive Data Classification:** Use this option to view the sensitivity classification of assets.

For example, the following mind map displays the sensitive data indicator (🔒) for assets that are classified sensitive.

For more information on updating asset sensitivity in mind maps, refer to the [Updating Sensitivity](#) topic.



Filters

Viewing Mind Maps

Use the following filter options to select information availability on mind maps:

- **By Asset Type:** Use this option to filter and display required asset types on the mind map.
- **By Relationship:** Use this option to filter and display required assets on the mind map based on relationships.

For example, in the By Asset Type list, select Column and in the By Relationship list select is associated with. Doing this displays only those columns that have the is associated type of relationship with the asset.



Object Properties

Expand the Object Properties pane to view the selected asset's information, such as its path, type, association statistics, data governance responsibilities, and sensitivity classification of an asset.

Overview

Expand this pane to open a panned view of the mind map. You can drag the purple box to move across the mind map and focus on specific areas.



Comparing Business Assets

You can compare business assets (business terms, business policies, and more) side by side to gain more insight and see asset property differences. You can also compare them based on similarity or distinct properties and more.

For example, the following steps walk you through comparing business terms. Similarly, you can compare other business assets in Business Glossary Manager.


To compare business assets, follow these steps:

1. In the **Asset Workspace** pane, under the **Business Terms** node, click the required catalog.
The business terms list appears in the Compact View tab.
2. Select the required assets from the list.



You can select up to five assets for comparison.


Comparing Business Assets



Alternatively, you can also compare assets in the Grid View tab.

- 3. Click **Add to Compare**.
The Asset to Compare sheet appears.




You can click  to remove assets from the compare list.

- 4. Click **Compare**.

Comparing Business Assets

The Compare Assets page appears and displays side by side comparison of asset properties for the selected assets.



Also, use the Search box to search and compare specific properties of the assets.

Use the following options to compare assets based on similar or distinct properties:

All

Use this option to view all asset properties for comparison.

Similar

Use this option to view only the asset properties that are similar to the assets in comparison. For example, the following image displays similar properties.

Comparing Business Assets

Compare Assets

ALLSIMILARDISTINCT

ALLASSETEXTENDED

Search

#Properties

5 End

Business Term

Pharmaceuticals

International S.

510 - K Device

Business Term

Pharmaceuticals

International S.

A per D

Business Term

Pharmaceuticals

International S.

Rating

★ ★ ★ ★ ★

★ ★ ★ ★ ★

★ ★ ★ ★ ★

Sensitive Data Indicator(SDI) C

PH

PH

PH

SDI Description

Notes

Catalog Hierarchy

Pharmaceuticals/International Society for Pharmaceutical Engineering - ISPE

Pharmaceuticals/International Society for Pharmaceutical Engineering - ISPE

Pharmaceuticals/International Society for Pharmaceutical Engineering - ISPE

Created By

Administrator - Default System User

Administrator - Default System User

Administrator - Default System User

Created Date

12-06-2020 10:03:11

12-06-2020 10:03:11

12-06-2020 10:03:11

Last Modified By

Administrator - Default System User


Administrator - Default System User

Administrator - Default System User

Distinct

Use this option to view only the asset properties that are different from the assets in comparison. For example, the following image displays the properties that are different between the assets.

Comparing Business Assets



Use the following options to compare assets based on extended properties and asset details:


All

Use this option to view all asset properties for comparison.

Asset

Use this option to view only the asset properties of the assets in comparison. For example, the following image displays all the asset properties.

Comparing Business Assets



Extended

Use this option to view only the extended properties of the assets. For example, the following image displays the extended properties.

Comparing Business Assets

Compare Assets

ALLSIMILARDISTINCTALLASSETEXTENDED

Search

#Properties

5 EndBusiness TermPharmaceuticalsInternational S.

510 - K DeviceBusiness TermPharmaceuticalsInternational S.

A per DBusiness TermPharmaceuticalsInternational S.

EP Include Sensitive Informat	1	1	1
EP Must Include			
EP Radio	23-01-2025 12:00:00	23-01-2025 12:00:00	23-01-2025 12:00:00
EP Category			
EP Column Name	varchar	varchar	
EP Preference	PII	PII	PII
EP Timeliness		Weekly (41-60)	
EP Lifecycle	>10yr (76-100)	1-3yr (26-50)	

Moving Business Assets

You can move business assets from one catalog to another and preserve catalog hierarchy while moving them.

For example, to move business terms, follow these steps:

1. In the **Asset Workspace** pane, under the **Business Terms** node, click the required catalog.

By default, assets appear in the Compact View.

2. Click the **Grid View** tab.

The list of business terms in the catalog appears.


3. Select the required rows or use the check box at the top to select all rows.

BUSINESS TERMS SUMMARY - ...					
<div>ADD BUSINESS TERM UPDATE SENSITIVITY MOVE UPDATE DG ASSIGNMENTS UPDATE TAGS ADD TO COMPARE MINDMAP</div>					
Compact View Grid View					
#	Options	Catalog Hierarchy	Business Term	Description	Tags
1	<input checked="" type="checkbox"/>	Customer Terms	Customer Address	place where a customer resides	Data Quality +1
2	<input checked="" type="checkbox"/>	Customer Terms	Customer Email	Email Address for the customer	
3	<input type="checkbox"/>	Customer Terms	Customer First Name	First Name of the Customer	
4	<input type="checkbox"/>	Customer Terms	Customer Last Name	Last Name of the Customer	

4. Click **Move**.

The Move Assets page appears.

Moving Business Assets



5. In the **Catalog Assets** pane, select a destination catalog.
6. In the **Move Assets Options** pane, use the following options:

Field	Function
Skip Existing Assets	Use this option to move only those business terms that do not exist in the destination catalog.
Override Existing Assets	Use this option to move new business terms and replace any existing ones in the destination catalog.
Preserve Catalog Hierarchy	<p>Switch Preserve Catalog Hierarchy to Yes to enable options for preserving catalog hierarchy.</p> <ul style="list-style-type: none"> ▪ Selected Catalog Only: Use this option to move only the selected source catalog under the destination catalog. ▪ Selected Catalog and Sub Catalogs: Use this option to move the source catalog and its sub-catalogs under the destination catalog. ▪ Selected Catalog + Sub Catalogs + Parent Catalogs: Use this option to move the source catalog, its sub-catalogs, and parent catalogs under the destination catalog.

Moving Business Assets

Field	Function
	<ul style="list-style-type: none">▪ Include Root Catalog: This option is enabled only when you select the Selected Catalog + Sub Catalogs + Parent Catalogs option. Use this option to move the root catalog of the source catalog under the destination catalog.

7. Click **Move**.

The business term is moved to the selected catalog.

Similarly, you can move other default and user-defined business assets from one catalog to another.

Setting Up Associations using Qualifiers


You can associate business assets based on a unique qualifier. A qualifier displays associations that are uniquely identified by a business asset in a mind map. You can also create multiple levels of associations that are unique for a business asset.

This topic walks you through the steps to create associations based on a unique qualifier for a Business Term using an example.

This example creates associations between business terms in two parts:

- Business terms, Customer and Employee are associated with respective assets, such as Email and Address.
- Business terms, Email, and Address are associated with relevant assets using Customer and Employee as qualifiers.

The following diagram shows how assets are associated.



In this diagram:

1. Customer information (customer's email and address) is associated with business term, Customer, using it as a qualifier.
2. Employee information (employee's email and address) is associated with the business term, Employee, using it as a qualifier.

As a result, when you view mind map of either of the business terms (Customer or Employee) with the qualifier option enabled, only the associations related to Customer or

Setting Up Associations using Qualifiers

Employee are displayed. For more information on mind map, refer to the [Viewing Mind Maps](#) topic.

Similarly, you can set up associations for all the business and technical assets.





For the qualifier option to function as intended, we recommend that you follow the example in this topic to set up associations.

To set up associations for business terms (Customer and Employee) using a qualifier, go to **Application Menu > Data Governance > Business Glossary Manager > Explore**. Then, set up associations as follows:

- [Associating Customer as a Unique Qualifier](#)
- [Associating Employee as a Unique Qualifier](#)


Associating Customer as a Unique Qualifier

To define associations for Customer based on the diagram explained above, and use it as a unique qualifier for its associations, follow these steps:

1. On the **Compact View** tab, on customer card, click  .
Alternatively, on the **Grid View** tab, under the **Options** column, click  . Then, click **Associations**.
The Associations tab opens in edit mode.

Setting Up Associations using Qualifiers

- 2. In the asset type (business policies, business terms, columns, environments, and tables) list, select Business Term to associate with the business term, Customer.



- 3. Click +.
- The Relationship Associations page appears. Based on the asset type that you select, it

Setting Up Associations using Qualifiers

displays a list of available assets.

Relationship Associations

Current Context: Customer

Current Context Type: Business Term

Relationship Name: is a Synonym of

Search (partial matches):

<input type="checkbox"/>	Term Name	Description	Definition	Catalog Name	Catalog Hierarchy
<input type="checkbox"/>	AAPS	LEN(D34)	of Pharmaceutical Scientists	for Pharmaceutical Engineering - ISPE	for Pharmaceutical Engineering - ISPE
<input type="checkbox"/>	AAR	LEN(D35)	After Action Review	International Society for Pharmaceutical Engineering - ISPE	Pharmaceuticals → International Society for Pharmaceutical Engineering - ISPE
<input type="checkbox"/>	AARP	LEN(D36)	American Association of Retired Persons	International Society for Pharmaceutical Engineering - ISPE	Pharmaceuticals → International Society for Pharmaceutical Engineering - ISPE
<input type="checkbox"/>	AAS	LEN(D37)	Acute Abdominal Series	International Society for Pharmaceutical Engineering - ISPE	Pharmaceuticals → International Society for Pharmaceutical Engineering - ISPE
<input type="checkbox"/>	AASHTO	LEN(D38)	American Association of State Highway & Transportation	International Society for Pharmaceutical Engineering - ISPE	Pharmaceuticals → International Society for Pharmaceutical Engineering - ISPE

4. Select the assets, Email and Address, to associate with Customer.
If you know the asset name, use the Search (partial matches) field to look up for it.
5. Click **Save**.
Email and Address are associated with the Customer and added to its list of asso-

Setting Up Associations using Qualifiers

ciations.

Customer Operations

Edit Business Term Additional Information Associations Rich Media Library My Action Center Workflow Log History Valid Values

Business Term

Actions	Qualifier Name	Relationship Name	Term Name	Description	Definition	Catalog Name	Catalog Hierarchy
<input type="checkbox"/>							
<input checked="" type="checkbox"/> + ✎ 🗑		is a Synonym of	Address		Collect and store customer mailing addresses.	Operations	Operations
<input checked="" type="checkbox"/> + ✎ 🗑		is a Synonym of	Email		More email information about the customer for sending news letters and on-demand emails.	Operations	Operations

6. For Email, under the **Actions** column, click + to associate it with other assets using Customer as a qualifier.

The Operations page for Email appears.

Operations

Email

Business Term

Actions	Qualifier Name	Relationship Name	Term Name	Description	Definition	Catalog Name	Catalog Hierarchy
<input type="checkbox"/>							
<input checked="" type="checkbox"/> + ✎ 🗑		is Synonymous with	Customer		Customer Details	Operations	Operations

On the relationship association page, select Business Term from the asset type list to associate with the business term Email using Customer as a qualifier.

7. In the asset type (business policies, business terms, columns, environments, and tables) list, select Business Term to associate with the business term Email using Customer as a qualifier.
8. Click + on the top-right corner.
- The Relationship Associations page appears.

Setting Up Associations using Qualifiers

9. Select Customer_Email to associate with Email, using Customer as a qualifier.

Relationship Associations

Current Context: Email

Current Context Type: Business Term

Relationship Name: Is a Synonym of

Search (partial matches):

<input type="checkbox"/>	Term Name	Description	Definition	Catalog Name	Catalog Hierarchy
<input type="checkbox"/>	Customer_				
<input type="checkbox"/>	Customer_ Address		Customer information (customer's email and address) is associated with business term, Customer, using it as a qualifier.	TechPubs	TechPubs
<input checked="" type="checkbox"/>	Customer_Email		Indicates specific terms for individual email addresses.	TechPubs	TechPubs

10. Click **Save**.

Customer_Email is associated with Email using Customer as a qualifier.

Once the Customer_Email is associated with Email, the **Qualifier Name** column displays Customer as a unique qualifier for the asset.

Operations

Email

Business Term: Email

<input type="checkbox"/>	Actions	Qualifier Name	Relationship Name	Term Name	Description	Definition	Catalog Name	Catalog Hierarchy
<input type="checkbox"/>	+ / -							
<input type="checkbox"/>	+ / -		is Synonymous with	Customer		Customer Details	Operations	Operations
<input type="checkbox"/>	+ / -	Operations/Customer	is a Synonym of	Customer_Email		Indicates specific terms for individual email addresses.	TechPubs	TechPubs

11. Repeat steps 6 to 10 to associate Customer_Address with Address using Customer as a qualifier.


Once the Customer_Address is associated with Address, the **Qualifier Name** column displays Customer as a unique qualifier for the asset.

Associating Employee as a Unique Qualifier


Setting Up Associations using Qualifiers

Similarly, you can define associations for Employee based on the diagram explained above and use it as a unique qualifier for its associations. To create association based on the diagram, follow the steps in [Association Customer Using a Qualifier](#) section.

Once you have created associations, you can view them in [mind map](#). Use the **Show Qualified View** option in the mind map to view the associations only based on a qualifier. In this case, Customer.

To view mind map, in Compact View, on the Customer card, click . Then, select the **Show Qualified View** option. Selecting this option displays only those associations that are based on the unique qualifier, Customer.


- **With Show Qualified View option:** View associations based on Customer as a qualifier.



Similarly, you can view associations in a mind map using Employee as a qualifier.

- **Without Show Qualified View option:** View all associations.

Setting Up Associations using Qualifiers



Similarly, you can view associations in a mind map for the business term Employee.

Tagging Business Assets

You can tag business assets in bulk via:

- [Compact View](#):
Use this option when you want to tag business assets and their associated assets.
- [Grid view](#):
Use this option when you want to tag assets of an asset type.


Tagging Business Assets-Compact View

On the Compact View tab, you can tag an asset and its associated assets in bulk. Associated assets are of two types, technical and business assets. Technical assets refer to columns, tables, environments, and systems. Business assets refer to business terms, business policies, business rules, and other business assets defined in the Business Glossary Manager Settings.

To tag business assets, follow these steps:

1. On the asset browser, click a <Business_Asset_Type>.


The Asset Workspace switches to the business asset view. For example, if you click Business Terms on the asset browser, the Asset Workspace switches to the business terms view.



Tagging Business Assets

2. In the Asset Workspace, select the required catalog. For example, select Customer Terms.

The Compact View tab displays business terms in the Customer Terms catalog.




3. Select the required business asset.

The Update Tags button is enabled.


For example, select Customer Address.

To select all business terms, you can switch the **Select All** option to Yes.



4. Click **Update Tags**.

The Assign Tags page appears.

A screenshot of a web application dialog box titled "Assign Tags" with a red close button in the top right corner. Inside the dialog, there is a "Select Tags" dropdown menu. Below the dropdown, there are two radio buttons: "Append" (which is selected) and "Replace". At the bottom of the dialog, there are two buttons: a blue "UPDATE" button and a red "CANCEL" button.

5. Click **Select Tags** and select tags from the suggestions that appear. The list contains tags created in the Enterprise Tags module; based on the configured scope.



You can also create a tag by typing a tag name in the Select Tags box and then pressing Enter.

6. Use the following options:

Append

Use this option to add new tags to the existing list of tags.

Replace

Use this option to replace existing tags.

7. Click **Update**.

The selected business assets and their associated assets are tagged.

Tagging Business Assets-Grid View


On the Grid View tab, You can tag business assets in bulk.

To tag business assets, follow these steps:

Tagging Business Assets


1. On the asset browser, click a <Business_Asset_Type>.

The Asset Workspace switches to the business asset view. For example, if you click Business Terms on the asset browser, the Asset Workspace switches to the business terms view.



2. Under <Business_Asset> Summary, click the Grid View tab.

The grid view for the business asset appears. For example, the following image shows the grid view for Business Terms.




3. Select the required business asset.

The Update Tags button is enabled.

For example, select Customer Address.


To select all the listed business asset, use the check box at the top of the grid.

Tagging Business Assets



4. Click **Update Tags**.

The Assign Tags page appears.



5. Click **Select Tags** and select tags from the suggestions that appear.
The list contains tags created in the Enterprise Tags module; based on the configured scope.



You can also create a tag by typing a tag name in the Select Tags box and then pressing Enter.

6. Use the following options:

Append

Use this option to add tags to the existing list of tags.

Replace

Use this option to replace existing tags.

7. Click **Update**.

The selected business assets and their associated assets are tagged.

Updating Sensitivity in Bulk

Updating sensitivity involves marking business assets sensitive with an appropriate sensitive data indicator classification. Although you can set up sensitivity of a business asset while creating it, you can also update sensitivity of assets in bulk using:

- [Mind map](#):
Use this option when you want to update sensitivity of associated business and technical assets.
- [Grid view](#):
Use this option when you want to update sensitivity of an asset type.

Before updating sensitivity of business assets, ensure that you enable sensitivity for the asset type. For more information on enabling sensitivity for an asset type, refer to the [Configuring Asset Details](#) topic.

You can configure the email notifications to be sent whenever sensitivity is updated in bulk. For more information on configuring the notification, refer to the [Configuring Sensitivity Update Notifications](#) topic.

Updating Sensitivity-Mind Map


You can update sensitivity of an asset and its associated assets in bulk through a mind map. Associated assets are of two types, technical and business assets. Technical assets refer to columns, tables, environments, and systems. Business assets refer to business terms, business policies, business rules, and other business assets defined in the Business Glossary Manager Settings.

Selected Assets

To update sensitivity of an asset, follow these steps:

1. On the mind map, click  to expand diagram.

The mind map appears in its expanded form.



2. Right-click the required asset.

The options available for the asset appear.

Updating Sensitivity-Mind Map



3. Click **Selected Asset Only**.

The Sensitive Data Classification - Mindmap page appears.

The screenshot shows a dialog box titled 'Sensitive Data Classification - Mindmap'. It contains two input fields: a drop-down menu labeled 'Sensitive Data Indicator(SDI)' and a text area labeled 'Sensitive Data Indicator Description'. At the bottom right of the dialog are two buttons: 'UPDATE' (blue) and 'CANCEL' (red).

4. In the drop-down list, select sensitivity data indicator (SDI) classification. You can add multiple classifications to the asset type.
5. In the **Sensitive Data Indicator Description** field, enter comments or description of the sensitivity indicator.
6. Click **Update**.

The sensitivity of the assets is updated based on the options you selected.

Associated Assets


You can update sensitivity of associated assets in bulk through a mind map.

Updating Sensitivity-Mind Map

To update sensitivity of associated assets through mind maps, follow these steps:

1. On the mind map, right-click the required asset.

The options available for the asset appear.



2. Click any one of the following:
 - **All Associated Business Assets:** Use this option to update sensitivity of associated business assets.
 - **All Associated Technical Assets:** Use this option to update sensitivity of associated technical assets.
 - **All Associated Assets:** Use this option to update sensitivity of associated business and technical assets.

For example, if you click All Associated Technical Assets, a list of all associated technical assets appear.

Updating Sensitivity-Mind Map

Sensitive Data Classification - Mindmap

All Associated Technical Assets

2
System

3
Environment

7
Tables

24
Columns

Next Cancel

#	Selec	Object Type	Object Path	Object Name	Sensitive Data Indicator (Y/N)	Sensitive Data Indicator Classification	Logical Name	Expanded Logical Name	Business Comments
	<input type="checkbox"/>								
1	<input checked="" type="checkbox"/>	System	erwin DM	erwin_DM	🔒	Confidential			
2	<input checked="" type="checkbox"/>	System	Informatica	Informatica	🔒				
3	<input checked="" type="checkbox"/>	Environment	erwin DM/DM Landing	DM_Landing	🔒				
4	<input type="checkbox"/>	Environment	Oracle/TechPubs	TechPubs	🔒				

3. Select the required assets and click **Next**.

The Selected Records page appears. You can verify the selected assets and clear the check box if required.

Sensitive Data Classification - Mindmap

All Associated Technical Assets

2
System

1
Environment

Previous Next Cancel

Selected Records

#	Select	Object Type	Object Path	Object Name	Sensitive Data Indicator (Y/N)	Sensitive Data Indicator Classification	Logical Name	Expanded Logical Name	Business Comments
	<input type="checkbox"/>								
1	<input checked="" type="checkbox"/>	System	erwin DM	erwin_DM	🔒	Confidential			
2	<input checked="" type="checkbox"/>	System	Informatica	Informatica	🔒				
3	<input checked="" type="checkbox"/>	Environment	erwin DM/DM Landing	DM_Landing	🔒				

4. Click **Next**.

Updating Sensitivity-Mind Map



The Auto Update Sensitivity For section does not appear for business assets.

Sensitive Data Classification - Mindmap

All Associated Technical Assets

1 System 3 Environment 5 Tables 24 Columns

Previous Update Cancel

Sensitive Data Indicator(SDI)

Sensitive Data Indicator Description

Auto Update Sensitivity For

Table ☒

Environment ☒

System ☒

5. Enter or select appropriate values in the fields. Refer to the table below for field descriptions.

Field Name	Description
Sensitive Data Indicator (SDI)	Specifies the SDI classification of the selected asset. Also, you can add multiple classifications to the selected columns. For example, PII. For more information on configuring SDI classifications, refer to the Configuring Sensitivity Classifications topic.
Sensitive Data Indicator Description	Specifies the description of the SDI classification. For example, This classification indicates that the data contains personal identifiable information. Use this for data such as, address or

Updating Sensitivity-Mind Map

Field Name	Description
	social security number.
Auto Update Sensitivity For	<p>Specifies whether sensitivity is applicable to:</p> <ul style="list-style-type: none">▪ System: Switch the System option on to apply sensitivity to all the systems containing the assets.▪ Environment: Switch the Environment option on to apply sensitivity to all the environments containing the assets.▪ Table: Switch the Table option on to apply sensitivity to the tables containing the assets.
Asset Update Options	<p>Specifies whether sensitivity is applicable to:</p> <ul style="list-style-type: none">▪ Unclassified Only: Click Unclassified Only to apply sensitivity to assets that are not marked sensitive.▪ All Classified Only: Click All Classified Only to apply sensitivity to assets that are marked sensitive.▪ All Classified And Unclassified: Click All Classified And Unclassified to apply sensitivity to both the types of assets, sensitive or not sensitive.

6. Click **Update**.

The sensitivity of the assets is updated based on the options you selected.


Updating Sensitivity-Grid View

You can view a list of business assets under the Compact View and Grid View tab. On the Grid View tab, you can update sensitivity of business assets in bulk.

To update sensitivity of business assets, follow these steps:

1. In the Business Asset List, click a <Business_Asset_Name>.

The Asset Workspace switches to the business assets view. For example, if you click Business Terms in the business asset list, the Asset Workspace switches to the business terms view.



2. Under <Business_Asset> Summary, click the **Grid View** tab.

The grid view for the business asset appears. For example, the image given below shows the grid view for Business Terms.

Updating Sensitivity-Grid View

BUSINESS TERMS SUMMARY

EXPORT EXCEL

All # A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Compact View

Grid View

#	<input type="checkbox"/>	Options	Catalog Hierarchy	Business Term	Description	Sensitive Data Indicator (Y/N)	Sensitive Data Indicator Classification
			<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
1	<input type="checkbox"/>	<div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div></div>	Monetary Terms → Macroeconomics	3 -Hydroxyl End	LEN(D3)	<div><div></div></div>	
2	<input type="checkbox"/>	<div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div></div>	TechPubs2	3-A Sanitary Standards Inc - 3-A SSI	LEN(D2)	<div><div></div></div>	<div>PHI</div>
3	<input type="checkbox"/>	<div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div></div>	Pharmaceuticals → International Soc...	5 End	LEN(D5)	<div><div></div></div>	<div>PHI</div>
4	<input type="checkbox"/>	<div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div></div>	Pharmaceuticals → International Soc...	510 - K Device	LEN(D4)	<div><div></div></div>	<div>PHI</div>

3. Select the required business assets.

You can use the check box at the top to select all the business assets.

BUSINESS TERMS SUMMARY

EXPORT EXCEL

MINDMAP
















UPDATE SENSITIVITY

MOVE

All # A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Compact View

Grid View

#	<input type="checkbox"/>	Options	Catalog Hierarchy	Business Term	Description	Sensitive Data Indicator (Y/N)	Sensitive Data Indicator Classification
1	<input checked="" type="checkbox"/>	   	Monetary Terms → Macroeconomics	3 -Hydroxyl End	LEN(D3)		
2	<input checked="" type="checkbox"/>	   	TechPubs2	3-A Sanitary Standards Inc - 3-A SSI	LEN(D2)		<div>PHI</div>
3	<input type="checkbox"/>	   	Pharmaceuticals → International Soc...	5 End	LEN(D5)		<div>PHI</div>

4. Click **Update Sensitivity**.

The <Business Term> update page appears.

Updating Sensitivity-Grid View

Catalog View [X]

Sensitive Data Indicator(SDI) [v]

Sensitive Data Indicator Description []

Metadata Update Options

Non-Sensitive Only ☒

Sensitive Only ☐

Sensitive and Non-Sensitive ☐

UPDATE **CANCEL**

5. Enter or select appropriate values in the fields. Refer to the following table for field descriptions.

Field Name	Description
Sensitivity Data Indicator (SDI)	<p>Specifies the sensitivity data indicator (SDI) classification of the selected assets. Also, you can add multiple classifications to the selected columns.</p> <p>For example, PHI.</p> <p>For more information on configuring SDI classifications, refer to the Configuring Sensitivity Classifications topic.</p>
Sensitivity Data Indicator Description	<p>Specifies the description of the SDI classification.</p> <p>For example, This classification indicates that the data contains personal identifiable information. Use this for data such as, address or social security number.</p>
Metadata Update Options	<p>Specifies whether sensitivity applies to:</p> <ul style="list-style-type: none">▪ Unclassified Only: Use this option to apply sensitivity to assets that are not marked sensitive.▪ All Classified Only: Use this option to apply sensitivity to assets

Updating Sensitivity-Grid View

Field Name	Description
	<p>that are marked sensitive.</p> <ul style="list-style-type: none">▪ All Classified And Unclassified: Use this option to apply sensitivity to both the types of assets, sensitive or not sensitive.

6. Click **Update**.

Sensitivity of the selected business assets is updated.

Importing Compliance Reports

Quest Data Intelligence's Compliance Report Starter Kit comes with predefined report sets, which generate compliance reports periodically and send out email notifications to the recipients once reports are generated.

You can view your imported compliance reports in the Discover Assets module. To view compliance reports, go to **Application Menu > Discover Assets > Compliance Report**. For more information on compliance reports, refer to the [Viewing Compliance Reports](#) topic.

This topic walks you through importing the compliance report starter kit into the Business Glossary Manager. Importing compliance reports involves the following:

- [Configuring Compliance Report Starter Kit](#)
- [Importing Compliance Reports](#)

Configuring Compliance Reports Starter Kit


To configure the compliance reports starter kit, follow these steps:

1. Download the Compliance Reports Starter Kit [here](#).
2. Open the starter kit.
You can find the .XLSX starter kit file with the following file name format: Compliance_Reports_Starter_Kit_<version number>.xlsx.
For example, Compliance_Reports_Starter_Kit_V2.1.xlsx.
3. Press Ctrl+H.
The Find and Replace dialog box appears.
4. Find and replace all the instances of *https://ServerName:PortNumber/erwinDISuite* with the Quest DI URL of your organization.
For example, if your server is Quest, you can replace *https://ServerName:PortNumber/erwinDISuite* with *https://quest01:8080/erwinDISuite*.
5. Save the file.

Importing Compliance Reports


To import the compliance reports, follow these steps:

1. Go to **Application Menu > Data Governance > Business Glossary Manager > Explore**.
2. Go to the **Compliance Reports** tab.
The workspace switches to the Compliance Reports Summary view.
3. In the **Asset Workspace** pane, right-click **Catalog View**.



4. Click **Import Catalog**.

The Import Business Catalog page appears.



5. Click **Choose File**. Then, browse and select the `Compliance_Reports_Starter_Kit.xlsx` file that you configured in the [Configuring Compliance Report Starter Kit](#) step.

6. Click .

Compliance reports are imported into your business glossary.

Once compliance reports are imported, you can view and manage them on the Compliance Report Summary page in Business Glossary Manager. [Managing compliance reports](#) involves:

Importing Compliance Reports



- Enabling reports
- Adding email recipients
- Setting report generation interval
- Setting threshold value

Managing Compliance Reports

Managing compliance reports involves:

- Enabling a report
- Adding email recipients
- Setting report generation interval
- Setting a threshold value

To manage compliance reports, follow these steps:

1. On the **Compact View** tab, open a report, and click .
Alternatively, on the **Grid View** tab, click  under the **Options** column for a report.
2. Use the following options to manage the reports:

Enable

Use this option to mark the report active. Once the report is enabled, email notifications are sent periodically to the recipients.

Email Recipients

Use this option to add email recipients to the report. Email notifications are sent to the recipients once the report is generated. You can add multiple email recipients, each separated by a semicolon (;).

Frequency


Use this option to specify a time interval for report generation. Based on the configured frequency, reports are generated, and email notifications are sent to the recipients.

Threshold

Use this option to specify a threshold for report generation.



This option is not configurable for some reports, indicated by the value NA.

3. Click .
- Once reports are generated, you can view them in the Discover Assets module.

Managing Compliance Reports


To view compliance reports, go to **Application Menu > Discover Assets > Compliance Reports**. For more information on compliance reports, refer to the [Viewing Compliance Reports](#) topic.

Setting Up Stewardship Goals

Data stewards initiate and facilitate collaboration to use organization's data to its capability. They protect data from misuse and are also responsible for ethical data management. Stewardship goals help data stewards to collaborate and protect data better.

To set up stewardship goals, follow these steps:


- 1. Go to **Application Menu > Data Governance > Business Glossary Manager > Explore**.
- 2. Go to the **Stewardship Goals** tab.
The Asset Workspace switches to the stewardship goals view.
- 3. In the **Asset Workspace** pane, click **Stewardship Goals > Documents Library**.



Setting Up Stewardship Goals

4. Click .


The New Document Form page appears.



The screenshot shows a web form titled "New Document Form". It contains the following fields and controls:

- Document Name***: A text input field.
- Document Object**: A large area with the text "Drag-n-Drop files here or click to select files for upload." and a blue upload icon.
- Document Owner**: A text input field.
- Document Link**: A text input field.
- Document Description**: A rich text editor with various formatting options (bold, italic, underline, etc.) and a large text area.
- Approval Required Flag**: A checkbox at the bottom left.

5. Enter appropriate values in the fields. Fields marked with a red asterisk are mandatory. Refer to the following table for field descriptions.

Field Name	Description
Document Name	Specifies the name of the stewardship goals document. For example, ABCCL Goal Details.
Document Object	Drag and drop document files or use  to select and upload document files.
Document Owner	Specifies the document owner's name. For example, John Doe.
Document Link	Specifies the URL of the document. For example, https://drive.google.com/file/d/2sC2_SZlyeFKI7OOn-b5YkMBq4ptA7jhq5/view
Document Description	Specifies the intended use of the document. For example: The document is to keep a record of system description and its data dictionary.
Approval Required Flag	Specifies whether the document requires approval. Select the Approval Required Flag check box to select the document

Setting Up Stewardship Goals

Field Name	Description
	status.
Document Status	Specifies the status of the document. For example, In Progress. This field is available only when the Approval Required Flag check box is selected.

6. Click .

The selected stewardship goals document and its description are added to the stewardship goals set.







Once a stewardship goals document is set up, you can manage it using the options available for each goal document. [Managing stewardship goals](#) document involves viewing, editing, and deleting it.

Managing Stewardship Goals

Managing stewardship goals document involves viewing, editing, and deleting it.

To manage stewardship goals document, follow these steps:

1. Go to the list of documents in your Documents Library.

BUSINESS POLICIES COMPLIANCE REPORTS BUSINESS RULES DM NSM FILES DS AGREEMENTS ISSUE >										
#	Document Name	Document Owner	Document Status	Document Type	Document Link	Created By	Created Date	Modified By	Modified Date	Preview Edit Delete
1	TechPubs Docs		In Progress		https://erwin.com/book	Administrator	01-10-2020 04:53:44	Administrator	01-10-2020 04:53:44	  
2	Stewardship Goals		In Progress		https://erwin.com/book	Administrator	01-03-2021 04:26:14	Administrator	01-03-2021 04:26:14	  

2. Scroll to the right of the list to access and use the following options:

Preview

Use this option to view the stewardship goals document within the Business Glossary Manager in the preview mode.

Edit

Use this option to update document properties, such as owner, link, description, approval requirement, and status.

Delete

Use this option to delete a document that is no longer required.


Updating Data Governance Assignments

You can update data governance and assign governance responsibilities for business assets to users. The user-list appears as pick list values based on the roles group. Ensure that you [assign appropriate roles and users](#) to the catalog containing the business assets.

To update data governance assignments, follow these steps:

1. Go to **Application Menu > Data Governance > Business Glossary Manager > Explore**.
2. Select the required business asset tab. By default, the **Business Terms** is selected. The Asset Workspace displays a list of catalogs corresponding to the asset. For example, if you go to Business Rules tab, the Summary section switches to the Business Rules Summary.
3. In the **Asset Workspace** pane, click a catalog.

By default, the Compact View tab appears. It displays the business assets in the catalog. You can edit the business asset to update the Governance Responsibilities.



4. To update the DG Assignments for a single asset or multiple assets, click the **Grid View** tab.

Updating Data Governance Assignments

BUSINESS TERMS SUMMARY - Customer Master Catalog								ADD BUSINESS TERM
Compact View		Grid View						
#	<input type="checkbox"/> Options	Catalog Hierarchy	Business Term	Description	Sensitive Data Indicator (Y/N)	Sensitive Data Indicator Classification	Definition	
1	<input type="checkbox"/>	Customer Master Catalog	CURRENCY	COD Currency		PI	COD Currency	
2	<input type="checkbox"/>	Customer Master Catalog	CUSTOMER	a person who buys your product		Secret	a person who buys	
3	<input type="checkbox"/>	Customer Master Catalog → TechDocs	TestTaskList					

5. Select the business assets.

You can use the checkbox at the top to select all the business assets.

BUSINESS TERMS SUMMARY - Customer Master Catalog								ADD BUSINESS TERM	UPDATE SENSITIVITY	MOVE	UPDATE DG ASSIGNMENTS	MINOMAP
Compact View		Grid View										
#	<input type="checkbox"/> Options	Catalog Hierarchy	Business Term	Description	Sensitive Data Indicator (Y/N)	Sensitive Data Indicator Classification	Definition					
1	<input checked="" type="checkbox"/>	Customer Master Catalog	CURRENCY	COD Currency		PI	COD Currency					
2	<input checked="" type="checkbox"/>	Customer Master Catalog	CUSTOMER	a person who buys your product		Secret	a person who buys					
3	<input type="checkbox"/>	Customer Master Catalog → TechDocs	TestTaskList									

6. Click **Update DG Assignments**.

The Governance Responsibilities page appears. It displays roles groups based on the roles and users assigned to the Catalog.

Governance Responsibilities

Data Stewards

Technical Data Steward

Compliance Officer

☒ Append
This option will add the new assignments to the already existing assignments

☐ Replace
This option will replace the already existing assignments with the currently selected assignments

7. Select the required users for each roles group.

8. Use the following options:

Append

Updating Data Governance Assignments

Use this option to add new assignments to the existing assignments.

Replace

Use this option to replace existing assignments. You can leave the users blank to remove all the existing assignments.

9. Click .

The data governance assignment is updated.


Viewing Access Rights and Data Governance Reports

From the Access to Enterprise Access Rights and Data Governance Documentation Reports page, you can view:

- [Access rights](#)
- [Data governance reports](#)

To view access rights and data governance reports, click  from the top navigation pane.

Reports page appears. From the Reports page, you can view [governed assets](#) and [access rights](#). For more information on viewing access rights and data governance reports, follow the below topics.




Data Governance Report

A successful data governance program demands an efficient grouping of roles based on the responsibilities. It is also important to assign appropriate users and roles to catalogs and then assign governance responsibilities to business assets. The governance responsibilities report helps you track assignments of these governance responsibilities to the business assets in the Business Glossary Manager.

Viewing Access Rights and Data Governance Reports

To view reports, click the **Governed Assets** tab.



Use the following two views to view reports:


- **Graphical View:**
The graphical view displays the governance responsibilities in a tree structure.
- **Tabular View:**
The tabular view displays the governance responsibilities in a grid format.

By default, the graphical view opens.

To view report details in the graphical view, use the following options:


- **Expand/Collapse** (↕)
Use this option to switch between the expanded or collapsed view. For example, the report displays the governance responsibilities in the expanded view.

Viewing Access Rights and Data Governance Reports



▪ Pan View

Use this option to focus on a part of the governance responsibilities tree.



▪ Export (📄)

Use this option to download the report in the JPG format.

The Tabular View displays the governance responsibilities in a grid that includes, roles group, role, user details, asset name, asset type, and catalogs.


Viewing Access Rights and Data Governance Reports

Reports ×


[Governed Assets](#) [Access Rights](#)

BUSINESS ASSETS ²⁵

[Graphical View](#) [Tabular View](#)



Group Name	Role Name	User Id	User Name	User Email	Business Asset	Asset Type	Catalog
Data Stewards	Data Steward_UK	rcooper	Richard Cooper	rcooper@xyz.com	Goods Supply	Business Terms	Monetary Terms → Microeconomics → Micro
Data Stewards	Data Steward_UK	rcooper	Richard Cooper	rcooper@xyz.com	3-Hydroxyl End	Business Terms	Monetary Terms → Macroeconomics
Data Owners	Data Owner_GER	madams	Mike Adams	m.adams@xyz.com	CUSTOMER	Business Terms	Customer Master Catalog
Data Owners	Data Owner_RO	ksnidhar	Kartik Sridhar	ksnidhar@xyz.com	CUSTOMER	Business Terms	Customer Master Catalog
Data Owners	Data Owner_GER	madams	Mike Adams	m.adams@xyz.com	TestTaskList	Business Terms	Customer Master Catalog → TechDocs

To download the report in the XLSX format, click .


Access Rights

The Access Rights tab displays the roles and user assignments. You can view these assignments in the graphical and tabular views. The graphical view displays the assigned asset types and names in a tree structure that can be expanded. Whereas the tabular view displays the assigned asset types and names in a grid format.

To view access rights, follow these steps:

Viewing Access Rights and Data Governance Reports

1. From the **Reports** page, click the **Access Rights** tab.



2. Use the following options:


By Roles Assignments/By Users Assignments

Use this option to switch between the roles and user's assignments.

Graphical View/Tabular View

Use this option to switch between the graphical and tabular views.

The graphical view displays the assignments in a tree structure. You can expand the tree to view the asset types and names. For example, the following graphical view displays the users assignment.



Use the following options on the Graphical View:

- **Show Pan View/Hide Pan View**


Use this option to show or hide the pan view. The pan view facilitates navigation across the expanded assignment tree. To navigate across the expanded, on the **Pan View**, move the purple box.



- **Expand/Collapse** (🔍)

Use this option to switch between the expanded or collapsed view. For example, the following assignment tree appears in the expanded view.

Viewing Access Rights and Data Governance Reports



- **Expand Node Level**

Use this option to expand the assignment tree at the node level. Hover over a node and click the plus (+) icon.

- **Export Image** (📥)

Use this option to download the assignment tree in the JPG format.

The Tabular View displays the assignment details in a grid format. For example, the following roles assignments are displayed in the grid format.

Viewing Access Rights and Data Governance Reports

Reports

Governed Assets

Access Rights


By Roles Assignments

By Users Assignments

Graphical View

Tabular View

#	Role Name	Asset Type	Asset Name
1	Data Owner_GER	Users	Erica Simpson, Mike Adams
2	Data Owner_GER	Environment	DM Landing(erwin DM)
3	Data Owner_GER	Environment	Northwind(SQL System)
4	Data Owner_GER	Project	dgfd
5	Data Owner_GER	Business Terms	Company Benefits
6	Data Owner_GER	Business Terms	Customer Master Catalog
7	Data Owner_GER	Business Policies	GDPR Policies

You can download the assignment details in the XLSX format. To download the assignments, on the **Tabular View**, click .


Creating Custom Views

Custom Views provide quick access to the business asset data that you access frequently or data that you want to be readily available. You can create custom views for all business asset types using criteria sets based on your requirements.

To create custom views, follow these steps:

1. Go to **Application Menu > Data Governance> Business Glossary Manager > Explore**.
2. In the business asset list, select a business asset.
3. In the **Asset Workspace** pane, click **Custom Views**.

The Custom Views pane appears. It displays a list of available views, if any.



4. Click **ADD**.

The <Business Assets> Views page appears.

The screenshot shows the 'Business Terms Views' form. It has a title bar with 'Business Terms Views' and window controls. The form is divided into two main sections. The top section contains a 'Name' field (marked with a red asterisk), a 'Description' field, and a 'Global View' checkbox. The bottom section is titled 'Business Terms Criteria' and contains a table with columns: 'Criteria', 'Operator', and 'Value' (marked with a red asterisk). The 'Criteria' column has a dropdown menu with 'IS' selected. The 'Operator' column has a dropdown menu with 'equals' selected. The 'Value' column is empty. To the right of the table is a '+' icon and a vertical ellipsis. At the bottom right of the form is an 'ADD CRITERIA SET' button. At the very bottom of the form are 'RESET' and 'SAVE' buttons.

5. Enter appropriate values in the fields. Fields marked with a red asterisk are mandatory. Refer to the following table for field descriptions.

Creating Views

Field Name	Description
Name	Specifies the name of the custom view. For example, BON View.
Description	Specifies the description of the custom view. For example, Displays BON custom view.
Global View	Specifies whether the custom view is accessible for everyone using the application.
<Business Asset> Criteria	<p>Specifies the criteria based on which data is displayed in the custom view.</p> <p>For example, to display all business terms with a catalog name that contains TechPubs, set the criteria as follows:</p> <ul style="list-style-type: none">▪ IS▪ Criteria: Catalog Name▪ Operator: contains▪ Value: TechPubs

You can also add multiple conditions to a criteria set. In the **<Business_Assets> Criteria** section, click **+**. Alternatively, you can also add multiple criteria sets. To add criteria sets, click **Add Criteria Set**.

6. Click **Save**.

A custom view is added to the Custom Views list.

Once you create custom views, you can manage them. [Managing Custom Views](#) involves:

- Modifying views
- Deleting views

Managing Custom Views


Managing custom views involves:

- Modifying views
- Deleting views

To modify custom views, follow these steps:

1. On the view card, click .

The options to manage the view appear.



Managing Views

2. Click **Modify**.

The <Business Assets> Views page appears.

Business Terms Views

Name *
Bon View

Description
Assets having "TechPubs" in their Catalog name.

☐ Global View

Business Terms Criteria

	Criteria	Value *
IS	Catalog Name	TechPubs
OR	Description	contains TechPubs
OR	Definition	contains TechPubs

RESET **SAVE**

3. Modify the required properties (name, description, and global view) of the view. Also, modify the <Asset_Name> Criteria as required.

You can also modify the order of the conditions configured in a criteria set. Click ⋮ for a criteria and use the following options:

Move up

Use this option to move criteria up within the business asset set.

Move down

Use this option to move criteria down within the business asset set.

Remove

Use this option to remove criteria from the business asset set that is no more required.

Managing Views

Apart from modifying the existing criteria set, you can add multiple criteria sets. To add criteria set, click **Add Criteria Set**.

4. Click **Save**.

The changes made to custom view are saved and the results based on the updated configuration are available on the **Custom Views** page.

Managing Proposed Assets

Managing proposed business assets involves:


























- Editing or deleting proposed business asset
- Viewing history
- Approving or rejecting proposed business assets

This topic walks you through managing proposed business terms. Similarly, you can manage other proposed business assets using the Business Glossary Manager module.

To manage proposed business terms, follow these steps:

1. In the **Asset Workspace** pane, under the **Business Terms** node, click **Proposed Assets**.

The Proposed Assets page appears and displays a list of all proposed business terms.

Proposed Assets				
<input type="text" value="Search"/>		<input type="text" value="Search"/>		
		Sort by: Name ↑		
AC	Customer Terms Asset Class	Draft	Created By Administrator - Default System User 25-03-2025 03:15:06	    
CV	Operations Catalog Views Describes the catalogs and relevant vie...	Draft	Modified By Administrator - Default System User 25-03-2025 03:20:11	    
CT	Monetary Terms Class Terms	Draft	Created By Administrator - Default System User 25-03-2025 03:15:45	    
PR	Healthcare Pharma Reg	Draft	Created By Administrator - Default System User 25-03-2025 03:12:50	    
RA	Company Benefits Rights and Reviews	Draft	Modified By Administrator - Default System User 25-03-2025 03:09:29	    

Use the following options to manage proposed business terms:

Managing Proposed Assets

Edit (✎)

Use this option to edit a proposed business term.

Delete (🗑)

Use this option to delete a proposed business term.

History (🕒)

Use this option to view all the actions performed on a proposed business term.

Approve (✅)

Use this option to approve the proposed business term.



Once the asset is approved, neither the proposer nor the approver can edit it.

Reject (❌)

Use this option to reject a proposed business term.



Once the asset is rejected, you can edit and resubmit it for approval.